AbdelHameed, M. H., 992
Abe, H., 91
Abe, K., 725
Aberturas, M. R., 498
Abraham, M. H., 466
Acree, W. E., Jr., 432
Adams, S. C., 988
Ademola, J. I., 150, 767
Adenis, L., 1281
Adsmond, D. A., 901
Agache, P., 1099
Alberdi, E., 526
Aldana, I., 526
Allen, A., 1281
Allen, L. V., Jr., 1140
Amagase, H., 236
Amidon, G. L., 311, 897
Anadon, M., 262
Anderberg, E. K., 392
Andersen, P. H., 334
Andrew, P. D., 73
Aravagiri, M., 330, 447
Arboix, M., 1126
Archer, J. C., 543
Arias, M. S., 794
Aronson, H., 1190
Artursson, P., 392
Audin, P., 605
Audran, M., 493
Aungst, B., 227
Aungst, B. J., 979
Avdeef, A., 183
Axelson, J. E., 145

Babar, A., 389
Baertschi, S. W., 622, 1010
Baker, G. B., 22, 934
Balaban, A. T., 927
Baldominos, G., 794
Bandoli, G., 821
Bansal, S., 546
Bartels, K. E., 543
Basha, F., 355, 521
Bass, P., 721, 857
Bastow, K. F., 487
Batiste, G., 665
Bauer, E., 99
Bayne, W., 1145
Bechier, J. G., 1175
Bechtel, Y., 1099
Beermann, D., 107
Bellini, A. M., 87
Benincosa, L. J., 429
Benita, S., 1069
Benson, G. M., 80
Benvenuto, J. A., 988
Berge, S. M., 644
Bergenståhl, B., 584
Berger, R. S., 1118
Berlin, K. D., 543
Bertini, J., 179, 367
Bessell, E., 1281
Betlach, C. J., 1058
Bewley, J. R., 683
Bhat, S., 1288
Bhat, S. U., 1292
Biagi, G., 893
Bickel, M. H., 345
Birch, H. L., 73
Blanchard, S., 80
Blanco, M., 834
Blaszczak, L. C., 48
Blume, H. H., 1186
Blumenfeld, J., 276, 886
Bodmeier, R., 191
Bodor, N., 1058
Bonte, F., 17
Bori, I., 487
Bouassab, A., 1262
Boudinot, F. D., 254
Boudinot, S. G., 254
Brès, J., 493
Bressolle, F., 493, 729, 968, 1175, 1281
Brown, C. W., 350
Brown, G. R., 855
Brown, N. D., 563
Brox, A., 665
Brunelleschi, S., 480
Bruni, F., 480
Brusa, P., 506, 699
Bryant, F. O., 1214
Buchanan, H., 174
Buchbauer, G., 660
Burgos, C., 794
Bustamante, P., 635
Byron, P. R., 613, 670

Cadavid, I., 513
Cadavid, M. I., 1090
Cadorniga, R., 211
Caira, M. R., 1006
Calleja, J. M., 286, 1090
Camoutsis, Ch., 204
Campbell, G. D., 48
Cannon, J. B., 435
Canudas, N., 590
Capo, M., 262
Cardot, J.-M., 997
Carlfors, J., 579
Carmichael, J., 1281
Caron, D., 404
Carroll, R. T., 39
Carstensen, J. T., 550, 657, 674
Castiella, E., 526
Castro, E., 513
Castro, M. E., 286
Catsoulacos, P., 204
Cattel, L., 506, 699
Cenarruzabeitia, E., 526
Ceruti, M., 506, 699
Chagovetz, A. M., 641
Chambin-Remoussenard, O., 1099
Chan, K., 665
Chang, J. J., 60
Chang, S. F., 644
Chang, S. K., 240, correction following page 554
Chantres, J. R., 1160
Chapman, J. M., 214
Chen, T.-M., 992
Cheng, H., 694, 1085
Chevallet, P., 1262
Chiang, P. K., 563
Chiba, K., 291, 384
Chien, Y. W., 342, 373, 1179
Chiou, W. L., 992
Cholli, A. L., 791, 1275
Chow, A. T., 956
Chow, C. A., 767
Chow, S.-L., 1221
Chowhan, Z. T., 220
Christopher, M. M., 1112
Chun, I. I., 373
Chun, I. K., 1179
Cid, M. M., 1090
Clark, T., 978
Clas, S.-D., 855
Clausen, J., 345
Cocchini, A., 367
Coello, J., 834
Coldman, A. J., 627
Coleman, J. M., 665
Collins, M. W., 622, 1010
Colthup, P. V., 323
Connor, T. H., 988
Connors, K. A., 817
Cooper, K. M., 644
Cornelissen, P. J. G., 99
Cornpropst, D., 683
Costa, P., 729, 968
Costanzo, A., 480
Couarraze, G., 912
Coutel-Egros, A., 416
Couvreur, P., 912
Crider, A. M., 39, 334
Crommelin, D. J. A., 362
Croze, E. M., 475
Cruse, S. F., 334
Cullis, P. R., 627
Cupissol, D., 1281
Cutler, D. J., 592
Cutler, H. G., 1214

Daenens, P., 938
Dalby, R. N., 613, 670
Daly, J. S., 755
Dani, K., 220
Davis, E., 978
Day, R. O., 787
Deasy, P. B., 737
DeBernardis, J. F., 355, 521
Declercq, J.-P., 1262
Degen, P. H., 665
Deguchi, S., 734
Deibel, R. M., 610
de Irujo, J. J. M., 526
de Kleijn, J. P., 1130
Delabre, I., 605
de la Rosa, C., 170
del Campo, C., 262
del Mar Canedo, M., 1167
de los Reyes Laguna, M., 286
Delprino, L., 506, 699
Demopoulos, N., 204
Derendorf, H., 1112
Derr, R. F., 677
de Silva, J. A. F., 52
de Zeeuw, R. A., 200
Diaz-Perez, M. J., 675
Dick, R. M., 334
Dietrich, H., 660

AbdelHameed, M. H., 992
Abe, H., 91
Abe, K., 725
Aberturas, M. R., 498
Abraham, M. H., 466
Acree, W. E., Jr., 432
Adams, S. C., 988
Ademola, J. I., 150, 767
Adenis, L., 1281
Adsmond, D. A., 901
Agache, P., 1099
Alberdi, E., 526
Aldana, I., 526
Allen, A., 1281
Allen, L. V., Jr., 1140
Amagase, H., 236
Amidon, G. L., 311, 897
Anadon, M., 262
Anderberg, E. K., 392
Andersen, P. H., 334
Andrew, P. D., 73
Aravagiri, M., 330, 447
Arboix, M., 1126
Archer, J. C., 543
Arias, M. S., 794
Aronson, H., 1190
Artursson, P., 392
Audin, P., 605
Audran, M., 493
Aungst, B., 227
Aungst, B. J., 979
Avdeef, A., 183
Axelson, J. E., 145

Babar, A., 389
Baertschi, S. W., 622, 1010
Baker, G. B., 22, 934
Balaban, A. T., 927
Baldominos, G., 794
Bandoli, G., 821
Bansal, S., 546
Bartels, K. E., 543
Basha, F., 355, 521
Bass, P., 721, 857
Bastow, K. F., 487
Batiste, G., 665
Bauer, E., 99
Bayne, W., 1145
Bechier, J. G., 1175
Bechtel, Y., 1099
Beermann, D., 107
Bellini, A. M., 87
Benincosa, L. J., 429
Benita, S., 1069
Benson, G. M., 80
Benvenuto, J. A., 988
Berge, S. M., 644
Bergenståhl, B., 584
Berger, R. S., 1118
Berlin, K. D., 543
Bertini, J., 179, 367
Bessell, E., 1281
Betlach, C. J., 1058
Bewley, J. R., 683
Bhat, S., 1288
Bhat, S. U., 1292
Biagi, G., 893
Bickel, M. H., 345
Birch, H. L., 73
Blanchard, S., 80
Blanco, M., 834
Blaszczak, L. C., 48
Blume, H. H., 1186
Blumenfeld, J., 276, 886
Bodmeier, R., 191
Bodor, N., 1058
Bonte, F., 17
Bori, I., 487
Bouassab, A., 1262
Boudinot, F. D., 254
Boudinot, S. G., 254
Brès, J., 493
Bressolle, F., 493, 729, 968, 1175, 1281
Brown, C. W., 350
Brown, G. R., 855
Brown, N. D., 563
Brox, A., 665
Brunelleschi, S., 480
Bruni, F., 480
Brusa, P., 506, 699
Bryant, F. O., 1214
Buchanan, H., 174
Buchbauer, G., 660
Burgos, C., 794
Bustamante, P., 635
Byron, P. R., 613, 670

Cadavid, I., 513
Cadavid, M. I., 1090
Cadorniga, R., 211
Caira, M. R., 1006
Calleja, J. M., 286, 1090
Camoutsis, Ch., 204
Campbell, G. D., 48
Cannon, J. B., 435
Canudas, N., 590
Capo, M., 262
Cardot, J.-M., 997
Carlfors, J., 579
Carmichael, J., 1281
Caron, D., 404
Carroll, R. T., 39
Carstensen, J. T., 550, 657, 674
Castiella, E., 526
Castro, E., 513
Castro, M. E., 286
Catsoulacos, P., 204
Cattel, L., 506, 699
Cenarruzabeitia, E., 526
Ceruti, M., 506, 699
Chagovetz, A. M., 641
Chambin-Remoussenard, O., 1099
Chan, K., 665
Chang, J. J., 60
Chang, S. F., 644
Chang, S. K., 240, correction following page 554
Chantres, J. R., 1160
Chapman, J. M., 214
Chen, T.-M., 992
Cheng, H., 694, 1085
Chevallet, P., 1262
Chiang, P. K., 563
Chiba, K., 291, 384
Chien, Y. W., 342, 373, 1179
Chiou, W. L., 992
Cholli, A. L., 791, 1275
Chow, A. T., 956
Chow, C. A., 767
Chow, S.-L., 1221
Chowhan, Z. T., 220
Christopher, M. M., 1112
Chun, I. I., 373
Chun, I. K., 1179
Cid, M. M., 1090
Clark, T., 978
Clas, S.-D., 855
Clausen, J., 345
Cocchini, A., 367
Coello, J., 834
Coldman, A. J., 627
Coleman, J. M., 665
Collins, M. W., 622, 1010
Colthup, P. V., 323
Connor, T. H., 988
Connors, K. A., 817
Cooper, K. M., 644
Cornelissen, P. J. G., 99
Cornpropst, D., 683
Costa, P., 729, 968
Costanzo, A., 480
Couarraze, G., 912
Coutel-Egros, A., 416
Couvreur, P., 912
Crider, A. M., 39, 334
Crommelin, D. J. A., 362
Croze, E. M., 475
Cruse, S. F., 334
Cullis, P. R., 627
Cupissol, D., 1281
Cutler, D. J., 592
Cutler, H. G., 1214

Daenens, P., 938
Dalby, R. N., 613, 670
Daly, J. S., 755
Dani, K., 220
Davis, E., 978
Day, R. O., 787
Deasy, P. B., 737
DeBernardis, J. F., 355, 521
Declercq, J.-P., 1262
Degen, P. H., 665
Deguchi, S., 734
Deibel, R. M., 610
de Irujo, J. J. M., 526
de Kleijn, J. P., 1130
Delabre, I., 605
de la Rosa, C., 170
del Campo, C., 262
del Mar Canedo, M., 1167
de los Reyes Laguna, M., 286
Delprino, L., 506, 699
Demopoulos, N., 204
Derendorf, H., 1112
Derr, R. F., 677
de Silva, J. A. F., 52
de Zeeuw, R. A., 200
Diaz-Perez, M. J., 675
Dick, R. M., 334
Dietrich, H., 660

DiLuccio, R. C., 77
Di Silvestro, G., 758
Dittert, L., 227
Dockhorn, R., 644
Dominguez, R., 1090
Donahue, S. M., 350
Donnell, D., 276, 886
Dorman, D. E., 622, 1010
Dosio, F., 506, 699
Dot, T., 1090
Dow, R. J., 705
Doyle, M. J., 610, 847
Dressman, J. B., 857
Drewe, J., 132
Drouin, M., 276

Eaton, S. M., 531
Eckelman, W. C., 531
Edwards, D., 1164
Ehlhardt, W. J., 683
Eichelbaum, M., 244
Eichhold, T. H., 610, 847
El-Arini, S. K., 844
Eledjam, J. J., 1175
Ellis, D., 80
Elmazar, M. M. A., 1255
Elorza, B., 1160
Elorza, M. A., 1160
Embree, L., 627
Emma, D. A., 231
Emran, A.M., 1301
Endo, K., 25, 209
Evangelatos, G. P., 1228
Evangelatos, S. A., 1228
Evans, A. M., 421, 880

Fábregas, J. L., 211
Faljoni-Alário, A., 162
Fan, T. Y., 1172
Fantozzi, R., 480
Fares, H. M., 389
Farmer, R. W., 610, 847
Fassihi, R. A., 750
Felgate, C. C., 323
Ferguson, J., 808
Fernandez, G. M., 948
Ferreira, V. F. N., 162
Fischer, C., 244
Fitzsimons, M., 1061
Flanagan, D. R., 326
Fleitman, J. S., 1266
Flesch, G., 665
Fleury, M. B., 379
Fonseca, I., 794
Font, M., 526
Fontenia, J. A., 513
Fontenla, J. A., 286, 1090
Fos, D., 851
Franchini, M., 550
Francis, W. R., 551
Franks, N. P., 466
Frechilla, D., 526
Frenzel, T., 799
Friend, D. R., 857
Frisina, G., 87
Fuchtner, C., 231
Fueyo, J., 513
Fujiki, J., 1266
Fujita, T., 776
Fujita, Toshio, 155
Fujitomo, H., 319
Fukazawa, H., 1296
Fukushima, S., 1259
Fukushima, Y., 487
Funaki, T., 1296
Funderburg, E. D., 254
Fuwa, T., 236

Gabrion, C., 605
Gago, F., 794
Gala, K., 1275
Gallo, B. V., 282
Galtier, M., 729, 968, 1175
Gálvez, E., 794
Gamboa-Vujicic, G., 231
Games, D. E., 44
Ganes, D., 546
García, F., 498
Garrett, E. R., 1102
Gavalas, L., 138
Gay, B., 997
Gelmon, K. A., 627
Geno, P. W., 543
Georgieff, M. K., 804
Geresh, S., 276, 886
G-Ferreiro, T., 513
Ghebre-Sellassie, I., 113
Ghosh, A. K., 258
Ghosh, S., 901
Giacomotti, M., 506, 699
Gillespie, W. R., 1085
Gil-Longo, J., 286
Giorgi, I., 893
Girappanavan, D. M., 1292
Girgis, E. H., 503
Glaser, R., 276, 886
Gnewuch, C. T., 649
Goldie, J. H., 627
Gomeni, R., 1175
González, F., 834
Gonzalez, J. L., 1167
Gonzalez, M. A., 1058
Gonzalez-Guisandez, M. A., 635
Goodwin, S. R., 1123
Gordon, M. S., 220
Gordon, R. K., 563
Goto, S., 195, 399, 959, 1155
Graham, D. J., 705
Grande, C., 1167
Grant, D. J. W., 901
Grassi, A., 821
Greenshaw, A. J., 22
Gregory, D. W., 975
Grindey, G. B., 683
Grissom, C. B., 641
Grit, M., 362
Grosa, G., 506, 699
Gross, S., 1112
Grosser, A. E., 1061
Groves, M. J., 555
Gtówka, F. K., 1102
Guerrini, G., 480
Guitard, P., 132
Guitart, R., 1126
Gutiérrez, J. A., 211
Guzmán, M., 498
Gygax, D., 997
Häglund, B. O., 1094
Hall, I. H., 60, 408, 565
Hamilton, C., 683
Hamilton, M., 683
Hancock, A., 355, 521
Harrison, L. I., 644
Hasegawa, M., 273
Hasegawa, T., 1232
Hashimura, Y., 744
Hatanaka, H., 1054
Hauck, R.-S., 1255
Hawes, E. M., 138, 330
Hayase, N., 291, 384
Hayman, A., 1151
Haynes, C., 80
He, H., 1027
Heggie, J. R., 627
Heibel, B. A., 107
Heinzel, G., 99
Heit, M. C., 240, correction following page 554
Hermann, T. W., 1102
Herrero, R., 211
Heuck, K., 244
Higashi, Y., 236
Higuchi, W. I., 714
Hilton, A. K., 737
Hinko, C. N., 39
Hinson, J. L., 282
Hirota, S., 273
Hoffman, A., 229, 668
Hole, K., 886
Honrubia, M., 513, 1090
Hori, S., 461
Horstmann, R., 107
Howbert, J. J., 683
Howie, C. A., 471
Hu, M., 829
Hubbard, J. W., 138, 330
Hudon, N. J., 627
Hughes, D. M., 471
Huotari, J., 901
Hussain, A., 227
Hussain, M., 227
Hussain, M. A., 77, 553
Hussein, Z., 421, 880
Hwang, K-K., 694
Hwang, S. S., 1145

Ichihara, K., 291, 384
Iga, T., 301
Iglesias, J. M., 211
Ihnat, P. M., 110
Ikawa, A., 744
Ingwersen, S. H., 1164
Inotsume, N., 1259
Irwin, S. E., 808
Ishida, K., 744
Ithakissios, D. S., 1228
Ito, T., 195
Iturriaga, H., 834
Izquierdo, M. L., 794
Izydore, R. A., 408

Jacyno, J. M., 1214
Jäger, W., 660
Jagoda, E. M., 475
Jain, U. K., 714

Jaiswal, D. K., 258
Jamali, F., 296
Jarowski, C. I., 306
Jarroux, E., 968
Jashnani, R. N., 613, 670
Jaworski, T. J., 330
Jayes, F. L., 240, correction following page 554
Jenke, D. R., 617, 1134
Jirovetz, L., 660
Johnson, D., 546
Johnson, H., 689
Jones, G. S., Jr., 755
Jonkman, J. H. G., 99
Jordan, D. D., 1269
Joshi, H. N., 1033
Juni, K., 1232
Jusko, W. J., 340, 956

Kakabakos, S. E., 1228
Kakunda, A., 1285
Kamiya, M., 273
Kamizono, A., 1259
Kamo, N., 27
Kashiwada, Y., 487
Kasting, G. B., 551
Katovich, M. J., 1209
Kawada, J., 744
Kawaguchi, T., 1232
Kawakami, J., 301
Kean, W. F., 174
Kearney, A. S., 69
Kedar, A., 1112
Kehe, C. R., 644
Kelm, G. R., 610, 847
Kelman, A. W., 471
Khossravi, D., 817
Kikuta, C., 56
Kim, K. H., 355, 521
Kim, N.-S., 1155
Kim, N-S., 195
Kim, S. H., 838
Kinnett, G. O., 610
Kisicki, J. C., 644
Klein, C. L., 334
Klinger, N. M., 644
Klockowski, P. M., 229
Knihinicki, R. D., 787
Ko, F-N, 11
Kogan, T. P., 672
Kohen, R., 1285
Kojima, Y 236
Komada, F., 1054
Komoroski, R. A., 48
Korte, W. D., 782
Kotaki, H., 301
Koyama, E., 1205
Krauth, C. A., 1200
Kronberg, B., 579, 584
Kubota, K., 450, 1039, 1205
Kugo, M., 1245
Kuhlmann, J., 107
Kumari, P., 52
Kuo, B-S., 694
Kuo, S.-C., 1250
Kuruma, I., 1296
Kushla, G. P., 1118
Kweon, D-S., 952

Laidlaw, J. L., 988
Lakeman, J., 1130
Lalla, J. K., 1288, 1292
Lamy-Freund, M. T., 162
Langevin-Bermond, D., 379
Lau, M. L., 1275
Laurelli, J. M., 1175
Leader, H., 563
Leal, M., 546
Lear, J., 334
Lee, C. K., 959, 1155
Lee, K. J-H., 487
Lee, K-H., 487
Lee, M. G., 838
Lee, M-H., 952
Lee, P. H., 714
Lee, P. I., 964
Leonardi, L., 1061
Levy, G., 229
Levy, M. Y., 1069
Li, L. C., 1140
Liao, S. Y., 231
Lieb, W. R., 466
Lin, C-C., 52
Lin, C-N., 11
Lin, G., 330
Lin, H.-M., 1018
Lin, S.-Y., 1250
Linhardt, R. J., 326
Liou, S-S, 11
Liu, C. L., 714
Livi, O., 893
Llama, E., 262
Lo, S-C., 350
Lock, C. J. L., 174
Lohr, A., 627
Loomans, M. E., 610, 847
López, P., 794
Lopez-Bustamante, L. G., 851
Lopez-Unzu, J., 526
Lorenz, L. J., 622, 1010
Losa, M. J., 526
Lovelace, D. S., 434
Loza, M. I., 513, 1090
Lozoya, E., 513
Lu, D. R., 537
Lu, M-Y. F., 689
Lucacchini, A., 893
Lujan, A., 1167
Lumbreras, J. M., 948
Luner, P. E., 311

Maartmann-Moe, K., 886
Machado, R., 371
Macheras, P., 1298
Machida, R., 725
MacIntyre, A. C., 592
Maibach, H. i., 150
Maibach, H. I., 450, 767, 1039
Maillols, H., 493
Maitani, Y., 416, 1245
Makino, M., 273
Manaut, F., 513, 1090
Manetta, A., 231
Mannucci, C., 179, 367
Mant, T. G. K., 1164
Mantha, S., 475
Mao, F., 537
Marder, S. R., 447

Marentette, J. M., 855
Margariti, E., 204
Marshall, D., 975
Martens, T., 379
Martin, A., 635
Martinez-Tobed, A., 211
Martini, C., 893
Martonen, T. B., 1191
Mascher, H., 56, 972
Masini, V., 17
Maspoch, S., 834
Matney, T. S., 988
Matsuda, Y., 32, 601
Matsumoto, Y., 399
Maurin, M. B., 77
Mayer, L. D., 627
McCarville, S. E., 644
McCrae, F., 174
McGilveray, I. J., 138
McKague, K. M. S., 174
McKay, G., 138, 330, 1027
McKiernan, B. C., 1058
Meek, P. D., 956
Mehta, P., 1112
Meldrum, M. J., 1209
Mellick, G. D., 1067
Meredith, P. A., 471
Meybeck, A., 17
Michel, A., 276
Michniak, B. B., 214
Midha, K. K., 138, 330, 447, 1027, 1186
Miller, K. J., II, 1123
Mills, O. H., Jr., 1118
Milosovich, S., 227
Minozzi, L., 87
Misaki, M., 236
Mishima, Y., 1054
Mitra, A. K., 434, 644
Miyauchi, S., 27
Miyazawa, N., 1272
Modi, N. B., 266, 705, 804, 918
Moës, A. J., 854
Mohammed, S. S., 1112
Molina-Martinez, I. T., 211
Mollica, J. A., 553
Molpeceres, J., 498
Monge, A., 526
Monteith, D. K., 988
Mori, N., 575
Morris, M. E., 429
Morris, Tommy, 657
Mosser, J., 729, 968
Mosso, A., 170
Mück, W., 244
Murakami, T., 236
Murata, Y., 776
Murthy, K. S., 113

Nagai, T., 416, 1245
Nagwekar, J. B., 1221
Nair, M., 342
Nakagaki, M., 1245
Nakano, M., 1259
Nakashima, K., 734
Nash, R. A., 1018
Nassereddine-Sebaei, M., 39
Nassimbeni, L. R., 1006
Nau, H., 1255
Navratil, H., 968

Neff-Davis, C., 1058
Nelson, E. C., 543
Nickerson, D. F., 942
Nicolau, G., 546
Nie, L. H., 457
Nishida, M., 744
Nishikawa, T., 461
Nishino, I., 319
Nishioka, I., 487
Noctor, T. A. G., 675
Noferini, R., 179
Noguchi, E., 1155
Nonaka, G-I., 487

Obata, Y., 416
Occolowitz, J. L., 622, 1010
Ogan, M. D., 475
Ogata, M., 91
Oguma, T., 461
Oh, D-M., 897
Ohmura, T., 273
Ohsako, M., 399
Okamoto, Y., 1259
Okumura, K., 1054
Olsen, K. M., 48
Ong-Chen, T., 1002
Ono, A., 27
Onoe, M., 32
Ooi, K., 744
Ookubo, A., 744
Orallo, F., 286, 1090
Ordoñez, D., 948
Ormsby, E. D., 138
Otsuka, M., 32, 601

Paetsch, P. R., 22, 934
Palaitis, W., 627
Palmisano, G., 758
Palylyk, E. L., 296
Pan, H-T., 52
Papageorgiou, A., 204
Pappalardo, G. C., 821
Paris, J., 605
Parmar, S. S., 167
Parr, T. R., Jr., 48
Paschal, J. W., 1010
Pastor, J. L., 813
Pauli, A. M., 813
Pauvert, B., 1262
Pellegata, R., 758
Peña, M. P., 251
Pereira, L. M., 804
Perez-Soler, R., 1151
Perico, A., 367
Perico, Andrea, 179
Petavy, A. F., 605
Phillips, L. R., 563
Phillpot, D. A., 73
Piekoszewski, W., 340
Pieri, F., 1046
Pilkiewicz, F., 627
Pirisino, R., 480
Plakogiannis, F. M., 389
Planchon, P., 1046
Plank, C., 660
Polavarapu, P. L., 791
Poole, J. C., 694
Pouillart, P., 1046
Prakash, I., 1
Price, J. C., 554
Priebe, W., 1151
Prieto, J. C., 794
Psaraki, K., 204
Puigdemont, A., 1126
Puisieux, F., 912
Purves, R. D., 1064

Quaglio, M. P., 87

Rajaonarivony, M., 912
Raman, K., 167
Ramaprasad, S., 48
Rambaud, J., 1262
Ramis, J., 1126
Rao, N. U. R., 1
Ravina, E., 286
Raviña, E., 513
Rawson, T. E., 672
Redalieu, E., 665
Reglinski, J., 174
Regnier, M., 404
Reichert, U., 404
Reiss, A. C., 475
Reppas, C., 1298
Reynolds, D. J., 60, 565
Richards, R. M. E., 975, 1218
Ritschel, W., 750
Ritschel, W. A., 857
Rivas, C., 371, 590
Riviere, J. E., 240, correction following page 554, 1080
Roberts, G. E., 551
Roberts, M. S., 127, 873, 1067
Robinson, D. H., 110
Roddy, P. J., 644
Rodriguez, J., 513
Rodríguez, M., 498
Rogstad, A., 518
Roig, A., 251
Rolf, L. L., Jr., 543
Romain, D., 1281
Ronco, G., 1046
Rosland, J. H., 886
Roth, W., 99
Rovero, P., 179
Rowland, M., 421, 880
Roy, S. D., 1266
Rubinstein, A., 857, 1285
Rudraraju, V. S., 220
Ruenitz, P. C., 571
Rurak, D. W., 145
Russo, H., 493
Ryoo, E-S., 649

Saeki, Y., 725
Sainz, M. C., 1160
Sakai, A., 575
Salha, J., 1061
Salvagnini, F., 367
Salzman, S. K., 167
Saneyoshi, M., 1232
Santa, T., 301
Santiago, E., 526
Sanz, F., 513, 1090
Sanz-Aparicio, J., 794
Sarabia, Z., 371
Sarciron, M. E., 605
Sardessai, M. S., 330
Sarrazin, B., 729, 968
Sasaki, A., 725
Sawada, Y., 301
Sayani, A. P., 1179
Scalia, S., 44
Scartoni, V., 893
Schaefer, H., 404
Schaefer, H. G., 107
Schmidt, R. L., 804
Schmitt, E. A., 326
Schmitt-Willich, H., 799
Schnell, C., 997
Schönberger, F., 244
Schreiber-Deturmeny, E. M., 813
Schreier, S., 162
Schuhmann-Giampieri, G., 799
Schulman, S. G., 771
Seaman, J., 665
See, N. A., 721
Seideman, P., 787
Seijas, J. A., 1090
Seki, T., 1232
Selleri, S., 480
Serajuddin, A. T. M., 306
Seyda, K. L., 214
Shah, D. O., 1123
Shao, Z., 434
Shealy, Y. F., 1200
Shi, Y. Y., 330
Shigemura, M., 776
Shih, M. L., 782
Shim, C-K., 952
Shimada, J., 461
Shimatani, K., 734
Shimizu, R., 91
Shiu, G. K., 1002
Shoji, N., 25
Shuto, S., 575
Sietsema, W. K., 610
Sikder, A. K., 258
Silvestri, S., 689
Simlot, R., 60, 408, 565
Singh, H. K., 167
Singh, P., 127, 873
Sinko, P. J., 897
Sjöström, B., 579, 584
Skelly, J. P., 1002
Skibic, M. J., 1010
Smejkal, R. M., 563
Smith, W. E., 174
Smyth, R. E., 610
Snel, S., 1164
Sosnovsky, G., 1, 649
Sotomatsu, T., 776
Spangle, L. A., 622, 1010
Stanciuc, O., 927
Stella, V. J., 69
Stockert, J. C., 251
Stouffer, B. C., 475
Sugisaka, N., 276
Sullivan, H. R., 683
Sundelöf, L.-O., 1094
Sunthankar, P. S., 543
Suzuki, T., 575
Swart, P. J., 200
Symillides, M., 1298
Sznitowska, M., 450

Tabibi, S. E., 112
Tada, T., 734
Takadate, A., 399
Takahashi, S., 934
Takao, Narao, 155
Takei, M., 25, 209
Tan, S. L., 457
Tanaka, T., 725
Tawashi, R., 844
Taylor, K. W., 1010
Taylor, S. M., 145
Teng, C-M, 11
Teran, C., 286
Teraoka, R., 601
Terol, A., 1262
Testoni, F., 87
Theeuwes, F., 1145
Theiss, J. C., 988
Thibert, R., 844
Thorne, R. L., 543
Timmermans, J., 854
Todd, G. C., 683
Todd, K. G., 934
Tokumura, T., 725
Townsend, R. W., 771
Treffel, P., 1099
Triolo, A., 367
Troconiz, J. I. F., 851
Tryka, A. F., 48
Tsai, S.-Y., 1250
Tsay, H. M., 475
Tse, F. L. S., 942
Tsuchiya, Y., 725
Tu, J-I., 475
Tu, Y.-H., 1140
Tweedle, M. F., 531
Twizell, E. H., 1205

Uchida, T., 195, 959, 1155
Uchino, K., 301
Uematsu, T., 1272
Ueno, K., 319
Umeda, T., 319
Umejima, H., 195
Umeyama, A., 25
Underberg, W. J. M., 362
Unvala, H., 550
Upadrashta, S. M., 1094

Van Dam, J., 938
VanGorp, K. A., 672
van Hoogevest, P., 997
van Oudtshoorn, B., 1006
Van Putten, T., 447
van Tol, R. G. L., 99
Vargas, F., 371, 590
Vauthier, C., 912
Veng-Pedersen, P., 266, 705, 804, 918
Verde, I., 286, 513
Vernice, G., 791
Vicente, F., 251
Villa, P., 1046
Villaverde, M. C., 1090
Viswanathan, C. T., 1002
Vivar, C., 170

Waaler, P. J., 764
Wada, K., 1272
Wac , J. R., 471
Wainer, I. W., 675
Walker, J. S., 787
Wall, G. M., 1172
Wang, D-P., 95
Wang, J., 191
Wang, J. T., 1002
Wang, Y., 1140
Wang, Z., 641
Wargenau, M., 107, 1281
Washington, C., 808
Wedeking, P., 531
Wehler, T., 1237
Weidler, D. J., 282
Weng, B., 518
Wepierre, J., 17
Wester, R. C., 150, 767
Westermann-Clark, G. B., 1123
Westesen, K., 1237
Wick, K. A., 644
Widness, J. A., 804
Wildfeuer, M. E., 622
Williams, M. G., 1049
Williams, P. L., 240, correction following page 554, 1080
Wilson, S., 571
Wilson, T. D., 1033
Wong, O. T., 60, 408, 565
Wood, P. G., 683
Woodland, J. M., 683
Worzalla, J. F., 683
Wynn, N. R., 1175

Xing, D. K. L., 1218
Xing, J. Z., 975

Yacobi, A., 546
Yalkowsky, S. H., 978
Yamada, H., 461
Yamada, M., 236
Yamada, N., 934
Yamagami, C., 155
Yamamoto, S., 461
Yamamura, Y., 301
Yang, J., 672
Yao, S. Z., 457
Yardley, W. S., 942
Yasuda, T., 734
Yasutake, T., 959
Yata, N., 236
Yeh, M-K., 95
Yoo, S. D, 145
Yoshikawa, T., 461
Yoshimoto, M., 27
Yoshimura, Y., 744
Yoshioka, H., 273
Yoshioka, S., 674
Yost, F. J., 475
Young, G. C., 323
Yuan, J., 761
Yuki, M., 236

Zatz, J. L., 1118
Zhang, J-B., 959
Zhong, W.-Z., 1049
Zhu, X. X., 855
Ziv, E., 857
Zou, Y., 1151
Zuiderwijk, P. B. M., 99

Absorption
Effect of Absorption Promoters on Subcutaneous Absorption of Human Epidermal Growth Factor in Rats, 236
In Vitro Release of Testosterone from Suppository Bases and In Vivo Absorption Studies in Human Males, 389
Deacylation–Reacylation Cycle: A Possible Absorption Mechanism for the Novel Lymphotropic Antitumor Agent Dipalmitoylphosphatidylfluorouridine in Rats, 575
Absorption, Bioavailability, and Pharmacokinetics of Tebufelone in the Rat, 610
Kinetics of Absorption of a New Once-a-Day Formulation of Theophylline in the Presence and Absence of Food, 644
Metabolism of Propranolol during Percutaneous Absorption in Human Skin, 767
Comparison of Uptake Characteristics of Thymidine and Zidovudine in a Human Intestinal Epithelial Model System, 829
Gastrointestinal Parameters That Influence Oral Medications, 857
Characterization of the Oral Absorption of Some β-Lactams: Effect of the α-Amino Side Chain Group, 897
Improved Bioavailability of *para*-Boronophenylalanine by Cyclodextrin Complexation, 1054
A Multidimensional Deconvolution Method for Evaluating the Absorption of Drugs Undergoing Reversible Metabolism and Presystemic Metabolite Formation, 1085
Elucidation of the Role of Hydrophobic Bonding in Influencing Intestinal Absorption of Model Sulfonamides and Revealing Possible Mechanism of Drug Absorption in Rat Model, 1221
Estimation of Absorption Rate Constant in a One-Compartment Model with the Profile of the Bioavailable Dose Eliminated as a Function of Multiples of Half-Life, 1298

Absorption promoters
Effect of Absorption Promoters on Subcutaneous Absorption of Human Epidermal Growth Factor in Rats, 236

Acarbose
Effects of Insulin and Acarbose Alone and in Combination in the Female Streptozotocin-Induced Diabetic Rat, 1209

Acetaminophen
Diffusion and Concentration Profiles of Drugs in Gels, 1094

***N*-Acylamino acids**
Effect of Absorption Promoters on Subcutaneous Absorption of Human Epidermal Growth Factor in Rats, 236

3β-Acyloxy-3α-methoxycarbonyltropane derivatives
Synthesis and Structural, Biochemical, and Pharmacological Study of 3β-Acyloxy-3α-methoxycarbonyltropane Derivatives, 794

1-Acyl-1,2,4-Triazolidine-3,5-diones
Synthesis and Hypolipidemic Activity of 4-Substituted 1-Acyl-1,2,4-Triazolidine-3,5-diones in Rodents, 408

Adenosinetriphosphatase
Histamine Release from Rat Mast Cells Induced by the Inhibition of Adenosinetriphosphatase for Na and K Channels, 25

Adrenergic receptor agonists
Determination of Salmeterol in Rat and Dog Plasma by High-Performance Liquid Chromatography with Fluorescence Detection, 323
Preparation, Characterization, and Dissolution Kinetics of Two Novel Albuterol Salts, 613

Adrenergic receptor blockers
Simultaneous Determination of Propranolol or Metoprolol in the Presence of Butyrophenones in Human Plasma by Gas Chromatography with Mass Spectrometry, 87
Effects of Amosulalol, a Combined α_1- and β-Adrenoceptor-Blocking Agent, on Ischemic Myocardial Energy Metabolism in Dogs, 291
Effects of Bunitrolol on Ischemic Myocardial Energy Metabolism in Dogs, 384
Pharmacokinetics of Moxisylyte in Healthy Volunteers after Intravenous and Intracavernous Administration, 729
Multiple-Dose Pharmacokinetics of Moxisylyte after Oral Administration to Healthy Volunteers, 968

Adrenergic receptors
Induction of Functional Down-Regulation of β-Adrenoceptors in Rats by 2-Phenylethylamine, 22

Adsorbents
Mechanism of Phosphate Adsorption to a Three-Dimensional Structure of Boehmite in the Presence of Bovine Serum Albumin, 744

Adsorption
Mechanism of Phosphate Adsorption to a Three-Dimensional Structure of Boehmite in the Presence of Bovine Serum Albumin, 744

Age
Effects of Age on the Pharmacokinetics of Piroxicam in Rats, 254

Aggregation
Kinetics and Mechanisms of Peptide Aggregation. I: Aggregation of a Cholecystokinin Analogue, 689

Alanine
Effects of Two Substituted Hydrazine Monoamine Oxidase (MAO) Inhibitors on Neurotransmitter Amines, γ-Aminobutyric Acid, and Alanine in Rat Brain, 934

Albumin
Influence of Albumin on the Distribution and Elimination Kinetics of Diclofenac in the Isolated Perfused Rat Liver: Analysis by the Impulse–Response Technique and the Dispersion Model, 421
Displacement of Thiopental from Human Serum Albumin by Associated Drugs, 493
Use of a Human Serum Albumin-Based Stationary Phase for High-Performance Liquid Chromatography as a Tool for the Rapid Determination of Drug–Plasma Protein Binding, 675
Mechanism of Phosphate Adsorption to a Three-Dimensional Structure of Boehmite in the Presence of Bovine Serum Albumin, 744
Physiologic Models of Hepatic Drug Clearance: Influence of Altered Protein Binding on the Elimination of Diclofenac in the Isolated Perfused Rat Liver, 880
A Thermodynamic Approach to the Binding Mechanisms of Cefotaxime to Serum Albumins, 948

Albuterol salts
Preparation, Characterization, and Dissolution Kinetics of Two Novel Albuterol Salts, 613

Alcohol/water solutions
Determination of Accurate and Thermodynamically Significant pH in Alcohol/Water Solutions, 771

Alfentanil
A System Approach to Pharmacodynamics. Input-Effect Control System Analysis of Central Nervous System Effect of Alfentanil, 266

Alginate
Development of a New Drug Carrier Made from Alginate, 912

Alkanesulfonates
Synthesis and Antineoplastic Evaluation of α-Substituted Alkanesulfonates: Analogues of Clomesone, 1200

Amino acids
In the Search for New Anticancer Drugs. XXIV: Synthesis and Anticancer Activity of Amino Acids and Dipeptides Containing the 2-Chloroethyl- and [*N'*-(2-Chloroethyl)-*N'*-Nitroso]-aminocarbonyl Groups, 1

In the Search for New Anticancer Drugs. XXV: Role of *N*-Nitrosated Amadori Compounds Derived from Glucose–Amino Acid Conjugates in Cancer Promotion or Inhibition, 649
Pharmacokinetics of (Me)Arg-Lys-Pro-Trp-tert-Leu-Leu-OEt and (Me)Arg-Lys-Pro-Trp-tert-Leu-Leu Administered Intravenously to Beagle Dogs, 725

γ-Aminobutyric acid
Effects of Two Substituted Hydrazine Monoamine Oxidase (MAO) Inhibitors on Neurotransmitter Amines, γ-Aminobutyric Acid, and Alanine in Rat Brain, 934

7-Aminocephalosporanic acid
Characterization of the Oral Absorption of Some β-Lactams: Effect of the α-Amino Side Chain Group, 897

4-Amino-5-chloro-2-[(methylsulfinyl)ethoxy]-*N*-[2-(diethylamino)ethyl]benzamide
Pharmacokinetics and Metabolic Interconversion of Intravenous 4-Amino-5-chloro-2-[(methylsulfinyl)ethoxy]-*N*-[2-(diethylamino)ethyl]benzamide and Its Sulfide and Sulfone Metabolites in Rats, 694

2-Aminoethylbenzocyclanones
Antiserotoninergic Activity of 2-Aminoethylbenzocyclanones in Rat Aorta: Structure–Activity Relationships, 513

Aminohydroxypropylidene bisphosphonate
Urinary Excretion of Aminohydroxypropylidene Bisphosphonate in Cancer Patients after Single Intravenous Infusions, 665

Aminolysis
Determination of the Optimized Individual Kinetic Constants of the Aminolysis Reaction in Basic Medium of β-Lactam Antibiotics by a Numerical Computational Method, 1167

6-Amino-2-mercapto-5-methylpyrimidine-4-carboxylic acid
Hypolipidemic Effects of 6-Amino-2-mercapto-5-methylpyrimidine-4-carboxylic Acid in Rats and Tissue Culture Cells, 60

6-Aminopenicillanic acid
Characterization of the Oral Absorption of Some β-Lactams: Effect of the α-Amino Side Chain Group, 897

Aminotetralin analogues
Quantitative Structure–Activity Relationships for Substituted Aminotetralin Analogues. I: Inhibition of Norepinephrine Uptake, 355
Quantitative Structure–Activity Relationships for Substituted Aminotetralin Analogues. II: Inhibition of Dopamine Uptake, 521

Amosulalol
Effects of Amosulalol, a Combined α_1- and β-Adrenoceptor-Blocking Agent, on Ischemic Myocardial Energy Metabolism in Dogs, 291

Amoxicillin trihydrate
Use of Hydroxypropyl Methylcellulose Acetate Succinate in an Enteric Polymer Matrix To Design Controlled-Release Tablets of Amoxicillin Trihydrate, 737

Amphotericin B
Effect of Aggregation on the Kinetics of Autoxidation of the Polyene Antibiotic Amphotericin B, 162

Amsacrine analogues
Synthesis and Antitumor Activity of Pyrido-Amsacrine Analogues and Related Compounds, 262

Analgesic agents
New Degradation Product of Spiradoline Mesylate in Aqueous Solution: Formation of an Imidazolidine Ring, 91
Solution- and Solid-State Structures of *N*-Desmethylnefopam Hydrochloride, a Metabolite of the Analgesic Drug, 276
Photodegradation of Benzyldamine: Phototoxicity of an Isolated Photoproduct on Erythrocytes, 371
Nonlinear Pharmacokinetics and Protein Binding of Tiaprofenic Acid in Female Lewis Rats, 429
X-ray Molecular Structures and Theoretical Conformational Studies of Narcotic Analgesics α-(−)-*N*-*cis*-3-Chloroallylnormetazocine, Ethylketazocine, and Ketazocine, 821
Solid-State Stereochemistry and Activity of 3-Methylnefopam Diastereomers: Manipulation of Eight-Membered Ring Conformations in Analogues of the Non-narcotic Analgesic Drug, 886

Anesthetic agents
Determination of Absolute Configurations and Predominant Conformations of General Inhalation Anesthetics: Desflurane, 791
Noninvasive Assessment of Anesthetic Activity of Topical Lidocaine Formulations, 1118
Evaluation of Local Anesthesia Provided by Transdermal Patches Containing Different Formulations of Tetracaine, 1123

Angiotensin converting enzyme
A Novel Statistical Approach for the Comparison of Analytical Methods to Measure Angiotensin Converting Enzyme Activity, Enalaprilat, and Benazeprilat, 471

Animal studies, cow
Species Scaling of Propafenone Disposition and Concentration–Time Relationships among Eight Mammalian Species, 1126

Animal studies, dog
Determination of Sumatriptan Succinate in Plasma and Urine by High-Performance Liquid Chromatography with Electrochemical Detection, 73
Species Scaling of Propafenone Disposition and Concentration–Time Relationships among Eight Mammalian Species, 1126

Animal studies, dogs
Effects of Amosulalol, a Combined α_1- and β-Adrenoceptor-Blocking Agent, on Ischemic Myocardial Energy Metabolism in Dogs, 291
Determination of the Enantiomers of a New 1,4-Dihydropyridine Calcium Antagonists in Dog Plasma by Achiral/Chiral Coupled High-Performance Liquid Chromatography with Electrochemical Detection, 319
Effects of Bunitrolol on Ischemic Myocardial Energy Metabolism in Dogs, 384
Pharmacokinetics of the Anticancer Agent Sulofenur in Mice, Rats, Monkeys, and Dogs, 683
Pharmacokinetics of (Me)Arg-Lys-Pro-Trp-tert-Leu-Leu-OEt and (Me)Arg-Lys-Pro-Trp-tert-Leu-Leu Administered Intravenously to Beagle Dogs, 725
High-Pressure Liquid Chromatographic Assay of Theophylline in Dog Feces following Oral Administration of Sustained-Release Products, 956
Comparative Pharmacokinetics of Free Muramyl Tripeptide Phosphatidyl Ethanolamine (MTP-PE) and Liposomal MTP-PE, 997
Oral Pharmacokinetics of Carbamazepine in Dogs from Commercial Tablets and a Cyclodextrin Complex, 1058

Animal studies, ewe
Transplacental and Nonplacental Clearances of Diphenhydramine in the Chronically Instrumented Pregnant Sheep, 145
A System Approach to Pharmacodynamics. Plasma Iron Mobilization by Endogenous Erythropoietin in the Sheep Fetus; Evidence of Threshold Response in Spontaneous Hypoxemia, 804

Animal studies, horse
Species Scaling of Propafenone Disposition and Concentration–Time Relationships among Eight Mammalian Species, 1126

Animal studies, monkeys
Pharmacokinetics of the Anticancer Agent Sulofenur in Mice, Rats, Monkeys, and Dogs, 683

Animal studies, pig
Transdermal Iontophoretic Peptide Delivery: In Vitro and In Vivo Studies with Luteinizing Hormone Releasing Hormone, 240, corrected article following page, 554

Animal studies, rabbit
Differential Elimination of Synthetic Butyric Triglycerides In Vivo: A Pharmacokinetic Study, 1046
Species Scaling of Propafenone Disposition and Concentration–Time Relationships among Eight Mammalian Species, 1126

Animal studies, rabbits
Preparation and Evaluation of Eudragit Gels. VI: In Vivo Evaluation of Eudispert Rectal Hydrogel and Xerogel Containing Salicylamide, 195
Bioavailability of Racemic Ibuprofen and its Lysinate from Suppositories in Rabbits, 1102

Animal studies, rats or mice
Cutaneous Bioavailability in Hairless Rats of Tretinoin in Liposomes or Gel, 17
Induction of Functional Down-Regulation of β-Adrenoceptors in Rats by 2-Phenylethylamine, 22
Determination of *m*-Nitrophenol and Nipecotic Acid in Mouse Tissues by High-Performance Liquid Chromatography after Administration of the Anticonvulsant *m*-Nitrophenyl-3-piperidinecarboxylate Hydrochloride, 39
Comparison of the In Vivo and In Vitro Nuclear Magnetic Resonance Detection of Trifluoromethyl Penicillin V in Rats, 48
Hypolipidemic Effects of 6-Amino-2-mercapto-5-methylpyrimidine-4-carboxylic Acid in Rats and Tissue Culture Cells, 60
Determination of Sumatriptan Succinate in Plasma and Urine by High-Performance Liquid Chromatography with Electrochemical Detection, 73
Iontophoretic Transdermal Delivery of Salicylic Acid and Lidocaine to Local Subcutaneous Structures, 127
Substituted Thiosemicarbazides and Corresponding Cyclized 1,3,4-Oxadiazoles and Their Anti-Inflammatory Activity, 167
Pharmacokinetics of the Dopamine D2 Agonist *S*(−)-2-(*N*-Propyl-*N*-2-thienylethylamino)-5-hydroxytetralin in Freely Moving Rats, 200
Kinetics of Drug Action in Disease States. XLII. Effect of Repeated Blood Sampling on the Pharmacodynamics of Phenobarbital in Rats, 229
Toxicity of the Mitochondrial Poison Dequalinium Chloride in a Murine Model System, 231
Effect of Absorption Promoters on Subcutaneous Absorption of Human Epidermal Growth Factor in Rats, 236
Effects of Age on the Pharmacokinetics of Piroxicam in Rats, 254
Quaternary Salts of 3,3′-Bis-Pyridinium Monooximes: Synthesis and Biological Activity, 258
Pyridazine Derivatives. XI: Antihypertensive Activity of 3-Hydrazinocycloheptyl[1,2-*c*]pyridazine and Its Hydrazone Derivatives, 286
Ketoprofen–Probenecid Interaction in the Rat: A Probenecid Concentration-Dependent Stereoselective Process, 296
Kinetic Analysis of Glycyrrhetic Acid, an Active Metabolite of Glycyrrhizin, in Rats: Role of Enterohepatic Circulation, 301
Synthesis and Hypolipidemic Activity of 4-Substituted 1-Acyl-1,2,4-Triazolidine-3,5-diones in Rodents, 408
Nonlinear Pharmacokinetics and Protein Binding of Tiaprofenic Acid in Female Lewis Rats, 429
Comparison between 6,7-Dihydro-5*H*-Dibenz(c,e)azepine and Lovastatin as Hypolipidemic Agents in Rats, 565
Deacylation–Reacylation Cycle: A Possible Absorption Mechanism for the Novel Lymphotropic Antitumor Agent Dipalmitoylphosphatidylfluorouridine in Rats, 575
Absorption, Bioavailability, and Pharmacokinetics of Tebufelone in the Rat, 610
Fragrance Compounds and Essential Oils with Sedative Effects upon Inhalation, 660
Chronopharmacodynamics of Theophylline Neurotoxicity in Rats, 668
Pharmacokinetics of the Anticancer Agent Sulofenur in Mice, Rats, Monkeys, and Dogs, 683
Pharmacokinetics and Metabolic Interconversion of Intravenous 4-Amino-5-chloro-2-[(methylsulfinyl)ethoxy]-*N*-[2-(diethylamino)ethyl]benzamide and Its Sulfide and Sulfone Metabolites in Rats, 694
Nutrient-Induced Changes in the Permeability of the Rat Jejunal Mucosa, 721
Estimation of Variance for AUC in Animal Studies, 761
Biliary Excretion and Pharmacokinetics of a Gadolinium Chelate Used as a Liver-Specific Contrast Agent for Magnetic Resonance Imaging in the Rat, 799
Influence of Protein and Calorie Malnutrition on the Pharmacokinetics and Pharmacodynamics of Bumetanide in Rats, 838
Comparison of Tebufelone Distribution in Rat Blood Plasma and Inflamed and Noninflamed Tissues following Peroral and Intravenous Administration, 847
Tenoxicam: Acute Dose-Dependent Disposition Studies in Rats, 851
Blood Flow Measurements in Skin and Underlying Tissues by Microsphere Method: Application to Dermal Pharmacokinetics of Polar Nonelectrolytes, 873
Effect of Cimetidine on the Pharmacokinetics of Fentiazac in Rats, 952
Intrahepatic Distribution of Hydrochlorothiazide and Quinidine in Rats: Implications in Pharmacokinetics, 992
Comparative Pharmacokinetics of Free Muramyl Tripeptide Phosphatidyl Ethanolamine (MTP-PE) and Liposomal MTP-PE, 997
Improved Bioavailability of *para*-Boronophenylalanine by Cyclodextrin Complexation, 1054
Species Scaling of Propafenone Disposition and Concentration–Time Relationships among Eight Mammalian Species, 1126
Iontophoresis of Hydrocortisone across Hairless Mouse Skin: Investigation of Skin Alteration, 1140
Synthesis and Antineoplastic Evaluation of α-Substituted Alkanesulfonates: Analogues of Clomesone, 1200
Effects of Insulin and Acarbose Alone and in Combination in the Female Streptozotocin-Induced Diabetic Rat, 1209
Elucidation of the Role of Hydrophobic Bonding in Influencing Intestinal Absorption of Model Sulfonamides and Revealing Possible Mechanism of Drug Absorption in Rat Model, 1221
Prodrugs of 2′,3′-Didehydro-3′-deoxythymidine, 1232
Anticonvulsant and Neurotoxic Activities of Twelve Analogues of Valproic Acid, 1255
Inhibitory Effects of Procainamide and Probenecid on Renal Excretion of Sultopride Enantiomers in Rats, 1259
1-(Tetrahydro-2-furanyl)-5-fluorouracil (Ftorafur) Determined in Rat Hair as an Index of Drug Exposure, 1272
Protection of the Rat Jejunal Mucosa against Oxidative Injury by Cationized Superoxide Dismutase, 1285

Animal studies, sheep
Species Scaling of Propafenone Disposition and Concentration–Time Relationships among Eight Mammalian Species, 1126

Annamycin
Quantitative Analysis of the Lipophilic Doxorubicin Analogue Annamycin in Plasma and Tissue Samples by Reversed-Phase Chromatography, 1151

9,10-Anthraquinone 2-carboxylic acid
Physicochemical Characterization of 9,10-Anthraquinone 2-Carboxylic Acid, 1250

Antiarrhythmic agents
Complexation of Moricizine with Nicotinamide and Evaluation of the Complexation Constants by Various Methods, 77

Antiasthmatic agents
Effect of Food on the Pharmacokinetics of the Active Metabolite of the Prodrug Repirinast, 107

Anticancer agents
In the Search for New Anticancer Drugs. XXIV: Synthesis and Anticancer Activity of Amino Acids and Dipeptides Containing the 2-Chloroethyl- and [*N'*-(2-Chloroethyl)-*N'*-Nitroso]-aminocarbonyl Groups, 1
Structure–Anticancer and Structure–Genetic Activity Relationships of Homo-*aza*-steroidal Esters of *N,N*-Bis(2-chloroethyl)aminocinnamic Acid Isomers, 204
Toxicity of the Mitochondrial Poison Dequalinium Chloride in a Murine Model System, 231
Toxin-Targeted Design for Anticancer Therapy. I: Synthesis and Biological Evaluation of New Thioimidate Heterobifunctional Reagents, 506
Pharmaceutical Characterization of *Mycobacterium bovis* Bacillus Calmette-Guérin (BCG) Vaccine Used for the Treatment of Superficial Bladder Cancer, 555
Structural Characterization and Biological Effects of Photocyclized Products of Tamoxifen Irradiation, 571
Chromatographic Analysis and Pharmacokinetics of Liposome-Encapsulated Doxorubicin in Non-Small-Cell Lung Cancer Patients, 627
In the Search for New Anticancer Drugs. XXV: Role of *N*-Nitrosated Amadori Compounds Derived from Glucose–Amino Acid Conjugates in Cancer Promotion or Inhibition, 649
Pharmacokinetics of the Anticancer Agent Sulofenur in Mice, Rats, Monkeys, and Dogs, 683
Toxin-Targeted Design for Anticancer Therapy. II: Preparation and Biological Comparison of Different Chemically Linked Gelonin–Antibody Conjugates, 699
Reaction of Pyrylium Salts with Nucleophiles. 23: Triarylethene Derivatives Containing an Oxyalkyleneamino or Oxyalkylene-*N*-pyridinium Side Chain, 927
Degradation and Inactivation of Antitumor Drugs, 988
Differential Elimination of Synthetic Butyric Triglycerides In Vivo: A Pharmacokinetic Study, 1046
Improved Bioavailability of *para*-Boronophenylalanine by Cyclodextrin Complexation, 1054
Quantitative Analysis of the Lipophilic Doxorubicin Analogue Annamycin in Plasma and Tissue Samples by Reversed-Phase Chromatography, 1151
Synthesis and Antineoplastic Evaluation of α-Substituted Alkanesulfonates: Analogues of Clomesone, 1200
Properties and Cost Effective Method for Production of the Antitumor Agent Duclauxin from Sporulating *Penicillium herquei*, 1214
1-(Tetrahydro-2-furanyl)-5-fluorouracil (Ftorafur) Determined in Rat Hair as an Index of Drug Exposure, 1272

Anticonvulsant agents
Determination of *m*-Nitrophenol and Nipecotic Acid in Mouse Tissues by High-Performance Liquid Chromatography after Administration of the Anticonvulsant *m*-Nitrophenyl-3-piperidinecarboxylate Hydrochloride, 39
Effects of Humidity and Temperature on In Vitro Dissolution of Carbamazepine Tablets, 1002
Quantitative Determination of *cis*-3,4-Dichloro-*N*-methyl-*N*-(2-(1-pyrrolidinyl)-cyclohexyl)-benzamide and Three of Its Metabolites in Plasma by High-Performance Liquid Chromatography, 1049
Anticonvulsant and Neurotoxic Activities of Twelve Analogues of Valproic Acid, 1255

Antidepressant agents
Induction of Functional Down-Regulation of β-Adrenoceptors in Rats by 2-Phenylethylamine, 22
Quantitative Structure–Activity Relationships for Substituted Aminotetralin Analogues. I: Inhibition of Norepinephrine Uptake, 355
Quantitative Structure–Activity Relationships for Substituted Aminotetralin Analogues. II: Inhibition of Dopamine Uptake, 521
Nonlinear Multiple-Dose Pharmacokinetics of the Dopamine Reuptake Inhibitor Vanoxerine, 1164

Anti-emetic agents
Evaluation of the Bioequivalence of Tablet and Capsule Formulations of Granisetron in Patients Undergoing Cytotoxic Chemotherapy for Malignant Disease, 1281

Anti-HIV agents
Ditiocarb: Decomposition in Aqueous Solution and Effect of the Volatile Product on Its Pharmacological Use, 379
Prodrugs of 2',3'-Didehydro-3'-deoxythymidine, 1232

Antihypertensive agents
Pyridazine Derivatives. XI: Antihypertensive Activity of 3-Hydrazinocycloheptyl[1,2-*c*]pyridazine and Its Hydrazone Derivatives, 286

Anti-inflammatory agents
Potentiometric Determination of the Thermodynamic Ionization Constants of Deferoxamine, 110
Iontophoretic Transdermal Delivery of Salicylic Acid and Lidocaine to Local Subcutaneous Structures, 127
Substituted Thiosemicarbazides and Corresponding Cyclized 1,3,4-Oxadiazoles and Their Anti-Inflammatory Activity, 167
Effect of a Potent Selective Protein Kinase C Inhibitor on Histamine Release from Rat Mast Cells, 209
Effects of Age on the Pharmacokinetics of Piroxicam in Rats, 254
Ketoprofen–Probenecid Interaction in the Rat: A Probenecid Concentration-Dependent Stereoselective Process, 296
Kinetic Analysis of Glycyrrhetic Acid, an Active Metabolite of Glycyrrhizin, in Rats: Role of Enterohepatic Circulation, 301
Photodegradation of Benzyldamine: Phototoxicity of an Isolated Photoproduct on Erythrocytes, 371
Nonlinear Pharmacokinetics and Protein Binding of Tiaprofenic Acid in Female Lewis Rats, 429
Synthesis and Study of the Anti-inflammatory Properties of Some Pyrazolo[1,5-*a*]pyrimidine Derivatives, 480
Absorption, Bioavailability, and Pharmacokinetics of Tebufelone in the Rat, 610
Comparison of Tebufelone Distribution in Rat Blood Plasma and Inflamed and Noninflamed Tissues following Peroral and Intravenous Administration, 847
Tenoxicam: Acute Dose-Dependent Disposition Studies in Rats, 851
Effect of Cimetidine on the Pharmacokinetics of Fentiazac in Rats, 952
Effect of Various Vehicles on Ketoprofen Permeation across Excised Hairless Mouse Skin, 959
Bioavailability of Racemic Ibuprofen and its Lysinate from Suppositories in Rabbits, 1102
Ionic Size and Behavior of Diclofenac Salts in Water and Ethanol/Water Mixtures by Conductivity at 25 °C, 1245

Antimalarial agents
Potentiometric Determination of the Thermodynamic Ionization Constants of Deferoxamine, 110

Antimicrobial agents
Comparison of the In Vivo and In Vitro Nuclear Magnetic Resonance Detection of Trifluoromethyl Penicillin V in Rats, 48
Determination of Ceftibuten in Sputum by Column-Switching High-Performance Liquid Chromatography On-Line with Thermospray Mass Spectrometry, 52
Degradation Kinetics of Metronidazole in Solution, 95
Effect of Aggregation on the Kinetics of Autoxidation of the Polyene Antibiotic Amphotericin B, 162
Effects of Protein Binding on the Isomerization of Ceftibuten, 461
Extraction and Analysis by High-Performance Liquid Chromatography of Antibiotics in a Drug Delivery System for Farmed Fish, 518
Synthesis of Propargylic Alcohols and Biological Effects on *Echinococcus multilocularis* Metacestodes, 605
Isolation and Structure Elucidation of a Novel Product of the Acidic Degradation of Cefaclor, 622
Antibacterial Organophosphorus Compounds: Phosphoranilidohydrazones of 5-Nitro-2-furaldehyde, 755

Characterization of the Oral Absorption of Some β-Lactams: Effect of the α-Amino Side Chain Group, 897
Investigation of Cell Envelope Damage to *Pseudomonas aeruginosa* and *Enterobacter cloacae* by Dibromopropamidine Isethionate, 975
X-ray Structural Characterization of Anhydrous Metronidazole Benzoate and Metronidazole Benzoate Monohydrate, 1006
Aqueous Acidic Degradation of the Carbacephalosporin Loracarbef, 1010
Determination of the Optimized Individual Kinetic Constants of the Aminolysis Reaction in Basic Medium of β-Lactam Antibiotics by a Numerical Computational Method, 1167
Determination of Benzalkonium Chloride in Ophthalmic Solutions Containing Tyloxapol by Solid-Phase Extraction and Reversed-Phase High-Performance Liquid Chromatography, 1172
A Weibull Distribution Model for Intradermal Administration of Ceftazidime, 1175
Properties and Cost Effective Method for Production of the Antitumor Agent Duclauxin from Sporulating *Penicillium herquei*, 1214
In Vitro Evaluation of the Antimicrobial Activities of Selected Lozenges, 1218

Antimuscarinic agents
Synthesis and Antimuscarinic Activity of 2-[*N*-(Ethyl)-(*N*-β-hydroxyethyl)]aminoethyl 2,2-Diphenylpropionate, a Metabolite of Aprophen, 563

Antiplatelet agents
γ-Pyrone Compounds. IV: Synthesis and Antiplatelet Effects of Mono- and Dioxygenated Xanthones and Xanthonoxypropanolamine, 11

Antipsychotic agents
Logarithmic Transformation in Bioequivalence: Application with Two Formulations of Perphenazine, 138
Synthesis of the *N*-Oxides of Phenothiazine Antipsychotic Agents, 330
Determination of Risperidone in Plasma by High-Performance Liquid Chromatography with Electrochemical Detection: Application to Therapeutic Drug Monitoring in Schizophrenic Patients, 447
Inhibitory Effects of Procainamide and Probenecid on Renal Excretion of Sultopride Enantiomers in Rats, 1259

Antiretroviral agents
Population Pharmacodynamic Modeling of Drug-Induced Anemia, 546

Antiserotoninergic activity
Antiserotoninergic Activity of 2-Aminoethylbenzocyclanones in Rat Aorta: Structure–Activity Relationships, 513

Antiserotoninergic agents
Cyproheptadine Analogues: Synthesis, Antiserotoninergic Activity, and Structure–Activity Relationships, 1090

Antispasmodic agents
Ion-Pair Reversed-Phase Liquid Chromatographic Identification and Quantitation of Papaverine Congeners, 503

Antitumor activity
Synthesis and Antitumor Activity of Pyrido-Amsacrine Analogues and Related Compounds, 262

Aprophen
Synthesis and Antimuscarinic Activity of 2-[*N*-(Ethyl)-(*N*-β-hydroxyethyl)]aminoethyl 2,2-Diphenylpropionate, a Metabolite of Aprophen, 563

Argatroban
Separation of 21-(*R*)- and 21-(*S*)-Argatroban: Solubility and Activity of the Individual Diastereoisomers, 672

Aromatic Solutes
Octanol/Water Partition Coefficient of Ortho-Substituted Aromatic Solutes, 776

Aspartame
Stabilization of Aspartame by Polyethylene Glycol 400, 978

Autoxidation
Effect of Aggregation on the Kinetics of Autoxidation of the Polyene Antibiotic Amphotericin B, 162

Benazeprilat
A Novel Statistical Approach for the Comparison of Analytical Methods to Measure Angiotensin Converting Enzyme Activity, Enalaprilat, and Benazeprilat, 471

Benzalkonium chloride
Determination of Benzalkonium Chloride in Ophthalmic Solutions Containing Tyloxapol by Solid-Phase Extraction and Reversed-Phase High-Performance Liquid Chromatography, 1172

Benzodiazepine receptor
Studies on Specific Inhibition of Benzodiazepine Receptor Binding by Some C-Benzoyl-1,2,3-triazole Derivatives, 893

Benzoic acid
pH-Metric log *P*. II: Refinement of Partition Coefficients and Ionization Constants of Multiprotic Substances, 183

Benztropine
Development of a Sensitive and Specific Radioimmunoassay for Benztropine, 1027

Benzydamine
Photodegradation of Benzydamine: Phototoxicity of an Isolated Photoproduct on Erythrocytes, 371

1-Benzylimidazole
pH-Metric log *P*. II: Refinement of Partition Coefficients and Ionization Constants of Multiprotic Substances, 183

Berenil
Voltammetric Behavior of Berenil, 251

Betamethasone
In Vitro Percutaneous Permeation of Betamethasone and Betamethasone 17-Valerate, 1039

Betamethasone 17-valerate
Percutaneous Absorption: A Single-Layer Model, 450
In Vitro Percutaneous Permeation of Betamethasone and Betamethasone 17-Valerate, 1039

Bile acids
Determination of Free Bile Acids in Pharmaceutical Preparations by Packed Column Supercritical Fluid Chromatography, 44
In Vitro Studies To Investigate the Reasons for the Low Potency of Cholestyramine and Colestipol, 80
Polylysine-Coated Polyacrylamide Resins as Sorbents for Bile Acids, 855

Bile acid sequestrants
Description and Simulation of a Multiple Mixing Tank Model To Predict the Effect of Bile Sequestrants on Bile Salt Excretion, 311
Polylysine-Coated Polyacrylamide Resins as Sorbents for Bile Acids, 855

Bile salt–lecithin–cholesterol solutions
A Rapid Method for the Measurement of Cholesterol Thermodynamic Activity in Bile Salt–Lecithin–Cholesterol Solutions, 714

Bile salts
Description and Simulation of a Multiple Mixing Tank Model To Predict the Effect of Bile Sequestrants on Bile Salt Excretion, 311
A Rapid Method for the Measurement of Cholesterol Thermodynamic Activity in Bile Salt–Lecithin–Cholesterol Solutions, 714

Binding studies
In Vitro Studies To Investigate the Reasons for the Low Potency of Cholestyramine and Colestipol, 80
Synthesis and Antitumor Activity of Pyrido-Amsacrine Analogues and Related Compounds, 262
Description and Simulation of a Multiple Mixing Tank Model To Predict the Effect of Bile Sequestrants on Bile Salt Excretion, 311

cis-1,2,3a,4,5,9b-Hexahydro-3*H*-benz[e]indoles: Synthesis and In Vitro Binding Affinity at Dopamine D1 and D2 Receptors, 334
Plasma Protein Binding of Tacrolimus in Humans, 340
Prediction of Drug Distribution in Distribution Dialysis and In Vivo from Binding to Tissues and Blood, 345
Reduction of Erythrocyte Membrane Permeability and Protein Binding of Low-Molecular-Weight Drugs following Glycoside Derivatization, 399
Nonlinear Pharmacokinetics and Protein Binding of Tiaprofenic Acid in Female Lewis Rats, 429
Effects of Protein Binding on the Isomerization of Ceftibuten, 461
Displacement of Thiopental from Human Serum Albumin by Associated Drugs, 493
Use of a Human Serum Albumin-Based Stationary Phase for High-Performance Liquid Chromatography as a Tool for the Rapid Determination of Drug–Plasma Protein Binding, 675
Physiologic Models of Hepatic Drug Clearance: Influence of Altered Protein Binding on the Elimination of Diclofenac in the Isolated Perfused Rat Liver, 880
Studies on Specific Inhibition of Benzodiazepine Receptor Binding by Some C-Benzoyl-1,2,3-triazole Derivatives, 893
Binding of Fluvastatin to Blood Cells and Plasma Proteins, 942
A Thermodynamic Approach to the Binding Mechanisms of Cefotaxime to Serum Albumins, 948
Use of a Solute–Container Interaction to Determine Protein Binding: Application to Long-Chain Fatty Acids, 1067
Increased Erythrocyte and Protein Binding of Codeine in Patients with Sickle Cell Disease, 1112

Bioavailability studies
Cutaneous Bioavailability in Hairless Rats of Tretinoin in Liposomes or Gel, 17
High-Performance Liquid Chromatographic Determination of Total Thiamine in Human Plasma for Oral Bioavailability Studies, 56
Zatebradine: Pharmacokinetics of a Novel Heart-Rate-Lowering Agent after Intravenous Infusion and Oral Administration to Healthy Subjects, 99
Preparation and Evaluation of Eudragit Gels. VI: In Vivo Evaluation of Eudispert Rectal Hydrogel and Xerogel Containing Salicylamide, 195
Bioavailability and Bioequivalence of Two Formulations of Etodolac (Tablets and Suppositories), 211
Absorption, Bioavailability, and Pharmacokinetics of Tebufelone in the Rat, 610
Novel Formulation Strategies for Improving Oral Bioavailability of Drugs with Poor Membrane Permeation or Presystemic Metabolism, 979
Improved Bioavailability of *para*-Boronophenylalanine by Cyclodextrin Complexation, 1054
Bioavailability of Racemic Ibuprofen and its Lysinate from Suppositories in Rabbits, 1102
In Vivo Evaluation of Controlled-Release Products, 1145
Bio-International 92, Conference on Bioavailability, Bioequivalence, and Pharmacokinetic Studies, 1186
Estimation of Absorption Rate Constant in a One-Compartment Model with the Profile of the Bioavailable Dose Eliminated as a Function of Multiples of Half-Life, 1298

Bioequivalence studies
Logarithmic Transformation in Bioequivalence: Application with Two Formulations of Perphenazine, 138
Bioavailability and Bioequivalence of Two Formulations of Etodolac (Tablets and Suppositories), 211
Bio-International 92, Conference on Bioavailability, Bioequivalence, and Pharmacokinetic Studies, 1186
Evaluation of the Bioequivalence of Tablet and Capsule Formulations of Granisetron in Patients Undergoing Cytotoxic Chemotherapy for Malignant Disease, 1281
Estimation of Absorption Rate Constant in a One-Compartment Model with the Profile of the Bioavailable Dose Eliminated as a Function of Multiples of Half-Life, 1298

Biotinidase
Determination of Serum Biotinidase Activity with Biotinyl Derivatives of Iodotyramines as Substrates, 1228

Biotinyl derivatives
Determination of Serum Biotinidase Activity with Biotinyl Derivatives of Iodotyramines as Substrates, 1228

Biphenyls
Solvent Effects on Chemical Processes. V: Hydrophobic and Solvation Effects on the Solubilities of Substituted Biphenyls in Methanol/Water Mixtures, 817

***N,N*-Bis(2-chloroethyl)aminocinnamic acid**
Structure–Anticancer and Structure–Genetic Activity Relationships of Homo-*aza*-steroidal Esters of *N,N*-Bis(2-chloroethyl)aminocinnamic Acid Isomers, 204

Bis(pyridinium)aldoximes
Degradation of Three Related Bis(Pyridinium)Aldoximes in Aqueous Solutions at High Concentrations: Examples of Unexpectedly Rapid Amide Group Hydrolysis, 782

3,3′-Bis-pyridinium monooximes
Quaternary Salts of 3,3′-Bis-Pyridinium Monooximes: Synthesis and Biological Activity, 258

Blister fluid
Pharmacokinetics of Ibuprofen Enantiomers in Plasma and Suction Blister Fluid in Healthy Volunteers, 787

Blood flow, skin
Blood Flow Measurements in Skin and Underlying Tissues by Microsphere Method: Application to Dermal Pharmacokinetics of Polar Nonelectrolytes, 873

Blood sampling
Kinetics of Drug Action in Disease States. XLII. Effect of Repeated Blood Sampling on the Pharmacodynamics of Phenobarbital in Rats, 229

Boehmite
Mechanism of Phosphate Adsorption to a Three-Dimensional Structure of Boehmite in the Presence of Bovine Serum Albumin, 744

Book reviews
Peptide and Protein Drug Delivery, 112
Microparticles and Nanoparticles in Medicine and Pharmacy, 554
Radiopharmaceuticals, Chemistry and Pharmacology, 1301

Bromocriptine
In Vitro–In Vivo Correlation for Modified-Release Formulations, 132

Bumetanide
Influence of Protein and Calorie Malnutrition on the Pharmacokinetics and Pharmacodynamics of Bumetanide in Rats, 838

Bunitrolol
Effects of Bunitrolol on Ischemic Myocardial Energy Metabolism in Dogs, 384

Butyric triglycerides
Differential Elimination of Synthetic Butyric Triglycerides In Vivo: A Pharmacokinetic Study, 1046

Butyrophenones
Simultaneous Determination of Propranolol or Metoprolol in the Presence of Butyrophenones in Human Plasma by Gas Chromatography with Mass Spectrometry, 87

Caffeine
Surface Recovery and Stripping Methods to Quantify Percutaneous Absorption of Caffeine in Humans, 1099

Calcium antagonists
Determination of the Enantiomers of a New 1,4-Dihydropyridine Calcium Antagonists in Dog Plasma by Achiral/Chiral Coupled High-Performance Liquid Chromatography with Electrochemical Detection, 319

Calcium channel blocker
Application of a System Analysis Approach to Population Pharmacokinetics and Pharmacodynamics of Nicardipine Hydrochloride in Healthy Males, 705

Calcium channel blockers
Simultaneous Assessment of the Intravenous and Oral Disposition of the Enantiomers of Racemic Nimodipine by Chiral Stationary-Phase High-Performance Liquid Chromatography and Gas Chromatography/Mass Spectroscopy Combined with a Stable Isotope Technique, 244

Calorimetric studies
Calorimetric Studies of Dissolution of Hydroxypropyl Methylcellulose E5 (HPMC E5) in Water, 1033

Carbacephalosporins
Aqueous Acidic Degradation of the Carbacephalosporin Loracarbef, 1010

Carbamazepine
Effects of Humidity and Temperature on In Vitro Dissolution of Carbamazepine Tablets, 1002
Oral Pharmacokinetics of Carbamazepine in Dogs from Commercial Tablets and a Cyclodextrin Complex, 1058

Cardiotonic agents
A Novel Class of Cardiotonic Agents: Synthesis and Biological Evaluation of Pyridazino[4,5-*b*]indoles with Cyclic AMP Phosphodiesterases Inhibiting Properties, 526

C-Benzoyl-1,2,3-triazole derivatives
Studies on Specific Inhibition of Benzodiazepine Receptor Binding by Some C-Benzoyl-1,2,3-triazole Derivatives, 893

Cefaclor
Isolation and Structure Elucidation of a Novel Product of the Acidic Degradation of Cefaclor, 622

Cefixime
Characterization of the Oral Absorption of Some β-Lactams: Effect of the α-Amino Side Chain Group, 897

Cefotaxime
A Thermodynamic Approach to the Binding Mechanisms of Cefotaxime to Serum Albumins, 948

Ceftazidime
A Weibull Distribution Model for Intradermal Administration of Ceftazidime, 1175

Ceftibuten
Determination of Ceftibuten in Sputum by Column-Switching High-Performance Liquid Chromatography On-Line with Thermospray Mass Spectrometry, 52
Effects of Protein Binding on the Isomerization of Ceftibuten, 461

Chloromethyldihydrosafrole
Determination of Safrole, Dihydrosafrole, and Chloromethyldihydrosafrole in Piperonyl Butoxide by High-Performance Liquid Chromatography, 813

Chloroquine
Kinetics of Chloroquine Uptake into Isolated Rat Hepatocytes, 592

Chlorpheniramine
Diffusion and Concentration Profiles of Drugs in Gels, 1094

Cholecystokinin analogue
Kinetics and Mechanisms of Peptide Aggregation. I: Aggregation of a Cholecystokinin Analogue, 689

Cholecystokinin analogues
Solvent Dependence of Optical Rotation of (*S*)-*N*-[1-(2-Fluorophenyl)-3,4,6,7-tetrahydro-4-oxo-pyrrolo-[3,2,1-jk][1,4]benzodiazepine-3-yl]-1*H*-indole-2-carboxamide, 734

Cholesterol
A Rapid Method for the Measurement of Cholesterol Thermodynamic Activity in Bile Salt–Lecithin–Cholesterol Solutions, 714

Cholestyramine
In Vitro Studies To Investigate the Reasons for the Low Potency of Cholestyramine and Colestipol, 80

Chromatographic studies
Determination of *m*-Nitrophenol and Nipecotic Acid in Mouse Tissues by High-Performance Liquid Chromatography after Administration of the Anticonvulsant *m*-Nitrophenyl-3-piperidinecarboxylate Hydrochloride, 39
Determination of Free Bile Acids in Pharmaceutical Preparations by Packed Column Supercritical Fluid Chromatography, 44
Determination of Ceftibuten in Sputum by Column-Switching High-Performance Liquid Chromatography On-Line with Thermospray Mass Spectrometry, 52
High-Performance Liquid Chromatographic Determination of Total Thiamine in Human Plasma for Oral Bioavailability Studies, 56
Determination of Sumatriptan Succinate in Plasma and Urine by High-Performance Liquid Chromatography with Electrochemical Detection, 73
Simultaneous Determination of Propranolol or Metoprolol in the Presence of Butyrophenones in Human Plasma by Gas Chromatography with Mass Spectrometry, 87
Simultaneous Assessment of the Intravenous and Oral Disposition of the Enantiomers of Racemic Nimodipine by Chiral Stationary-Phase High-Performance Liquid Chromatography and Gas Chromatography/Mass Spectroscopy Combined with a Stable Isotope Technique, 244
Determination of the Enantiomers of a New 1,4-Dihydropyridine Calcium Antagonists in Dog Plasma by Achiral/Chiral Coupled High-Performance Liquid Chromatography with Electrochemical Detection, 319
Determination of Salmeterol in Rat and Dog Plasma by High-Performance Liquid Chromatography with Fluorescence Detection, 323
High-Performance Liquid Chromatographic Method for Assay of Otilonium Bromide, Diazepam, and Related Compounds in Finished Pharmaceutical Forms, 367
Determination of Risperidone in Plasma by High-Performance Liquid Chromatography with Electrochemical Detection: Application to Therapeutic Drug Monitoring in Schizophrenic Patients, 447
Ion-Pair Reversed-Phase Liquid Chromatographic Identification and Quantitation of Papaverine Congeners, 503
Extraction and Analysis by High-Performance Liquid Chromatography of Antibiotics in a Drug Delivery System for Farmed Fish, 518
Isolation and Structure Elucidation of a Novel Product of the Acidic Degradation of Cefaclor, 622
Chromatographic Analysis and Pharmacokinetics of Liposome-Encapsulated Doxorubicin in Non-Small-Cell Lung Cancer Patients, 627
Fragrance Compounds and Essential Oils with Sedative Effects upon Inhalation, 660
Use of a Human Serum Albumin-Based Stationary Phase for High-Performance Liquid Chromatography as a Tool for the Rapid Determination of Drug–Plasma Protein Binding, 675
Determination of Safrole, Dihydrosafrole, and Chloromethyldihydrosafrole in Piperonyl Butoxide by High-Performance Liquid Chromatography, 813
Molecular Weight Identification of Polyethylene Glycols in Pharmaceutical Preparations by Gel Permeation Chromatography, 938
High-Pressure Liquid Chromatographic Assay of Theophylline in Dog Feces following Oral Administration of Sustained-Release Products, 956
Determination of Total Pyridoxal in Human Plasma following Oral Administration of Vitamin B_6 by High-Performance Liquid Chromatography with Post-Column Derivatization, 972
Aqueous Acidic Degradation of the Carbacephalosporin Loracarbef, 1010

Quantitative Determination of *cis*-3,4-Dichloro-*N*-methyl-*N*-(2-(1-pyrrolidinyl)-cyclohexyl)-benzamide and Three of Its Metabolites in Plasma by High-Performance Liquid Chromatography, 1049
Quantitative Analysis of the Lipophilic Doxorubicin Analogue Annamycin in Plasma and Tissue Samples by Reversed-Phase Chromatography, 1151
Determination of Benzalkonium Chloride in Ophthalmic Solutions Containing Tyloxapol by Solid-Phase Extraction and Reversed-Phase High-Performance Liquid Chromatography, 1172
1-(Tetrahydro-2-furanyl)-5-fluorouracil (Ftorafur) Determined in Rat Hair as an Index of Drug Exposure, 1272

Chronopharmacodynamics
Chronopharmacodynamics of Theophylline Neurotoxicity in Rats, 668

Cimetidine
Effect of Cimetidine on the Pharmacokinetics of Fentiazac in Rats, 952

***cis*-3,4-Dichloro-*N*-methyl-*N*-(2-(1-pyrrolidinyl)-cyclohexyl)-benzamide**
Quantitative Determination of *cis*-3,4-Dichloro-*N*-methyl-*N*-(2-(1-pyrrolidinyl)-cyclohexyl)-benzamide and Three of Its Metabolites in Plasma by High-Performance Liquid Chromatography, 1049

Clinical studies
Determination of Ceftibuten in Sputum by Column-Switching High-Performance Liquid Chromatography On-Line with Thermospray Mass Spectrometry, 52
High-Performance Liquid Chromatographic Determination of Total Thiamine in Human Plasma for Oral Bioavailability Studies, 56
Determination of Sumatriptan Succinate in Plasma and Urine by High-Performance Liquid Chromatography with Electrochemical Detection, 73
Simultaneous Determination of Propranolol or Metoprolol in the Presence of Butyrophenones in Human Plasma by Gas Chromatography with Mass Spectrometry, 87
Zatebradine: Pharmacokinetics of a Novel Heart-Rate-Lowering Agent after Intravenous Infusion and Oral Administration to Healthy Subjects, 99
Effect of Food on the Pharmacokinetics of the Active Metabolite of the Prodrug Repirinast, 107
In Vitro–In Vivo Correlation for Modified-Release Formulations, 132
Pharmacokinetic Profile of Flosequinan in Patients with Compromised Renal Function, 282
Plasma Protein Binding of Tacrolimus in Humans, 340
In Vitro Release of Testosterone from Suppository Bases and In Vivo Absorption Studies in Human Males, 389
Determination of Risperidone in Plasma by High-Performance Liquid Chromatography with Electrochemical Detection: Application to Therapeutic Drug Monitoring in Schizophrenic Patients, 447
Chromatographic Analysis and Pharmacokinetics of Liposome-Encapsulated Doxorubicin in Non-Small-Cell Lung Cancer Patients, 627
Urinary Excretion of Aminohydroxypropylidene Bisphosphonate in Cancer Patients after Single Intravenous Infusions, 665
Application of a System Analysis Approach to Population Pharmacokinetics and Pharmacodynamics of Nicardipine Hydrochloride in Healthy Males, 705
Pharmacokinetics of Moxisylyte in Healthy Volunteers after Intravenous and Intracavernous Administration, 729
Multiple-Layer, Direct-Compression, Controlled-Release System: In Vitro and In Vivo Evaluation, 750
Pharmacokinetics of Ibuprofen Enantiomers in Plasma and Suction Blister Fluid in Healthy Volunteers, 787
Multiple-Dose Pharmacokinetics of Moxisylyte after Oral Administration to Healthy Volunteers, 968
Determination of Total Pyridoxal in Human Plasma following Oral Administration of Vitamin B_6 by High-Performance Liquid Chromatography with Post-Column Derivatization, 972
Development of a Sensitive and Specific Radioimmunoassay for Benztropine, 1027
Surface Recovery and Stripping Methods to Quantify Percutaneous Absorption of Caffeine in Humans, 1099
Increased Erythrocyte and Protein Binding of Codeine in Patients with Sickle Cell Disease, 1112
Noninvasive Assessment of Anesthetic Activity of Topical Lidocaine Formulations, 1118
Evaluation of Local Anesthesia Provided by Transdermal Patches Containing Different Formulations of Tetracaine, 1123
Species Scaling of Propafenone Disposition and Concentration–Time Relationships among Eight Mammalian Species, 1126
Nonlinear Multiple-Dose Pharmacokinetics of the Dopamine Reuptake Inhibitor Vanoxerine, 1164
A Weibull Distribution Model for Intradermal Administration of Ceftazidime, 1175
Mathematical Model for the Selective Deposition of Inhaled Pharmaceuticals, 1191
Dual Sorption Model for the Nonlinear Percutaneous Permeation Kinetics of Timolol, 1205
Permeabilities of Alkyl *p*-Aminobenzoates through Living Skin Equivalent and Cadaver Skin, 1266
Evaluation of the Bioequivalence of Tablet and Capsule Formulations of Granisetron in Patients Undergoing Cytotoxic Chemotherapy for Malignant Disease, 1281
Controlled-Release Isosorbide Dinitrate Pellets, Part II: In Vivo Studies, 1292

Clofibric acid
Facilitated Transport of Two Model Steroids by Esters and Amides of Clofibric Acid, 214

Clomesone
Synthesis and Antineoplastic Evaluation of α-Substituted Alkanesulfonates: Analogues of Clomesone, 1200

Codeine
Increased Erythrocyte and Protein Binding of Codeine in Patients with Sickle Cell Disease, 1112

Cohesion parameters
Prediction of Skin Permeabilities of Diclofenac and Propranolol from Theoretical Partition Coefficients Determined from Cohesion Parameters, 416

Colestipol
In Vitro Studies To Investigate the Reasons for the Low Potency of Cholestyramine and Colestipol, 80

Communications
Potentiometric Determination of the Thermodynamic Ionization Constants of Deferoxamine, 110
Testosteronyl-4-dimethylaminobutyrate·HCl: A Prodrug with Improved Skin Penetration Rate, 227
Kinetics of Drug Action in Disease States. XLII. Effect of Repeated Blood Sampling on the Pharmacodynamics of Phenobarbital in Rats, 229
Biomembrane Permeation and Stereochemistry, 342
Nonlinear Pharmacokinetics and Protein Binding of Tiaprofenic Acid in Female Lewis Rats, 429
Comments concerning "Solvent Effects on Chemical Processes. I: Solubility of Aromatic and Heterocyclic Compounds in Binary Aqueous–Organic Solvents", 431
Transport of L-Tryptophan across the Rat Nasal Mucosa, 433
Population Pharmacodynamic Modeling of Drug-Induced Anemia, 546
Effect of Electrolytes on Oxygen Solubility in Aqueous Systems, 550
Skin Penetration Enhancement of Triprolidine Base by Propylene Glycol, 551
Polylactide-Polyglycolide Delivery System for Physostigmine, 553
Chronopharmacodynamics of Theophylline Neurotoxicity in Rats, 668
Validation of an Improved Wood's Rotating Disk Dissolution Apparatus, 670
Separation of 21-(*R*)- and 21-(*S*)-Argatroban: Solubility and Activity of the Individual Diastereoisomers, 672

Rebuttal to "Practical Testing of Solid-State Stability of Pharmaceuticals", 674
Use of a Human Serum Albumin-Based Stationary Phase for High-Performance Liquid Chromatography as a Tool for the Rapid Determination of Drug–Plasma Protein Binding, 675
Estimation of Variance for AUC in Animal Studies, 761
A Method for Continuous pH Regulation of Dissolution Medium in Stirred Vessels, 764
The Cutoff Size for Gastric Emptying of Dosage Forms, 854
Polylysine-Coated Polyacrylamide Resins as Sorbents for Bile Acids, 855
Stabilization of Aspartame by Polyethylene Glycol 400, 978
Methods for Estimating Pharmacokinetic Parameters Should Be Thoroughly Tested, 1064
Use of a Solute–Container Interaction to Determine Protein Binding: Application to Long-Chain Fatty Acids, 1067
Correction Factor for Dissolution Profile Calculations, 1190
Estimation of Partition Ratio When the Value Is Much Smaller Than the Initial Substrate/Enzyme Concentration Ratio in a Suicide Enzyme System, 1296
Estimation of Absorption Rate Constant in a One-Compartment Model with the Profile of the Bioavailable Dose Eliminated as a Function of Multiples of Half-Life, 1298

Computer programs
An Interactive Program for Pharmacokinetic Modeling, 537
Application of Neural Networks to Pharmacodynamics, 918

Conductivity
Ionic Size and Behavior of Diclofenac Salts in Water and Ethanol/Water Mixtures by Conductivity at 25 °C, 1245

Conglomerates
Phase Diagram of (*R*)- and (*S*)-4-Hydroxy-2-pyrrolidone Mixtures: A New Case of a Conglomerate-Forming System, 758

Contrast agents
A Specific Radioimmunoassay for the Measurement of Gadoteridol, a Contrast Agent for Magnetic Resonance Imaging in Biological Fluids, 475
A Multi-Organ, Axially Distributed Model of Capillary Permeability for a Magnetic Resonance Imaging Contrast Agent, 531
Biliary Excretion and Pharmacokinetics of a Gadolinium Chelate Used as a Liver-Specific Contrast Agent for Magnetic Resonance Imaging in the Rat, 799

Controlled release
Current Perspectives on the Dissolution Stability of Solid Oral Dosage Forms, 113
In Vitro–In Vivo Correlation for Modified-Release Formulations, 132
Preparation and Evaluation of Eudragit Gels. VI: In Vivo Evaluation of Eudispert Rectal Hydrogel and Xerogel Containing Salicylamide, 195
Influence of pH on Release of Phenytoin Sodium from Slow-Release Dosage Forms, 306
Microparticles and Nanoparticles in Medicine and Pharmacy, 554
Use of Hydroxypropyl Methylcellulose Acetate Succinate in an Enteric Polymer Matrix To Design Controlled-Release Tablets of Amoxicillin Trihydrate, 737
Multiple-Layer, Direct-Compression, Controlled-Release System: In Vitro and In Vivo Evaluation, 750
Model for a Controlled-Release Drug Delivery Safety System with Permeable and Erodible Coatings, 1061
In Vivo Evaluation of Controlled-Release Products, 1145

Correction factor
Correction Factor for Dissolution Profile Calculations, 1190

Croscarmellose sodium
Effect of the Mode of Super Disintegrant Incorporation on Dissolution in Wet Granulated Tablets, 220

Crospovidone
Effect of the Mode of Super Disintegrant Incorporation on Dissolution in Wet Granulated Tablets, 220

Crystallographic studies
Solution- and Solid-State Structures of *N*-Desmethylnefopam Hydrochloride, a Metabolite of the Analgesic Drug, 276
X-ray Molecular Structures and Theoretical Conformational Studies of Narcotic Analgesics α-(−)-*N*-*cis*-3-Chloroallylnormetazocine, Ethylketazocine, and Ketazocine, 821
Hydrogen-Bond Patterns of Dialkylpyridone Iron Chelators and Their 1:1 Formic Acid Solvates: Description, Prediction, and Role in Crystal Packing, 901
X-ray Structural Characterization of Anhydrous Metronidazole Benzoate and Metronidazole Benzoate Monohydrate, 1006
Properties and Cost Effective Method for Production of the Antitumor Agent Duclauxin from Sporulating *Penicillium herquei*, 1214
Physicochemical Characterization of 9,10-Anthraquinone 2-Carboxylic Acid, 1250
Comparative Study of the Two Polymorphic Forms of *p*-(1*R*,3*S*) 3-Thioanisoyl-1,2,2-Trimethylcyclopentane Carboxylic Acid, 1262
Optical Crystallographic Characteristics of Some USP Drugs, 1269

Cyclodextrin
Improved Bioavailability of *para*-Boronophenylalanine by Cyclodextrin Complexation, 1054
Oral Pharmacokinetics of Carbamazepine in Dogs from Commercial Tablets and a Cyclodextrin Complex, 1058

Cyclosporine
Formation and Characterization of Cyclosporine-Loaded Nanoparticles, 498

Cyproheptadine
Cyproheptadine Analogues: Synthesis, Antiserotoninergic Activity, and Structure–Activity Relationships, 1090

Deacylation–reacylation cycle
Deacylation–Reacylation Cycle: A Possible Absorption Mechanism for the Novel Lymphotropic Antitumor Agent Dipalmitoylphosphatidylfluorouridine in Rats, 575

Deferoxamine
Potentiometric Determination of the Thermodynamic Ionization Constants of Deferoxamine, 110

Degradation
Degradation and Inactivation of Antitumor Drugs, 988

3′-Deoxy-3′-fluorothymidine
Population Pharmacodynamic Modeling of Drug-Induced Anemia, 546

Dequalinium chloride
Toxicity of the Mitochondrial Poison Dequalinium Chloride in a Murine Model System, 231

Desflurane
Determination of Absolute Configurations and Predominant Conformations of General Inhalation Anesthetics: Desflurane, 791

***N*-Desmethylnefopam**
Solution- and Solid-State Structures of *N*-Desmethylnefopam Hydrochloride, a Metabolite of the Analgesic Drug, 276

Diabetes
Effects of Insulin and Acarbose Alone and in Combination in the Female Streptozotocin-Induced Diabetic Rat, 1209

Dialkylpyridones
Hydrogen-Bond Patterns of Dialkylpyridone Iron Chelators and Their 1:1 Formic Acid Solvates: Description, Prediction, and Role in Crystal Packing, 901

Diazepam
High-Performance Liquid Chromatographic Method for Assay of Otilonium Bromide, Diazepam, and Related Compounds in Finished Pharmaceutical Forms, 367

Diazines
Hydrophobicity Parameter of Diazines. III: Relationship of Partition Coefficients of Monosubstituted Diazines and Pyridines in Different Partitioning Systems, 155

Dibromopropamidine isethionate
Investigation of Cell Envelope Damage to *Pseudomonas aeruginosa* and *Enterobacter cloacae* by Dibromopropamidine Isethionate, 975

Diclofenac
Prediction of Skin Permeabilities of Diclofenac and Propranolol from Theoretical Partition Coefficients Determined from Cohesion Parameters, 416
Influence of Albumin on the Distribution and Elimination Kinetics of Diclofenac in the Isolated Perfused Rat Liver: Analysis by the Impulse–Response Technique and the Dispersion Model, 421
Physiologic Models of Hepatic Drug Clearance: Influence of Altered Protein Binding on the Elimination of Diclofenac in the Isolated Perfused Rat Liver, 880
Ionic Size and Behavior of Diclofenac Salts in Water and Ethanol/Water Mixtures by Conductivity at 25 °C, 1245

2′,3′-Didehydro-3′-deoxythymidine
Prodrugs of 2′,3′-Didehydro-3′-deoxythymidine, 1232

Diffraction analysis
Molecular Organization of Liquid *n*-Octanol: An X-ray Diffraction Analysis, 466

6,7-Dihydro-5*H*-dibenz(c,e)azepine
Comparison between 6,7-Dihydro-5*H*-Dibenz(c,e)azepine and Lovastatin as Hypolipidemic Agents in Rats, 565

1,4-Dihydropyridine enantiomers
Determination of the Enantiomers of a New 1,4-Dihydropyridine Calcium Antagonists in Dog Plasma by Achiral/Chiral Coupled High-Performance Liquid Chromatography with Electrochemical Detection, 319

Dihydrosafrole
Determination of Safrole, Dihydrosafrole, and Chloromethyldihydrosafrole in Piperonyl Butoxide by High-Performance Liquid Chromatography, 813

Dipalmitoylphosphatidylfluorouridine
Deacylation–Reacylation Cycle: A Possible Absorption Mechanism for the Novel Lymphotropic Antitumor Agent Dipalmitoylphosphatidylfluorouridine in Rats, 575

Dipeptides
In the Search for New Anticancer Drugs. XXIV: Synthesis and Anticancer Activity of Amino Acids and Dipeptides Containing the 2-Chloroethyl- and [*N*′-(2-Chloroethyl)-*N*′-Nitroso]-aminocarbonyl Groups, 1

Diphenhydramine
Transplacental and Nonplacental Clearances of Diphenhydramine in the Chronically Instrumented Pregnant Sheep, 145

Disintegrants
Effect of the Mode of Super Disintegrant Incorporation on Dissolution in Wet Granulated Tablets, 220

Dispersion model
Influence of Albumin on the Distribution and Elimination Kinetics of Diclofenac in the Isolated Perfused Rat Liver: Analysis by the Impulse–Response Technique and the Dispersion Model, 421

Ditiocarb
Ditiocarb: Decomposition in Aqueous Solution and Effect of the Volatile Product on Its Pharmacological Use, 379

Diuretics
Influence of Protein and Calorie Malnutrition on the Pharmacokinetics and Pharmacodynamics of Bumetanide in Rats, 838

DNA topoisomerase II inhibitors
Tannins as Potent Inhibitors of DNA Topoisomerase II In Vitro, 487

Dopamine receptor blockers
Determination of Risperidone in Plasma by High-Performance Liquid Chromatography with Electrochemical Detection: Application to Therapeutic Drug Monitoring in Schizophrenic Patients, 447

Dopamine receptors
cis-1,2,3a,4,5,9b-Hexahydro-3*H*-benz[e]indoles: Synthesis and In Vitro Binding Affinity at Dopamine D1 and D2 Receptors, 334

Dosage form design
Hygroscopic Stability and Dissolution Properties of Spray-Dried Solid Dispersions of Furosemide with Eudragit, 32
Determination of Free Bile Acids in Pharmaceutical Preparations by Packed Column Supercritical Fluid Chromatography, 44
Peptide and Protein Drug Delivery, 112
Preparation and Evaluation of Eudragit Gels. VI: In Vivo Evaluation of Eudispert Rectal Hydrogel and Xerogel Containing Salicylamide, 195
Effect of the Mode of Super Disintegrant Incorporation on Dissolution in Wet Granulated Tablets, 220
Influence of pH on Release of Phenytoin Sodium from Slow-Release Dosage Forms, 306
Degradation and Release Properties of Pellets Fabricated from Three Commercial Poly(D,L-lactide-co-glycolide) Biodegradable Polymers, 326
In Vitro Release of Testosterone from Suppository Bases and In Vivo Absorption Studies in Human Males, 389
Pharmaceutics and Drug Delivery Aspects of Heme and Porphyrin Therapy, 435
Formation and Characterization of Cyclosporine-Loaded Nanoparticles, 498
A Method for the Preparation of Submicron Particles of Sparingly Water-Soluble Drugs by Precipitation in Oil-in-Water Emulsions. I: Influence of Emulsification and Surfactant Concentration, 579
A Method for the Preparation of Submicron Particles of Sparingly Water-Soluble Drugs by Precipitation in Oil-in-Water Emulsions. II: Influence of the Emulsifier, the Solvent, and the Drug Substance, 584
Kinetics of Absorption of a New Once-a-Day Formulation of Theophylline in the Presence and Absence of Food, 644
Toxin-Targeted Design for Anticancer Therapy. II: Preparation and Biological Comparison of Different Chemically Linked Gelonin–Antibody Conjugates, 699
A Method for Continuous pH Regulation of Dissolution Medium in Stirred Vessels, 764
The Cutoff Size for Gastric Emptying of Dosage Forms, 854
Development of a New Drug Carrier Made from Alginate, 912
Determination of Total Pyridoxal in Human Plasma following Oral Administration of Vitamin B_6 by High-Performance Liquid Chromatography with Post-Column Derivatization, 972
In Vitro Evaluation of the Antimicrobial Activities of Selected Lozenges, 1218
Evaluation of the Bioequivalence of Tablet and Capsule Formulations of Granisetron in Patients Undergoing Cytotoxic Chemotherapy for Malignant Disease, 1281
Controlled-Release Isosorbide Dinitrate Pellets, Part I: Design and Evaluation of Controlled-Release Capsule Dosage Form, 1288
Controlled-Release Isosorbide Dinitrate Pellets, Part II: In Vivo Studies, 1292

Dosimetry
Mathematical Model for the Selective Deposition of Inhaled Pharmaceuticals, 1191

Doxorubicin
Chromatographic Analysis and Pharmacokinetics of Liposome-Encapsulated Doxorubicin in Non-Small-Cell Lung Cancer Patients, 627
Quantitative Analysis of the Lipophilic Doxorubicin Analogue Annamycin in Plasma and Tissue Samples by Reversed-Phase Chromatography, 1151

Drug administration routes
Zatebradine: Pharmacokinetics of a Novel Heart-Rate-Lowering Agent after Intravenous Infusion and Oral Administration to Healthy Subjects, 99
Peptide and Protein Drug Delivery, 112
Pharmacokinetics of the Dopamine D2 Agonist *S*(−)-2-(*N*-Propyl-*N*-2-thienylethylamino)-5-hydroxytetralin in Freely Moving Rats, 200
Bioavailability and Bioequivalence of Two Formulations of Etodolac (Tablets and Suppositories), 211
Effect of Absorption Promoters on Subcutaneous Absorption of Human Epidermal Growth Factor in Rats, 236
Simultaneous Assessment of the Intravenous and Oral Disposition of the Enantiomers of Racemic Nimodipine by Chiral Stationary-Phase High-Performance Liquid Chromatography and Gas Chromatography/Mass Spectroscopy Combined with a Stable Isotope Technique, 244
Pharmacokinetics of Moxisylyte in Healthy Volunteers after Intravenous and Intracavernous Administration, 729
Comparison of Tebufelone Distribution in Rat Blood Plasma and Inflamed and Noninflamed Tissues following Peroral and Intravenous Administration, 847

Drug analysis
Determination of *m*-Nitrophenol and Nipecotic Acid in Mouse Tissues by High-Performance Liquid Chromatography after Administration of the Anticonvulsant *m*-Nitrophenyl-3-piperidinecarboxylate Hydrochloride, 39
Determination of Free Bile Acids in Pharmaceutical Preparations by Packed Column Supercritical Fluid Chromatography, 44
Determination of Ceftibuten in Sputum by Column-Switching High-Performance Liquid Chromatography On-Line with Thermospray Mass Spectrometry, 52
High-Performance Liquid Chromatographic Determination of Total Thiamine in Human Plasma for Oral Bioavailability Studies, 56
Determination of Sumatriptan Succinate in Plasma and Urine by High-Performance Liquid Chromatography with Electrochemical Detection, 73
Simultaneous Determination of Propranolol or Metoprolol in the Presence of Butyrophenones in Human Plasma by Gas Chromatography with Mass Spectrometry, 87
Zatebradine: Pharmacokinetics of a Novel Heart-Rate-Lowering Agent after Intravenous Infusion and Oral Administration to Healthy Subjects, 99
Effect of Food on the Pharmacokinetics of the Active Metabolite of the Prodrug Repirinast, 107
Simultaneous Assessment of the Intravenous and Oral Disposition of the Enantiomers of Racemic Nimodipine by Chiral Stationary-Phase High-Performance Liquid Chromatography and Gas Chromatography/Mass Spectroscopy Combined with a Stable Isotope Technique, 244
Determination of the Enantiomers of a New 1,4-Dihydropyridine Calcium Antagonists in Dog Plasma by Achiral/Chiral Coupled High-Performance Liquid Chromatography with Electrochemical Detection, 319
Determination of Salmeterol in Rat and Dog Plasma by High-Performance Liquid Chromatography with Fluorescence Detection, 323
Plasma Protein Binding of Tacrolimus in Humans, 340
High-Performance Liquid Chromatographic Method for Assay of Otilonium Bromide, Diazepam, and Related Compounds in Finished Pharmaceutical Forms, 367
Determination of Risperidone in Plasma by High-Performance Liquid Chromatography with Electrochemical Detection: Application to Therapeutic Drug Monitoring in Schizophrenic Patients, 447
Reaction-Frequencymetric Method: A New Analytical Technique for Determination of Submicromolar Concentration Levels of Vitamin C, 457
A Novel Statistical Approach for the Comparison of Analytical Methods to Measure Angiotensin Converting Enzyme Activity, Enalaprilat, and Benazeprilat, 471
Extraction and Analysis by High-Performance Liquid Chromatography of Antibiotics in a Drug Delivery System for Farmed Fish, 518
Determination of Safrole, Dihydrosafrole, and Chloromethyldihydrosafrole in Piperonyl Butoxide by High-Performance Liquid Chromatography, 813
Spectrophotometric Analysis of a Pharmaceutical Preparation by Principal Component Regression, 834
Molecular Weight Identification of Polyethylene Glycols in Pharmaceutical Preparations by Gel Permeation Chromatography, 938
High-Pressure Liquid Chromatographic Assay of Theophylline in Dog Feces following Oral Administration of Sustained-Release Products, 956
Determination of Total Pyridoxal in Human Plasma following Oral Administration of Vitamin B_6 by High-Performance Liquid Chromatography with Post-Column Derivatization, 972
Quantitative Determination of *cis*-3,4-Dichloro-*N*-methyl-*N*-(2-(1-pyrrolidinyl)-cyclohexyl)-benzamide and Three of Its Metabolites in Plasma by High-Performance Liquid Chromatography, 1049
Quantitative Analysis of the Lipophilic Doxorubicin Analogue Annamycin in Plasma and Tissue Samples by Reversed-Phase Chromatography, 1151
Determination of Benzalkonium Chloride in Ophthalmic Solutions Containing Tyloxapol by Solid-Phase Extraction and Reversed-Phase High-Performance Liquid Chromatography, 1172
Optical Crystallographic Characteristics of Some USP Drugs, 1269
1-(Tetrahydro-2-furanyl)-5-fluorouracil (Ftorafur) Determined in Rat Hair as an Index of Drug Exposure, 1272

Drug complexes
Complexation of Moricizine with Nicotinamide and Evaluation of the Complexation Constants by Various Methods, 77
A Method for the Preparation of Submicron Particles of Sparingly Water-Soluble Drugs by Precipitation in Oil-in-Water Emulsions. I: Influence of Emulsification and Surfactant Concentration, 579
A Method for the Preparation of Submicron Particles of Sparingly Water-Soluble Drugs by Precipitation in Oil-in-Water Emulsions. II: Influence of the Emulsifier, the Solvent, and the Drug Substance, 584
Chromatographic Analysis and Pharmacokinetics of Liposome-Encapsulated Doxorubicin in Non-Small-Cell Lung Cancer Patients, 627
Improved Bioavailability of *para*-Boronophenylalanine by Cyclodextrin Complexation, 1054
Oral Pharmacokinetics of Carbamazepine in Dogs from Commercial Tablets and a Cyclodextrin Complex, 1058
Analysis of the Particle Size Distribution and Internal Volume of Liposomal Preparations, 1160

Drug delivery systems
Cutaneous Bioavailability in Hairless Rats of Tretinoin in Liposomes or Gel, 17
Peptide and Protein Drug Delivery, 112
Microencapsulation of Drugs with Aqueous Colloidal Polymer Dispersions, 191
Synthesis of Galactose Derivatives That Render Lectin-Induced Agglutinating Ability to Liposomes, 273
Biomembrane Permeation and Stereochemistry, 342
Transport of L-Tryptophan across the Rat Nasal Mucosa, 433
Pharmaceutics and Drug Delivery Aspects of Heme and Porphyrin Therapy, 435
Formation and Characterization of Cyclosporine-Loaded Nanoparticles, 498
Extraction and Analysis by High-Performance Liquid Chromatography of Antibiotics in a Drug Delivery System for Farmed Fish, 518
Polylactide-Polyglycolide Delivery System for Physostigmine, 553
Microparticles and Nanoparticles in Medicine and Pharmacy, 554

A Method for the Preparation of Submicron Particles of Sparingly Water-Soluble Drugs by Precipitation in Oil-in-Water Emulsions. I: Influence of Emulsification and Surfactant Concentration, 579
A Method for the Preparation of Submicron Particles of Sparingly Water-Soluble Drugs by Precipitation in Oil-in-Water Emulsions. II: Influence of the Emulsifier, the Solvent, and the Drug Substance, 584
Toxin-Targeted Design for Anticancer Therapy. II: Preparation and Biological Comparison of Different Chemically Linked Gelonin–Antibody Conjugates, 699
Gastrointestinal Parameters That Influence Oral Medications, 857
Development of a New Drug Carrier Made from Alginate, 912
High-Pressure Liquid Chromatographic Assay of Theophylline in Dog Feces following Oral Administration of Sustained-Release Products, 956
Effect of Various Vehicles on Ketoprofen Permeation across Excised Hairless Mouse Skin, 959
Constant-Rate Drug Release from Novel Anionic Gel Beads with Transient Composite Structure, 964
Novel Formulation Strategies for Improving Oral Bioavailability of Drugs with Poor Membrane Permeation or Presystemic Metabolism, 979
Comparative Pharmacokinetics of Free Muramyl Tripeptide Phosphatidyl Ethanolamine (MTP-PE) and Liposomal MTP-PE, 997
Model for a Controlled-Release Drug Delivery Safety System with Permeable and Erodible Coatings, 1061
Submicron Emulsions as Colloidal Drug Carriers for Intravenous Administration: Comprehensive Physicochemical Characterization, 1069
Diffusion and Concentration Profiles of Drugs in Gels, 1094
Evaluation of Local Anesthesia Provided by Transdermal Patches Containing Different Formulations of Tetracaine, 1123
Iontophoresis of Hydrocortisone across Hairless Mouse Skin: Investigation of Skin Alteration, 1140
In Vivo Evaluation of Controlled-Release Products, 1145
Analysis of the Particle Size Distribution and Internal Volume of Liposomal Preparations, 1160
Mathematical Model for the Selective Deposition of Inhaled Pharmaceuticals, 1191
Investigation of the Particle Size Distribution of a Model Intravenous Emulsion, 1237

Drug diffusion
Diffusion and Concentration Profiles of Drugs in Gels, 1094

Drug disposition
Comparison of the In Vivo and In Vitro Nuclear Magnetic Resonance Detection of Trifluoromethyl Penicillin V in Rats, 48
Simultaneous Assessment of the Intravenous and Oral Disposition of the Enantiomers of Racemic Nimodipine by Chiral Stationary-Phase High-Performance Liquid Chromatography and Gas Chromatography/Mass Spectroscopy Combined with a Stable Isotope Technique, 244
Tenoxicam: Acute Dose-Dependent Disposition Studies in Rats, 851
Species Scaling of Propafenone Disposition and Concentration–Time Relationships among Eight Mammalian Species, 1126

Drug dissolution
Hygroscopic Stability and Dissolution Properties of Spray-Dried Solid Dispersions of Furosemide with Eudragit, 32
New Degradation Product of Spiradoline Mesylate in Aqueous Solution: Formation of an Imidazolidine Ring, 91
Degradation Kinetics of Metronidazole in Solution, 95
Current Perspectives on the Dissolution Stability of Solid Oral Dosage Forms, 113
In Vitro–In Vivo Correlation for Modified-Release Formulations, 132
Rapid Simultaneous Determination of Tryptophan and Tyrosine in Synthetic Peptides by Derivative Spectroscopy, 179
Effect of the Mode of Super Disintegrant Incorporation on Dissolution in Wet Granulated Tablets, 220
Automated Drug Dissolution Monitor That Uses a UV-Visible Diode Array Spectrophotometer, 350
Preparation, Characterization, and Dissolution Kinetics of Two Novel Albuterol Salts, 613
Kinetics of Absorption of a New Once-a-Day Formulation of Theophylline in the Presence and Absence of Food, 644
Validation of an Improved Wood's Rotating Disk Dissolution Apparatus, 670
Use of Hydroxypropyl Methylcellulose Acetate Succinate in an Enteric Polymer Matrix To Design Controlled-Release Tablets of Amoxicillin Trihydrate, 737
Multiple-Layer, Direct-Compression, Controlled-Release System: In Vitro and In Vivo Evaluation, 750
A Method for Continuous pH Regulation of Dissolution Medium in Stirred Vessels, 764
Degradation of Three Related Bis(Pyridinium)Aldoximes in Aqueous Solutions at High Concentrations: Examples of Unexpectedly Rapid Amide Group Hydrolysis, 782
Effects of Humidity and Temperature on In Vitro Dissolution of Carbamazepine Tablets, 1002
Aqueous Acidic Degradation of the Carbacephalosporin Loracarbef, 1010
Calorimetric Studies of Dissolution of Hydroxypropyl Methylcellulose E5 (HPMC E5) in Water, 1033
Correction Factor for Dissolution Profile Calculations, 1190
Prodrugs of 2′,3′-Didehydro-3′-deoxythymidine, 1232
Controlled-Release Isosorbide Dinitrate Pellets, Part I: Design and Evaluation of Controlled-Release Capsule Dosage Form, 1288

Drug distribution
Intrahepatic Distribution of Hydrochlorothiazide and Quinidine in Rats: Implications in Pharmacokinetics, 992

Drug elimination
Zatebradine: Pharmacokinetics of a Novel Heart-Rate-Lowering Agent after Intravenous Infusion and Oral Administration to Healthy Subjects, 99
Effect of Food on the Pharmacokinetics of the Active Metabolite of the Prodrug Repirinast, 107
Pharmacokinetic Profile of Flosequinan in Patients with Compromised Renal Function, 282
Influence of Albumin on the Distribution and Elimination Kinetics of Diclofenac in the Isolated Perfused Rat Liver: Analysis by the Impulse–Response Technique and the Dispersion Model, 421
A Specific Radioimmunoassay for the Measurement of Gadoteridol, a Contrast Agent for Magnetic Resonance Imaging in Biological Fluids, 475
Urinary Excretion of Aminohydroxypropylidene Bisphosphonate in Cancer Patients after Single Intravenous Infusions, 665
Biliary Excretion and Pharmacokinetics of a Gadolinium Chelate Used as a Liver-Specific Contrast Agent for Magnetic Resonance Imaging in the Rat, 799
Differential Elimination of Synthetic Butyric Triglycerides In Vivo: A Pharmacokinetic Study, 1046

Drug-induced anemia
Population Pharmacodynamic Modeling of Drug-Induced Anemia, 546

Drug interactions
Ketoprofen–Probenecid Interaction in the Rat: A Probenecid Concentration-Dependent Stereoselective Process, 296
Displacement of Thiopental from Human Serum Albumin by Associated Drugs, 493
Evaluation of Various Solvent Systems for Modeling Solute Sorption with Plasticized Polyvinyl Chloride Materials, 617
Inhibitory Effects of Procainamide and Probenecid on Renal Excretion of Sultopride Enantiomers in Rats, 1259

Drug metabolism and distribution
Determination of *m*-Nitrophenol and Nipecotic Acid in Mouse Tissues by High-Performance Liquid Chromatography after Administration of the Anticonvulsant *m*-Nitrophenyl-3-piperidinecarboxylate Hydrochloride, 39
Metabolism of 3-Indolylacetic Acid during Percutaneous Absorption in Human Skin, 150
Pharmacokinetic Profile of Flosequinan in Patients with Compromised Renal Function, 282
Prediction of Drug Distribution in Distribution Dialysis and In Vivo from Binding to Tissues and Blood, 345
Transmucosal Delivery of Methionine Enkephalin. I: Solution Stability and Kinetics of Degradation in Various Rabbit Mucosa Extracts, 373
Influence of Albumin on the Distribution and Elimination Kinetics of Diclofenac in the Isolated Perfused Rat Liver: Analysis by the Impulse–Response Technique and the Dispersion Model, 421
Simulation Studies on Ethanol Metabolism in Different Human Populations with a Physiological Pharmacokinetic Model, 677
Pharmacokinetics and Metabolic Interconversion of Intravenous 4-Amino-5-chloro-2-[(methylsulfinyl)ethoxy]-*N*-[2-(diethylamino)ethyl]benzamide and Its Sulfide and Sulfone Metabolites in Rats, 694
Metabolism of Propranolol during Percutaneous Absorption in Human Skin, 767
Comparison of Tebufelone Distribution in Rat Blood Plasma and Inflamed and Noninflamed Tissues following Peroral and Intravenous Administration, 847

Drug release
Current Perspectives on the Dissolution Stability of Solid Oral Dosage Forms, 113
Microencapsulation of Drugs with Aqueous Colloidal Polymer Dispersions, 191
Influence of pH on Release of Phenytoin Sodium from Slow-Release Dosage Forms, 306
Degradation and Release Properties of Pellets Fabricated from Three Commercial Poly(D,L-lactide-*co*-glycolide) Biodegradable Polymers, 326
In Vitro Release of Testosterone from Suppository Bases and In Vivo Absorption Studies in Human Males, 389
Kinetics of Absorption of a New Once-a-Day Formulation of Theophylline in the Presence and Absence of Food, 644
A Method for Continuous pH Regulation of Dissolution Medium in Stirred Vessels, 764
Constant-Rate Drug Release from Novel Anionic Gel Beads with Transient Composite Structure, 964

Drug transport
Membrane Transport of Tetraphenylphosphonium and Its Homologues through the Planar Phospholipid Bilayer: Concentration Dependence and Mutually Competitive Inhibition in Membrane Passive Transport, 27
Epithelial Transport of Drugs in Cell Culture. VIII: Effects of Sodium Dodecyl Sulfate on Cell Membrane and Tight Junction Permeability in Human Intestinal Epithelial (Caco-2) Cells, 392
Transmucosal Delivery of Leucine Enkephalin: Stabilization in Rabbit Enzyme Extracts and Enhancement of Permeation through Mucosae, 1179

Dual sorption model
Dual Sorption Model for the Nonlinear Percutaneous Permeation Kinetics of Timolol, 1205

Duclauxin
Properties and Cost Effective Method for Production of the Antitumor Agent Duclauxin from Sporulating *Penicillium herquei*, 1214

***Echinococcus multilocularis* metacestodes**
Synthesis of Propargylic Alcohols and Biological Effects on *Echinococcus multilocularis* Metacestodes, 605

Electrochemical studies
Determination of the Enantiomers of a New 1,4-Dihydropyridine Calcium Antagonists in Dog Plasma by Achiral/Chiral Coupled High-Performance Liquid Chromatography with Electrochemical Detection, 319
Determination of Risperidone in Plasma by High-Perform ance Liquid Chromatography with Electrochemical Detection: Application to Therapeutic Drug Monitoring in Schizophrenic Patients, 447
Ionic Size and Behavior of Diclofenac Salts in Water and Ethanol/Water Mixtures by Conductivity at 25 °C, 1245

Electrolytes
Effect of Electrolytes on Oxygen Solubility in Aqueous Systems, 550

π-Electron delocalization
Necessary Conditions for the π-Electron Delocalization in Enamino-Type Muscle Relaxants, 1275

Emulsions
A Method for the Preparation of Submicron Particles of Sparingly Water-Soluble Drugs by Precipitation in Oil-in-Water Emulsions. I: Influence of Emulsification and Surfactant Concentration, 579
A Method for the Preparation of Submicron Particles of Sparingly Water-Soluble Drugs by Precipitation in Oil-in-Water Emulsions. II: Influence of the Emulsifier, the Solvent, and the Drug Substance, 584
Computational Prediction of the Stability of Lipid Emulsions in Total Nutrient Admixtures, 808
Submicron Emulsions as Colloidal Drug Carriers for Intravenous Administration: Comprehensive Physicochemical Characterization, 1069
Surface Recovery and Stripping Methods to Quantify Percutaneous Absorption of Caffeine in Humans, 1099
Investigation of the Particle Size Distribution of a Model Intravenous Emulsion, 1237

Enalaprilat
A Novel Statistical Approach for the Comparison of Analytical Methods to Measure Angiotensin Converting Enzyme Activity, Enalaprilat, and Benazeprilat, 471

Enkephalins
Transmucosal Delivery of Leucine Enkephalin: Stabilization in Rabbit Enzyme Extracts and Enhancement of Permeation through Mucosae, 1179

Enterobacter cloacae
Investigation of Cell Envelope Damage to *Pseudomonas aeruginosa* and *Enterobacter cloacae* by Dibromopropamidine Isethionate, 975

Enzyme studies
Histamine Release from Rat Mast Cells Induced by the Inhibition of Adenosinetriphosphatase for Na and K Channels, 25
Hypolipidemic Effects of 6-Amino-2-mercapto-5-methylpyrimidine-4-carboxylic Acid in Rats and Tissue Culture Cells, 60
Survival of *Staphylococcus aureus* in Oral Administration Liquid Medicaments and Influence of Count Medium on Survival, 170
Effect of Absorption Promoters on Subcutaneous Absorption of Human Epidermal Growth Factor in Rats, 236
Quaternary Salts of 3,3′-Bis-Pyridinium Monooximes: Synthesis and Biological Activity, 258
Tannins as Potent Inhibitors of DNA Topoisomerase II In Vitro, 487
A Novel Class of Cardiotonic Agents: Synthesis and Biological Evaluation of Pyridazino[4,5-*b*]indoles with Cyclic AMP Phosphodiesterases Inhibiting Properties, 526
Synthesis and Antimuscarinic Activity of 2-[*N*-(Ethyl)-(*N*-β-hydroxyethyl)]aminoethyl 2,2-Diphenylpropionate, a Metabolite of Aprophen, 563
Synthesis of Propargylic Alcohols and Biological Effects on *Echinococcus multilocularis* Metacestodes, 605

Effects of Two Substituted Hydrazine Monoamine Oxidase (MAO) Inhibitors on Neurotransmitter Amines, γ-Aminobutyric Acid, and Alanine in Rat Brain, 934
Transmucosal Delivery of Leucine Enkephalin: Stabilization in Rabbit Enzyme Extracts and Enhancement of Permeation through Mucosae, 1179
Effects of Insulin and Acarbose Alone and in Combination in the Female Streptozotocin-Induced Diabetic Rat, 1209
Determination of Serum Biotinidase Activity with Biotinyl Derivatives of Iodotyramines as Substrates, 1228
Estimation of Partition Ratio When the Value Is Much Smaller Than the Initial Substrate/Enzyme Concentration Ratio in a Suicide Enzyme System, 1296

Erythrocytes
Reduction of Erythrocyte Membrane Permeability and Protein Binding of Low-Molecular-Weight Drugs following Glycoside Derivatization, 399
Formation of a Perbenzoic Acid Derivative in the Photodegradation of Fenofibrate: Phototoxicity Studies on Erythrocytes, 590

Erythropoietin
A System Approach to Pharmacodynamics. Plasma Iron Mobilization by Endogenous Erythropoietin in the Sheep Fetus; Evidence of Threshold Response in Spontaneous Hypoxemia, 804

Essential oils
Fragrance Compounds and Essential Oils with Sedative Effects upon Inhalation, 660

Estimating methods
Methods for Estimating Pharmacokinetic Parameters Should Be Thoroughly Tested, 1064

Estrone phosphate
Hydrolysis of Pharmaceutically Relevant Phosphate Monoester Monoanions: Correlation to an Established Structure–Reactivity Relationship, 69

Ethanol
Simulation Studies on Ethanol Metabolism in Different Human Populations with a Physiological Pharmacokinetic Model, 677
Skin Permeation Enhancement of Tegafur by Ethanol/Panasate 800 or Ethanol/Water Binary Vehicle and Combined Effect of Fatty Acids and Fatty Alcohols, 1155

Ethyl (*E*)-4-[2-(3,4-dihydro-4,4-dimethyl-2*H*-1-benzopyran-6-yl)-1-propenyl]benzoate
Synthesis of Potential Metabolites of Ethyl (*E*)-4-[2-(3,4-Dihydro-4,4-dimethyl-2*H*-1-benzopyran-6-yl)-1-propenyl]benzoate, 543

Ethylenediamine tetraacetic acid (EDTA)
Effect of Absorption Promoters on Subcutaneous Absorption of Human Epidermal Growth Factor in Rats, 236

Ethylketazocine
X-ray Molecular Structures and Theoretical Conformational Studies of Narcotic Analgesics α-(−)-*N*-*cis*-3-Chloroallylnormetazocine, Ethylketazocine, and Ketazocine, 821

2-[*N*-(Ethyl)-(*N*-β-hydroxyethyl)]aminoethyl 2,2-diphenylpropionate
Synthesis and Antimuscarinic Activity of 2-[*N*-(Ethyl)-(*N*-β-hydroxyethyl)]aminoethyl 2,2-Diphenylpropionate, a Metabolite of Aprophen, 563

Etodolac
Bioavailability and Bioequivalence of Two Formulations of Etodolac (Tablets and Suppositories), 211

Eudispert
Preparation and Evaluation of Eudragit Gels. VI: In Vivo Evaluation of Eudispert Rectal Hydrogel and Xerogel Containing Salicylamide, 195

Eudragit
Hygroscopic Stability and Dissolution Properties of Spray-Dried Solid Dispersions of Furosemide with Eudragit, 32
Preparation and Evaluation of Eudragit Gels. VI: In Vivo Evaluation of Eudispert Rectal Hydrogel and Xerogel Containing Salicylamide, 195

Fatty acids
Use of a Solute–Container Interaction to Determine Protein Binding: Application to Long-Chain Fatty Acids, 1067
Skin Permeation Enhancement of Tegafur by Ethanol/Panasate 800 or Ethanol/Water Binary Vehicle and Combined Effect of Fatty Acids and Fatty Alcohols, 1155

Fatty alcohols
Skin Permeation Enhancement of Tegafur by Ethanol/Panasate 800 or Ethanol/Water Binary Vehicle and Combined Effect of Fatty Acids and Fatty Alcohols, 1155

Fenofibrate
Formation of a Perbenzoic Acid Derivative in the Photodegradation of Fenofibrate: Phototoxicity Studies on Erythrocytes, 590

Fentiazac
Effect of Cimetidine on the Pharmacokinetics of Fentiazac in Rats, 952

Flosequinan
Pharmacokinetic Profile of Flosequinan in Patients with Compromised Renal Function, 282

Flumequine
Extraction and Analysis by High-Performance Liquid Chromatography of Antibiotics in a Drug Delivery System for Farmed Fish, 518

Fluorometric studies
Determination of Salmeterol in Rat and Dog Plasma by High-Performance Liquid Chromatography with Fluorescence Detection, 323
Determination of Safrole, Dihydrosafrole, and Chloromethyldihydrosafrole in Piperonyl Butoxide by High-Performance Liquid Chromatography, 813

Fluvastatin
Binding of Fluvastatin to Blood Cells and Plasma Proteins, 942

Food
Effect of Food on the Pharmacokinetics of the Active Metabolite of the Prodrug Repirinast, 107
Kinetics of Absorption of a New Once-a-Day Formulation of Theophylline in the Presence and Absence of Food, 644

Fractal dimension analysis
Use of Fractal Dimension in the Study of Fractured Surfaces of Insulin Zinc Crystals, 844

Fragrance compounds
Fragrance Compounds and Essential Oils with Sedative Effects upon Inhalation, 660

Free radicals
Effect of Aggregation on the Kinetics of Autoxidation of the Polyene Antibiotic Amphotericin B, 162

Ftorafur
1-(Tetrahydro-2-furanyl)-5-fluorouracil (Ftorafur) Determined in Rat Hair as an Index of Drug Exposure, 1272

Furosemide
Hygroscopic Stability and Dissolution Properties of Spray-Dried Solid Dispersions of Furosemide with Eudragit, 32

Gadolinium chelate
Biliary Excretion and Pharmacokinetics of a Gadolinium Chelate Used as a Liver-Specific Contrast Agent for Magnetic Resonance Imaging in the Rat, 799

Gadoteridol
A Specific Radioimmunoassay for the Measurement of Gadoteridol, a Contrast Agent for Magnetic Resonance Imaging in Biological Fluids, 475

Galactose derivatives
Synthesis of Galactose Derivatives That Render Lectin-Induced Agglutinating Ability to Liposomes, 273

Gastric emptying
The Cutoff Size for Gastric Emptying of Dosage Forms, 854

Gastrointestinal tract
Gastrointestinal Parameters That Influence Oral Medications, 857

Gelonin–antibody conjugates
Toxin-Targeted Design for Anticancer Therapy. II: Preparation and Biological Comparison of Different Chemically Linked Gelonin–Antibody Conjugates, 699

Gels
Cutaneous Bioavailability in Hairless Rats of Tretinoin in Liposomes or Gel, 17
Preparation and Evaluation of Eudragit Gels. VI: In Vivo Evaluation of Eudispert Rectal Hydrogel and Xerogel Containing Salicylamide, 195
Molecular Weight Identification of Polyethylene Glycols in Pharmaceutical Preparations by Gel Permeation Chromatography, 938
Constant-Rate Drug Release from Novel Anionic Gel Beads with Transient Composite Structure, 964
Diffusion and Concentration Profiles of Drugs in Gels, 1094

Glucose
In the Search for New Anticancer Drugs. XXV: Role of *N*-Nitrosated Amadori Compounds Derived from Glucose–Amino Acid Conjugates in Cancer Promotion or Inhibition, 649

Glucose–amino acid conjugates
In the Search for New Anticancer Drugs. XXV: Role of *N*-Nitrosated Amadori Compounds Derived from Glucose–Amino Acid Conjugates in Cancer Promotion or Inhibition, 649

Glycosides
Reduction of Erythrocyte Membrane Permeability and Protein Binding of Low-Molecular-Weight Drugs following Glycoside Derivatization, 399

Glycyrrhetic acid
Kinetic Analysis of Glycyrrhetic Acid, an Active Metabolite of Glycyrrhizin, in Rats: Role of Enterohepatic Circulation, 301

Glycyrrhizin
Kinetic Analysis of Glycyrrhetic Acid, an Active Metabolite of Glycyrrhizin, in Rats: Role of Enterohepatic Circulation, 301

Gold sodium thiomalate
Site of Action for the Inhibition by Gold Sodium Thiomalate of Rabbit Platelet Activation, 174

Granisetron
Evaluation of the Bioequivalence of Tablet and Capsule Formulations of Granisetron in Patients Undergoing Cytotoxic Chemotherapy for Malignant Disease, 1281

Guaitenesin
Microencapsulation of Drugs with Aqueous Colloidal Polymer Dispersions, 191

Hepatic drug clearance
Physiologic Models of Hepatic Drug Clearance: Influence of Altered Protein Binding on the Elimination of Diclofenac in the Isolated Perfused Rat Liver, 880

***cis*-1,2,3a,4,5,9b-Hexahydro-3*H*-benz[e]indoles**
cis-1,2,3a,4,5,9b-Hexahydro-3*H*-benz[e]indoles: Synthesis and In Vitro Binding Affinity at Dopamine D1 and D2 Receptors, 334

Hildebrand solubility parameter
An Experimental Method for Determining the Hildebrand Solubility Parameter of Organic Nonelectrolytes, 1018

Histamine
Histamine Release from Rat Mast Cells Induced by the Inhibition of Adenosinetriphosphatase for Na and K Channels, 25
Transplacental and Nonplacental Clearances of Diphenhydramine in the Chronically Instrumented Pregnant Sheep, 145
Effect of a Potent Selective Protein Kinase C Inhibitor on Histamine Release from Rat Mast Cells, 209

Histamine receptor antagonists
Effects of Temperature and Relative Humidity on the Solid-State Chemical Stability of Ranitidine Hydrochloride, 601

Human epidermal growth factor
Effect of Absorption Promoters on Subcutaneous Absorption of Human Epidermal Growth Factor in Rats, 236

Human reconstructed epidermis
Barrier Function of Human Skin and Human Reconstructed Epidermis, 404

Human skin
Barrier Function of Human Skin and Human Reconstructed Epidermis, 404

Hydrochlorothiazide
Intrahepatic Distribution of Hydrochlorothiazide and Quinidine in Rats: Implications in Pharmacokinetics, 992

Hydrocortisone
Iontophoresis of Hydrocortisone across Hairless Mouse Skin: Investigation of Skin Alteration, 1140

Hydrolysis
Hydrolysis of Pharmaceutically Relevant Phosphate Monoester Monoanions: Correlation to an Established Structure–Reactivity Relationship, 69
Hydrolysis of Saturated Soybean Phosphatidylcholine in Aqueous Liposome Dispersions, 362
Degradation of Three Related Bis(Pyridinium)Aldoximes in Aqueous Solutions at High Concentrations: Examples of Unexpectedly Rapid Amide Group Hydrolysis, 782

Hydrophobicity
Hydrophobicity Parameter of Diazines. III: Relationship of Partition Coefficients of Monosubstituted Diazines and Pyridines in Different Partitioning Systems, 155

Hydroxypropyl methylcellulose
Calorimetric Studies of Dissolution of Hydroxypropyl Methylcellulose E5 (HPMC E5) in Water, 1033

Hydroxypropyl methylcellulose acetate succinate
Use of Hydroxypropyl Methylcellulose Acetate Succinate in an Enteric Polymer Matrix To Design Controlled-Release Tablets of Amoxicillin Trihydrate, 737

4-Hydroxy-2-pyrrolidone
Phase Diagram of (*R*)- and (*S*)-4-Hydroxy-2-pyrrolidone Mixtures: A New Case of a Conglomerate-Forming System, 758

5-Hydroxytryptamine receptor antagonists
Pharmacokinetics and Metabolic Interconversion of Intravenous 4-Amino-5-chloro-2-[(methylsulfinyl)ethoxy]-*N*-[2-(diethylamino)ethyl]benzamide and Its Sulfide and Sulfone Metabolites in Rats, 694

Hypolipidemic agents
Hypolipidemic Effects of 6-Amino-2-mercapto-5-methylpyrimidine-4-carboxylic Acid in Rats and Tissue Culture Cells, 60
Synthesis and Hypolipidemic Activity of 4-Substituted 1-Acyl-1,2,4-Triazolidine-3,5-diones in Rodents, 408
Comparison between 6,7-Dihydro-5*H*-Dibenz(c,e)azepine and Lovastatin as Hypolipidemic Agents in Rats, 565

Ibuprofen
Microencapsulation of Drugs with Aqueous Colloidal Polymer Dispersions, 191
Pharmacokinetics of Ibuprofen Enantiomers in Plasma and Suction Blister Fluid in Healthy Volunteers, 787
Diffusion and Concentration Profiles of Drugs in Gels, 1094
Bioavailability of Racemic Ibuprofen and its Lysinate from Suppositories in Rabbits, 1102

Imaging
Comparison of the In Vivo and In Vitro Nuclear Magnetic Resonance Detection of Trifluoromethyl Penicillin V in Rats, 48
Use of Fractal Dimension in the Study of Fractured Surfaces of Insulin Zinc Crystals, 844

Immunosuppressive agents
Plasma Protein Binding of Tacrolimus in Humans, 340

Immunotoxins
Toxin-Targeted Design for Anticancer Therapy. II: Preparation and Biological Comparison of Different Chemically Linked Gelonin–Antibody Conjugates, 699

Impulse–response technique
Influence of Albumin on the Distribution and Elimination Kinetics of Diclofenac in the Isolated Perfused Rat Liver: Analysis by the Impulse–Response Technique and the Dispersion Model, 421

Inactivation
Degradation and Inactivation of Antitumor Drugs, 988

3-Indolylacetic acid
Metabolism of 3-Indolylacetic Acid during Percutaneous Absorption in Human Skin, 150

Indomethacin
Chemical Stability of Indomethacin in the Solid Amorphous and Molten States, 657
Diffusion and Concentration Profiles of Drugs in Gels, 1094

Infusion bags
Modeling of Solute Sorption by Polyvinyl Chloride Plastic Infusion Bags, 1134

Insulin
Effects of Insulin and Acarbose Alone and in Combination in the Female Streptozotocin-Induced Diabetic Rat, 1209

Insulin zinc crystals
Use of Fractal Dimension in the Study of Fractured Surfaces of Insulin Zinc Crystals, 844

Intestinal transport
Epithelial Transport of Drugs in Cell Culture. VIII: Effects of Sodium Dodecyl Sulfate on Cell Membrane and Tight Junction Permeability in Human Intestinal Epithelial (Caco-2) Cells, 392
Comparison of Uptake Characteristics of Thymidine and Zidovudine in a Human Intestinal Epithelial Model System, 829

In vitro–in vivo correlations
Comparison of the In Vivo and In Vitro Nuclear Magnetic Resonance Detection of Trifluoromethyl Penicillin V in Rats, 48
In Vitro–In Vivo Correlation for Modified-Release Formulations, 132
Prediction of Drug Distribution in Distribution Dialysis and In Vivo from Binding to Tissues and Blood, 345
Transdermal Iontophoretic Peptide Delivery: In Vitro and In Vivo Studies with Luteinizing Hormone Releasing Hormone, 240, corrected article following page, 554
Multiple-Layer, Direct-Compression, Controlled-Release System: In Vitro and In Vivo Evaluation, 750

Iodotyramines
Determination of Serum Biotinidase Activity with Biotinyl Derivatives of Iodotyramines as Substrates, 1228

Ionization constants
Potentiometric Determination of the Thermodynamic Ionization Constants of Deferoxamine, 110
pH-Metric log *P*. II: Refinement of Partition Coefficients and Ionization Constants of Multiprotic Substances, 183

Iontophoresis
Iontophoretic Transdermal Delivery of Salicylic Acid and Lidocaine to Local Subcutaneous Structures, 127
Transdermal Iontophoretic Peptide Delivery: In Vitro and In Vivo Studies with Luteinizing Hormone Releasing Hormone, 240, corrected article following page, 554
Model Describing Transdermal Iontophoretic Delivery of Lidocaine Incorporating Consideration of Cutaneous Microvascular State, 1080
Iontophoresis of Hydrocortisone across Hairless Mouse Skin: Investigation of Skin Alteration, 1140

Iron chelators
Hydrogen-Bond Patterns of Dialkylpyridone Iron Chelators and Their 1:1 Formic Acid Solvates: Description, Prediction, and Role in Crystal Packing, 901

Isatin
Synthesis of Propargylic Alcohols and Biological Effects on *Echinococcus multilocularis* Metacestodes, 605

Isomerization
Effects of Protein Binding on the Isomerization of Ceftibuten, 461

Isosorbide dinitrate
Controlled-Release Isosorbide Dinitrate Pellets, Part I: Design and Evaluation of Controlled-Release Capsule Dosage Form, 1288
Controlled-Release Isosorbide Dinitrate Pellets, Part II: In Vivo Studies, 1292

Ketazocine
X-ray Molecular Structures and Theoretical Conformational Studies of Narcotic Analgesics α-(−)-*N*-*cis*-3-Chloroallylnormetazocine, Ethylketazocine, and Ketazocine, 821

Ketoprofen
Ketoprofen–Probenecid Interaction in the Rat: A Probenecid Concentration-Dependent Stereoselective Process, 296
Effect of Various Vehicles on Ketoprofen Permeation across Excised Hairless Mouse Skin, 959

Kinetics
Membrane Transport of Tetraphenylphosphonium and Its Homologues through the Planar Phospholipid Bilayer: Concentration Dependence and Mutually Competitive Inhibition in Membrane Passive Transport, 27
Degradation Kinetics of Metronidazole in Solution, 95
In Vitro–In Vivo Correlation for Modified-Release Formulations, 132
Effect of Aggregation on the Kinetics of Autoxidation of the Polyene Antibiotic Amphotericin B, 162
Kinetics of Drug Action in Disease States. XLII. Effect of Repeated Blood Sampling on the Pharmacodynamics of Phenobarbital in Rats, 229
Kinetic Analysis of Glycyrrhetic Acid, an Active Metabolite of Glycyrrhizin, in Rats: Role of Enterohepatic Circulation, 301
Hydrolysis of Saturated Soybean Phosphatidylcholine in Aqueous Liposome Dispersions, 362
Transmucosal Delivery of Methionine Enkephalin. I: Solution Stability and Kinetics of Degradation in Various Rabbit Mucosa Extracts, 373
Ditiocarb: Decomposition in Aqueous Solution and Effect of the Volatile Product on Its Pharmacological Use, 379
Percutaneous Absorption: A Single-Layer Model, 450
Toxin-Targeted Design for Anticancer Therapy. I: Synthesis and Biological Evaluation of New Thioimidate Heterobifunctional Reagents, 506
Kinetics of Chloroquine Uptake into Isolated Rat Hepatocytes, 592
Preparation, Characterization, and Dissolution Kinetics of Two Novel Albuterol Salts, 613
Kinetics of Absorption of a New Once-a-Day Formulation of Theophylline in the Presence and Absence of Food, 644

Kinetics and Mechanisms of Peptide Aggregation. I: Aggregation of a Cholecystokinin Analogue, 689
Determination of the Optimized Individual Kinetic Constants of the Aminolysis Reaction in Basic Medium of β-Lactam Antibiotics by a Numerical Computational Method, 1167
Dual Sorption Model for the Nonlinear Percutaneous Permeation Kinetics of Timolol, 1205
Elucidation of the Role of Hydrophobic Bonding in Influencing Intestinal Absorption of Model Sulfonamides and Revealing Possible Mechanism of Drug Absorption in Rat Model, 1221
Estimation of Partition Ratio When the Value Is Much Smaller Than the Initial Substrate/Enzyme Concentration Ratio in a Suicide Enzyme System, 1296

β-Lactams
Characterization of the Oral Absorption of Some β-Lactams: Effect of the α-Amino Side Chain Group, 897

Lecithin
A Rapid Method for the Measurement of Cholesterol Thermodynamic Activity in Bile Salt–Lecithin–Cholesterol Solutions, 714

Leucine enkephalin
Transmucosal Delivery of Leucine Enkephalin: Stabilization in Rabbit Enzyme Extracts and Enhancement of Permeation through Mucosae, 1179

Lidocaine
Iontophoretic Transdermal Delivery of Salicylic Acid and Lidocaine to Local Subcutaneous Structures, 127
Model Describing Transdermal Iontophoretic Delivery of Lidocaine Incorporating Consideration of Cutaneous Microvascular State, 1080
Noninvasive Assessment of Anesthetic Activity of Topical Lidocaine Formulations, 1118

Lipids
Computational Prediction of the Stability of Lipid Emulsions in Total Nutrient Admixtures, 808

Lipoproteins
Hypolipidemic Effects of 6-Amino-2-mercapto-5-methylpyrimidine-4-carboxylic Acid in Rats and Tissue Culture Cells, 60

Liposomes
Cutaneous Bioavailability in Hairless Rats of Tretinoin in Liposomes or Gel, 17
Synthesis of Galactose Derivatives That Render Lectin-Induced Agglutinating Ability to Liposomes, 273
Hydrolysis of Saturated Soybean Phosphatidylcholine in Aqueous Liposome Dispersions, 362
Pharmaceutics and Drug Delivery Aspects of Heme and Porphyrin Therapy, 435
Chromatographic Analysis and Pharmacokinetics of Liposome-Encapsulated Doxorubicin in Non-Small-Cell Lung Cancer Patients, 627
Comparative Pharmacokinetics of Free Muramyl Tripeptide Phosphatidyl Ethanolamine (MTP-PE) and Liposomal MTP-PE, 997
Analysis of the Particle Size Distribution and Internal Volume of Liposomal Preparations, 1160

Liquid medicaments
Survival of *Staphylococcus aureus* in Oral Administration Liquid Medicaments and Influence of Count Medium on Survival, 170

Living skin equivalent
Permeabilities of Alkyl *p*-Aminobenzoates through Living Skin Equivalent and Cadaver Skin, 1266

Logarithmic transformation
Logarithmic Transformation in Bioequivalence: Application with Two Formulations of Perphenazine, 138

Loracarbef
Aqueous Acidic Degradation of the Carbacephalosporin Loracarbef, 1010

Lovastatin
Comparison between 6,7-Dihydro-5*H*-Dibenz(c,e)azepine and Lovastatin as Hypolipidemic Agents in Rats, 565

Lozenges
In Vitro Evaluation of the Antimicrobial Activities of Selected Lozenges, 1218

Luteinizing hormone releasing hormone
Transdermal Iontophoretic Peptide Delivery: In Vitro and In Vivo Studies with Luteinizing Hormone Releasing Hormone, 240, corrected article following page, 554

Magnetic resonance imaging
A Specific Radioimmunoassay for the Measurement of Gadoteridol, a Contrast Agent for Magnetic Resonance Imaging in Biological Fluids, 475
A Multi-Organ, Axially Distributed Model of Capillary Permeability for a Magnetic Resonance Imaging Contrast Agent, 531
Biliary Excretion and Pharmacokinetics of a Gadolinium Chelate Used as a Liver-Specific Contrast Agent for Magnetic Resonance Imaging in the Rat, 799

Malnutrition
Influence of Protein and Calorie Malnutrition on the Pharmacokinetics and Pharmacodynamics of Bumetanide in Rats, 838

Mast cells
Histamine Release from Rat Mast Cells Induced by the Inhibition of Adenosinetriphosphatase for Na and K Channels, 25

Mellitic acid
pH-Metric log *P*. II: Refinement of Partition Coefficients and Ionization Constants of Multiprotic Substances, 183

Membrane permeation/transport
Membrane Transport of Tetraphenylphosphonium and Its Homologues through the Planar Phospholipid Bilayer: Concentration Dependence and Mutually Competitive Inhibition in Membrane Passive Transport, 27
Biomembrane Permeation and Stereochemistry, 342
Transmucosal Delivery of Methionine Enkephalin. I: Solution Stability and Kinetics of Degradation in Various Rabbit Mucosa Extracts, 373
Epithelial Transport of Drugs in Cell Culture. VIII: Effects of Sodium Dodecyl Sulfate on Cell Membrane and Tight Junction Permeability in Human Intestinal Epithelial (Caco-2) Cells, 392
Reduction of Erythrocyte Membrane Permeability and Protein Binding of Low-Molecular-Weight Drugs following Glycoside Derivatization, 399
Transport of L-Tryptophan across the Rat Nasal Mucosa, 433

Metalloporphyrins
Pharmaceutics and Drug Delivery Aspects of Heme and Porphyrin Therapy, 435

Methionine enkephalin
Transmucosal Delivery of Methionine Enkephalin. I: Solution Stability and Kinetics of Degradation in Various Rabbit Mucosa Extracts, 373

3-Methylnefopam
Solid-State Stereochemistry and Activity of 3-Methylnefopam Diastereomers: Manipulation of Eight-Membered Ring Conformations in Analogues of the Non-narcotic Analgesic Drug, 886

Metoprolol
Simultaneous Determination of Propranolol or Metoprolol in the Presence of Butyrophenones in Human Plasma by Gas Chromatography with Mass Spectrometry, 87

Metronidazole
Degradation Kinetics of Metronidazole in Solution, 95

Metronidazole benzoate
X-ray Structural Characterization of Anhydrous Metronidazole Benzoate and Metronidazole Benzoate Monohydrate, 1006

Microparticles
Microparticles and Nanoparticles in Medicine and Pharmacy, 554

Microsphere method
Blood Flow Measurements in Skin and Underlying Tissues by Microsphere Method: Application to Dermal Pharmacokinetics of Polar Nonelectrolytes, 873

Microspheres
Microencapsulation of Drugs with Aqueous Colloidal Polymer Dispersions, 191

Modeling
A System Approach to Pharmacodynamics. Input-Effect Control System Analysis of Central Nervous System Effect of Alfentanil, 266
Description and Simulation of a Multiple Mixing Tank Model To Predict the Effect of Bile Sequestrants on Bile Salt Excretion, 311
Prediction of Drug Distribution in Distribution Dialysis and In Vivo from Binding to Tissues and Blood, 345
Influence of Albumin on the Distribution and Elimination Kinetics of Diclofenac in the Isolated Perfused Rat Liver: Analysis by the Impulse–Response Technique and the Dispersion Model, 421
Comments concerning "Solvent Effects on Chemical Processes. I: Solubility of Aromatic and Heterocyclic Compounds in Binary Aqueous–Organic Solvents", 431
Percutaneous Absorption: A Single-Layer Model, 450
Molecular Organization of Liquid *n*-Octanol: An X-ray Diffraction Analysis, 466
A Multi-Organ, Axially Distributed Model of Capillary Permeability for a Magnetic Resonance Imaging Contrast Agent, 531
An Interactive Program for Pharmacokinetic Modeling, 537
Population Pharmacodynamic Modeling of Drug-Induced Anemia, 546
Kinetics of Chloroquine Uptake into Isolated Rat Hepatocytes, 592
Partial Solubility Parameters and Solvatochromic Parameters for Predicting the Solubility of Single and Multiple Drugs in Individual Solvents, 635
Simulation Studies on Ethanol Metabolism in Different Human Populations with a Physiological Pharmacokinetic Model, 677
Application of a System Analysis Approach to Population Pharmacokinetics and Pharmacodynamics of Nicardipine Hydrochloride in Healthy Males, 705
Solvent Effects on Chemical Processes. V: Hydrophobic and Solvation Effects on the Solubilities of Substituted Biphenyls in Methanol/Water Mixtures, 817
Comparison of Uptake Characteristics of Thymidine and Zidovudine in a Human Intestinal Epithelial Model System, 829
Blood Flow Measurements in Skin and Underlying Tissues by Microsphere Method: Application to Dermal Pharmacokinetics of Polar Nonelectrolytes, 873
Physiologic Models of Hepatic Drug Clearance: Influence of Altered Protein Binding on the Elimination of Diclofenac in the Isolated Perfused Rat Liver, 880
Model for a Controlled-Release Drug Delivery Safety System with Permeable and Erodible Coatings, 1061
Model Describing Transdermal Iontophoretic Delivery of Lidocaine Incorporating Consideration of Cutaneous Microvascular State, 1080
A Multidimensional Deconvolution Method for Evaluating the Absorption of Drugs Undergoing Reversible Metabolism and Presystemic Metabolite Formation, 1085
Modeling of Solute Sorption by Polyvinyl Chloride Plastic Infusion Bags, 1134
A Weibull Distribution Model for Intradermal Administration of Ceftazidime, 1175
Mathematical Model for the Selective Deposition of Inhaled Pharmaceuticals, 1191
Dual Sorption Model for the Nonlinear Percutaneous Permeation Kinetics of Timolol, 1205
Estimation of Partition Ratio When the Value Is Much Smaller Than the Initial Substrate/Enzyme Concentration Ratio in a Suicide Enzyme System, 1296
Estimation of Absorption Rate Constant in a One-Compartment Model with the Profile of the Bioavailable Dose Eliminated as a Function of Multiples of Half-Life, 1298

Molecular weight
Molecular Weight Identification of Polyethylene Glycols in Pharmaceutical Preparations by Gel Permeation Chromatography, 938

Monoamine oxidase inhibitors
Effects of Two Substituted Hydrazine Monoamine Oxidase (MAO) Inhibitors on Neurotransmitter Amines, γ-Aminobutyric Acid, and Alanine in Rat Brain, 934

Moricizine
Complexation of Moricizine with Nicotinamide and Evaluation of the Complexation Constants by Various Methods, 77

Moxisylyte
Pharmacokinetics of Moxisylyte in Healthy Volunteers after Intravenous and Intracavernous Administration, 729
Multiple-Dose Pharmacokinetics of Moxisylyte after Oral Administration to Healthy Volunteers, 968

Mucous membranes
Transmucosal Delivery of Methionine Enkephalin. I: Solution Stability and Kinetics of Degradation in Various Rabbit Mucosa Extracts, 373
Transport of L-Tryptophan across the Rat Nasal Mucosa, 433
Nutrient-Induced Changes in the Permeability of the Rat Jejunal Mucosa, 721

Multidimensional deconvolution method
A Multidimensional Deconvolution Method for Evaluating the Absorption of Drugs Undergoing Reversible Metabolism and Presystemic Metabolite Formation, 1085

Muramyl tripeptide phosphatidyl ethanolamine
Comparative Pharmacokinetics of Free Muramyl Tripeptide Phosphatidyl Ethanolamine (MTP-PE) and Liposomal MTP-PE, 997

Murine model system
Toxicity of the Mitochondrial Poison Dequalinium Chloride in a Murine Model System, 231

Muscle relaxants
Necessary Conditions for the π-Electron Delocalization in Enamino-Type Muscle Relaxants, 1275

***Mycobacterium bovis* bacillus Calmette-Guérin vaccine**
Pharmaceutical Characterization of *Mycobacterium bovis* Bacillus Calmette-Guérin (BCG) Vaccine Used for the Treatment of Superficial Bladder Cancer, 555

Nanoparticles
Formation and Characterization of Cyclosporine-Loaded Nanoparticles, 498
Microparticles and Nanoparticles in Medicine and Pharmacy, 554
Development of a New Drug Carrier Made from Alginate, 912

α-(−)-*N-cis*-3-chloroallylnormetazocine
X-ray Molecular Structures and Theoretical Conformational Studies of Narcotic Analgesics α-(−)-*N-cis*-3-Chloroallylnormetazocine, Ethylketazocine, and Ketazocine, 821

Neural networks
Application of Neural Networks to Pharmacodynamics, 918

Neurotensin
Pharmacokinetics of (Me)Arg-Lys-Pro-Trp-tert-Leu-Leu-OEt and (Me)Arg-Lys-Pro-Trp-tert-Leu-Leu Administered Intravenously to Beagle Dogs, 725

Neurotransmitters
Effects of Two Substituted Hydrazine Monoamine Oxidase (MAO) Inhibitors on Neurotransmitter Amines, γ-Aminobutyric Acid, and Alanine in Rat Brain, 934

Nicardipine
Application of a System Analysis Approach to Population Pharmacokinetics and Pharmacodynamics of Nicardipine Hydrochloride in Healthy Males, 705

Nicotinamide
Complexation of Moricizine with Nicotinamide and Evaluation of the Complexation Constants by Various Methods, 77

Nimodipine
Simultaneous Assessment of the Intravenous and Oral Disposition of the Enantiomers of Racemic Nimodipine by Chiral Stationary-Phase High-Performance Liquid Chromatography and Gas Chromatography/Mass Spectroscopy Combined with a Stable Isotope Technique, 244

Nipecotic acid
Determination of *m*-Nitrophenol and Nipecotic Acid in Mouse Tissues by High-Performance Liquid Chromatography after Administration of the Anticonvulsant *m*-Nitrophenyl-3-piperidinecarboxylate Hydrochloride, 39

Nitrendipine
Simultaneous Assessment of the Intravenous and Oral Disposition of the Enantiomers of Racemic Nimodipine by Chiral Stationary-Phase High-Performance Liquid Chromatography and Gas Chromatography/Mass Spectroscopy Combined with a Stable Isotope Technique, 244

5-Nitro-2-furaldehyde analogues
Antibacterial Organophosphorus Compounds: Phosphoranilidohydrazones of 5-Nitro-2-furaldehyde, 755

***m*-Nitrophenol**
Determination of *m*-Nitrophenol and Nipecotic Acid in Mouse Tissues by High-Performance Liquid Chromatography after Administration of the Anticonvulsant *m*-Nitrophenyl-3-piperidinecarboxylate Hydrochloride, 39

***m*-Nitrophenyl-3-piperidinecarboxylate**
Determination of *m*-Nitrophenol and Nipecotic Acid in Mouse Tissues by High-Performance Liquid Chromatography after Administration of the Anticonvulsant *m*-Nitrophenyl-3-piperidinecarboxylate Hydrochloride, 39

***N*-Nitrosated Amadori compounds**
In the Search for New Anticancer Drugs. XXV: Role of *N*-Nitrosated Amadori Compounds Derived from Glucose–Amino Acid Conjugates in Cancer Promotion or Inhibition, 649

Nucleophiles
Reaction of Pyrylium Salts with Nucleophiles. 23: Triarylethene Derivatives Containing an Oxyalkyleneamino or Oxyalkylene-*N*-pyridinium Side Chain, 927

Numerical computational method
Determination of the Optimized Individual Kinetic Constants of the Aminolysis Reaction in Basic Medium of β-Lactam Antibiotics by a Numerical Computational Method, 1167

Nutrients
Nutrient-Induced Changes in the Permeability of the Rat Jejunal Mucosa, 721

***n*-Octanol**
Molecular Organization of Liquid *n*-Octanol: An X-ray Diffraction Analysis, 466

Optical rotation
Solvent Dependence of Optical Rotation of (*S*)-*N*-[1-(2-Fluorophenyl)-3,4,6,7-tetrahydro-4-oxo-pyrrolo-[3,2,1-jk][1,4]benzodiazepine-3-yl]-1*H*-indole-2-carboxamide, 734

Organic nonelectrolytes
An Experimental Method for Determining the Hildebrand Solubility Parameter of Organic Nonelectrolytes, 1018

Organophosphorus compounds
Antibacterial Organophosphorus Compounds: Phosphoranilidohydrazones of 5-Nitro-2-furaldehyde, 755

Otilonium bromide
High-Performance Liquid Chromatographic Method for Assay of Otilonium Bromide, Diazepam, and Related Compounds in Finished Pharmaceutical Forms, 367

1,3,4-Oxadiazoles
Substituted Thiosemicarbazides and Corresponding Cyclized 1,3,4-Oxadiazoles and Their Anti-Inflammatory Activity, 167

Oxidation
Synthesis of the *N*-Oxides of Phenothiazine Antipsychotic Agents, 330
Protection of the Rat Jejunal Mucosa against Oxidative Injury by Cationized Superoxide Dismutase, 1285

Oxolinic acid
Extraction and Analysis by High-Performance Liquid Chromatography of Antibiotics in a Drug Delivery System for Farmed Fish, 518

Oxygen
Effect of Electrolytes on Oxygen Solubility in Aqueous Systems, 550

Oxytetracycline
Extraction and Analysis by High-Performance Liquid Chromatography of Antibiotics in a Drug Delivery System for Farmed Fish, 518

***p*-Aminobenzoates**
Permeabilities of Alkyl *p*-Aminobenzoates through Living Skin Equivalent and Cadaver Skin, 1266

Panasate 800
Skin Permeation Enhancement of Tegafur by Ethanol/Panasate 800 or Ethanol/Water Binary Vehicle and Combined Effect of Fatty Acids and Fatty Alcohols, 1155

Papaverine congeners
Ion-Pair Reversed-Phase Liquid Chromatographic Identification and Quantitation of Papaverine Congeners, 503

para-Boronophenylalanine
Improved Bioavailability of *para*-Boronophenylalanine by Cyclodextrin Complexation, 1054

Particle size distribution
Analysis of the Particle Size Distribution and Internal Volume of Liposomal Preparations, 1160
Investigation of the Particle Size Distribution of a Model Intravenous Emulsion, 1237

Partitioning behavior
Hydrophobicity Parameter of Diazines. III: Relationship of Partition Coefficients of Monosubstituted Diazines and Pyridines in Different Partitioning Systems, 155
pH-Metric log *P*. II: Refinement of Partition Coefficients and Ionization Constants of Multiprotic Substances, 183
Prediction of Skin Permeabilities of Diclofenac and Propranolol from Theoretical Partition Coefficients Determined from Cohesion Parameters, 416
Evaluation of Various Solvent Systems for Modeling Solute Sorption with Plasticized Polyvinyl Chloride Materials, 617
Octanol/Water Partition Coefficient of Ortho-Substituted Aromatic Solutes, 776
Physicochemical Characterization of 9,10-Anthraquinone 2-Carboxylic Acid, 1250
Estimation of Partition Ratio When the Value Is Much Smaller Than the Initial Substrate/Enzyme Concentration Ratio in a Suicide Enzyme System, 1296

Pellets
Degradation and Release Properties of Pellets Fabricated from Three Commercial Poly(D,L-lactide-*co*-glycolide) Biodegradable Polymers, 326
Controlled-Release Isosorbide Dinitrate Pellets, Part I: Design and Evaluation of Controlled-Release Capsule *Dosage Form*, 1288
Controlled-Release Isosorbide Dinitrate Pellets, Part II: In Vivo Studies, 1292

Penetration enhancers
Facilitated Transport of Two Model Steroids by Esters and Amides of Clofibric Acid, 214
Skin Penetration Enhancement of Triprolidine Base by *Propylene Glycol*, 551
Skin Permeation Enhancement of Tegafur by Ethanol/Panasate 800 or Ethanol/Water Binary Vehicle and Combined Effect of Fatty Acids and Fatty Alcohols, 1155

Penicillium herquei
Properties and Cost Effective Method for Production of the *Antitumor Agent Duclauxin from Sporulating Penicillium herquei*, 1214

Peptides
Peptide and Protein Drug Delivery, 112
Rapid Simultaneous Determination of Tryptophan and Tyrosine in Synthetic Peptides by Derivative Spectroscopy, 179
Transport of L-Tryptophan across the Rat Nasal Mucosa, 433
Transdermal Iontophoretic Peptide Delivery: In Vitro and In Vivo Studies with *Luteinizing Hormone Releasing* Hormone, 240, corrected article following page, 554
Kinetics and Mechanisms of Peptide Aggregation. I: *Aggregation of a Cholecystokinin Analogue*, 689
Transmucosal Delivery of Leucine Enkephalin: Stabilization in Rabbit Enzyme Extracts and Enhancement of Permeation through Mucosae, 1179

Perbenzoic acid derivative
Formation of a Perbenzoic Acid Derivative in the Photodegradation of Fenofibrate: Phototoxicity Studies on *Erythrocytes*, 590

Permeability
A Multi-Organ, Axially Distributed Model of Capillary Permeability for a Magnetic Resonance Imaging Contrast Agent, 531
Nutrient-Induced Changes in the Permeability of the Rat Jejunal Mucosa, 721
Gastrointestinal Parameters That Influence Oral Medications, 857
Novel Formulation Strategies for Improving Oral *Bioavailability of Drugs with Poor Membrane Permeation* or Presystemic Metabolism, 979
Transmucosal Delivery of Leucine Enkephalin: Stabilization in Rabbit Enzyme Extracts and Enhancement of Permeation through Mucosae, 1179
Permeabilities of Alkyl p-Aminobenzoates through Living Skin Equivalent and Cadaver Skin, 1266

Perphenazine
Logarithmic Transformation in Bioequivalence: Application with Two Formulations of Perphenazine, 138

pH
Influence of pH on Release of Phenytoin Sodium from *Slow-Release Dosage Forms*, 306
A Method for Continuous pH Regulation of Dissolution Medium in Stirred Vessels, 764
Determination of Accurate and Thermodynamically Significant pH in Alcohol/Water Solutions, 771
Gastrointestinal Parameters That Influence Oral Medications, 857

Pharmaceuticals
Survival of *Staphylococcus aureus* in Oral Administration Liquid Medicaments and Influence of Count Medium on Survival, 170
Stability Surveillance Testing: an Effective and Efficient *Approach*, 1130
In Vitro Evaluation of the Antimicrobial Activities of *Selected Lozenges*, 1218

Pharmacodynamics
Kinetics of Drug Action in Disease States. XLII. Effect of Repeated Blood Sampling on the Pharmacodynamics of Phenobarbital in Rats, 229
A System Approach to Pharmacodynamics. Input-Effect Control System Analysis of Central Nervous System Effect *of Alfentanil*, 266
Population Pharmacodynamic Modeling of Drug-Induced Anemia, 546
Application of a System Analysis Approach to Population Pharmacokinetics and Pharmacodynamics of Nicardipine *Hydrochloride in Healthy Males*, 705
A System Approach to Pharmacodynamics. Plasma Iron Mobilization by Endogenous Erythropoietin in the Sheep Fetus; Evidence of Threshold Response in Spontaneous Hypoxemia, 804
Influence of Protein and Calorie Malnutrition on the Pharmacokinetics and Pharmacodynamics of Bumetanide in Rats, 838
Application of Neural Networks to Pharmacodynamics, 918

Pharmacokinetics
Comparison of the In Vivo and In Vitro Nuclear Magnetic Resonance Detection of Trifluoromethyl Penicillin V in Rats, 48
Zatebradine: Pharmacokinetics of a Novel *Heart-Rate-Lowering Agent after Intravenous Infusion and* Oral Administration to Healthy Subjects, 99
Effect of Food on the Pharmacokinetics of the Active *Metabolite of the Prodrug Repirinast*, 107
Peptide and Protein Drug Delivery, 112
In Vitro–In Vivo Correlation for Modified-Release Formulations, 132
Logarithmic Transformation in Bioequivalence: Application with Two Formulations of Perphenazine, 138
Transplacental and Nonplacental Clearances of Diphenhydramine in the Chronically Instrumented Pregnant Sheep, 145
Preparation and Evaluation of Eudragit Gels. VI: In Vivo Evaluation of Eudispert Rectal Hydrogel and Xerogel Containing Salicylamide, 195
Pharmacokinetics of the Dopamine D2 Agonist *S*(−)-2-(*N*-Propyl-*N*-2-thienylethylamino)-5-hydroxytetralin in Freely Moving Rats, 200
Effects of Age on the Pharmacokinetics of Piroxicam in Rats, 254
Pharmacokinetic Profile of Flosequinan in Patients with Compromised Renal Function, 282
Kinetic Analysis of Glycyrrhetic Acid, an Active Metabolite of Glycyrrhizin, in Rats: Role of Enterohepatic Circulation, 301
Determination of the Enantiomers of a New 1,4-Dihydropyridine Calcium Antagonists in Dog Plasma by Achiral/Chiral Coupled High-Performance Liquid Chromatography with Electrochemical Detection, 319
Influence of Albumin on the Distribution and Elimination Kinetics of Diclofenac in the Isolated Perfused Rat Liver: Analysis by the Impulse–Response Technique and the Dispersion Model, 421
Nonlinear Pharmacokinetics and Protein Binding of Tiaprofenic Acid in Female Lewis Rats, 429
An Interactive Program for Pharmacokinetic Modeling, 537
Population Pharmacodynamic Modeling of Drug-Induced Anemia, 546
Transdermal Iontophoretic Peptide Delivery: In Vitro and In Vivo Studies with Luteinizing Hormone Releasing Hormone, 240, corrected article following page, 554
Absorption, Bioavailability, and Pharmacokinetics of Tebufelone in the Rat, 610
Chromatographic Analysis and Pharmacokinetics of Liposome-Encapsulated Doxorubicin in Non-Small-Cell Lung Cancer Patients, 627

Simulation Studies on Ethanol Metabolism in Different Human Populations with a Physiological Pharmacokinetic Model, 677
Pharmacokinetics of the Anticancer Agent Sulofenur in Mice, Rats, Monkeys, and Dogs, 683
Pharmacokinetics and Metabolic Interconversion of Intravenous 4-Amino-5-chloro-2-[(methylsulfinyl)ethoxy]-*N*-[2-(diethylamino)ethyl]benzamide and Its Sulfide and Sulfone Metabolites in Rats, 694
Application of a System Analysis Approach to Population Pharmacokinetics and Pharmacodynamics of Nicardipine Hydrochloride in Healthy Males, 705
Pharmacokinetics of (Me)Arg-Lys-Pro-Trp-tert-Leu-Leu-OEt and (Me)Arg-Lys-Pro-Trp-tert-Leu-Leu Administered Intravenously to Beagle Dogs, 725
Pharmacokinetics of Moxisylyte in Healthy Volunteers after Intravenous and Intracavernous Administration, 729
Estimation of Variance for AUC in Animal Studies, 761
Pharmacokinetics of Ibuprofen Enantiomers in Plasma and Suction Blister Fluid in Healthy Volunteers, 787
Biliary Excretion and Pharmacokinetics of a Gadolinium Chelate Used as a Liver-Specific Contrast Agent for Magnetic Resonance Imaging in the Rat, 799
Influence of Protein and Calorie Malnutrition on the Pharmacokinetics and Pharmacodynamics of Bumetanide in Rats, 838
Comparison of Tebufelone Distribution in Rat Blood Plasma and Inflamed and Noninflamed Tissues following Peroral and Intravenous Administration, 847
Tenoxicam: Acute Dose-Dependent Disposition Studies in Rats, 851
Blood Flow Measurements in Skin and Underlying Tissues by Microsphere Method: Application to Dermal Pharmacokinetics of Polar Nonelectrolytes, 873
Application of Neural Networks to Pharmacodynamics, 918
Effect of Cimetidine on the Pharmacokinetics of Fentiazac in Rats, 952
Multiple-Dose Pharmacokinetics of Moxisylyte after Oral Administration to Healthy Volunteers, 968
Intrahepatic Distribution of Hydrochlorothiazide and Quinidine in Rats: Implications in Pharmacokinetics, 992
Comparative Pharmacokinetics of Free Muramyl Tripeptide Phosphatidyl Ethanolamine (MTP-PE) and Liposomal MTP-PE, 997
Differential Elimination of Synthetic Butyric Triglycerides In Vivo: A Pharmacokinetic Study, 1046
Oral Pharmacokinetics of Carbamazepine in Dogs from Commercial Tablets and a Cyclodextrin Complex, 1058
Methods for Estimating Pharmacokinetic Parameters Should Be Thoroughly Tested, 1064
Model Describing Transdermal Iontophoretic Delivery of Lidocaine Incorporating Consideration of Cutaneous Microvascular State, 1080
A Multidimensional Deconvolution Method for Evaluating the Absorption of Drugs Undergoing Reversible Metabolism and Presystemic Metabolite Formation, 1085
Bioavailability of Racemic Ibuprofen and its Lysinate from Suppositories in Rabbits, 1102
Species Scaling of Propafenone Disposition and Concentration–Time Relationships among Eight Mammalian Species, 1126
In Vivo Evaluation of Controlled-Release Products, 1145
Nonlinear Multiple-Dose Pharmacokinetics of the Dopamine Reuptake Inhibitor Vanoxerine, 1164
A Weibull Distribution Model for Intradermal Administration of Ceftazidime, 1175
Bio-International 92, Conference on Bioavailability, Bioequivalence, and Pharmacokinetic Studies, 1186
Mathematical Model for the Selective Deposition of Inhaled Pharmaceuticals, 1191
Elucidation of the Role of Hydrophobic Bonding in Influencing Intestinal Absorption of Model Sulfonamides and Revealing Possible Mechanism of Drug Absorption in Rat Model, 1221
Prodrugs of 2′,3′-Didehydro-3′-deoxythymidine, 1232
Inhibitory Effects of Procainamide and Probenecid on Renal Excretion of Sultopride Enantiomers in Rats, 1259
Evaluation of the Bioequivalence of Tablet and Capsule Formulations of Granisetron in Patients Undergoing Cytotoxic Chemotherapy for Malignant Disease, 1281
Estimation of Absorption Rate Constant in a One-Compartment Model with the Profile of the Bioavailable Dose Eliminated as a Function of Multiples of Half-Life, 1298

Phenelzine
Induction of Functional Down-Regulation of β-Adrenoceptors in Rats by 2-Phenylethylamine, 22

Phenobarbital
Kinetics of Drug Action in Disease States. XLII. Effect of Repeated Blood Sampling on the Pharmacodynamics of Phenobarbital in Rats, 229

Phenothiazines
Synthesis of the *N*-Oxides of Phenothiazine Antipsychotic Agents, 330

2-Phenylethylamine
Induction of Functional Down-Regulation of β-Adrenoceptors in Rats by 2-Phenylethylamine, 22

Phenytoin
Influence of pH on Release of Phenytoin Sodium from Slow-Release Dosage Forms, 306

Phosphate
Mechanism of Phosphate Adsorption to a Three-Dimensional Structure of Boehmite in the Presence of Bovine Serum Albumin, 744

Phospholipids
Membrane Transport of Tetraphenylphosphonium and Its Homologues through the Planar Phospholipid Bilayer: Concentration Dependence and Mutually Competitive Inhibition in Membrane Passive Transport, 27
Deacylation–Reacylation Cycle: A Possible Absorption Mechanism for the Novel Lymphotropic Antitumor Agent Dipalmitoylphosphatidylfluorouridine in Rats, 575

3-Phosphoryloxymethyl-5,5-diphenylhydantoin
Hydrolysis of Pharmaceutically Relevant Phosphate Monoester Monoanions: Correlation to an Established Structure–Reactivity Relationship, 69

Photodegradation
Photodegradation of Benzyldamine: Phototoxicity of an Isolated Photoproduct on Erythrocytes, 371
Structural Characterization and Biological Effects of Photocyclized Products of Tamoxifen Irradiation, 571
Formation of a Perbenzoic Acid Derivative in the Photodegradation of Fenofibrate: Phototoxicity Studies on Erythrocytes, 590
Use of Viscosigens to Stabilize Vitamin B_{12} Solutions against Photolysis, 641

Phototoxicity
Photodegradation of Benzydamine: Phototoxicity of an Isolated Photoproduct on Erythrocytes, 371
Formation of a Perbenzoic Acid Derivative in the Photodegradation of Fenofibrate: Phototoxicity Studies on Erythrocytes, 590

Physicochemical studies
Hygroscopic Stability and Dissolution Properties of Spray-Dried Solid Dispersions of Furosemide with Eudragit, 32
Hydrolysis of Pharmaceutically Relevant Phosphate Monoester Monoanions: Correlation to an Established Structure–Reactivity Relationship, 69
Complexation of Moricizine with Nicotinamide and Evaluation of the Complexation Constants by Various Methods, 77
New Degradation Product of Spiradoline Mesylate in Aqueous Solution: Formation of an Imidazolidine Ring, 91
Degradation Kinetics of Metronidazole in Solution, 95
Current Perspectives on the Dissolution Stability of Solid Oral Dosage Forms, 113

Effect of Aggregation on the Kinetics of Autoxidation of the *Polyene Antibiotic Amphotericin B*, 162
Microencapsulation of Drugs with Aqueous Colloidal Polymer Dispersions, 191
Voltammetric Behavior of Berenil, 251
Quaternary Salts of 3,3′-Bis-Pyridinium Monooximes: *Synthesis and Biological Activity*, 258
Degradation and Release Properties of Pellets Fabricated from Three Commercial Poly(D,L-lactide-co-glycolide) *Biodegradable Polymers*, 326
Hydrolysis of Saturated Soybean Phosphatidylcholine in Aqueous Liposome Dispersions, 362
Prediction of Skin Permeabilities of Diclofenac and Propranolol from Theoretical Partition Coefficients *Determined from Cohesion Parameters*, 416
Molecular Organization of Liquid *n*-Octanol: An X-ray Diffraction Analysis, 466
Synthesis and Study of the Anti-inflammatory Properties of Some Pyrazolo[1,5-*a*]pyrimidine Derivatives, 480
Effect of Electrolytes on Oxygen Solubility in Aqueous Systems, 550
Effects of Temperature and Relative Humidity on the *Solid-State Chemical Stability of Ranitidine Hydrochloride*, 601
Preparation, Characterization, and Dissolution Kinetics of Two Novel Albuterol Salts, 613
Partial Solubility Parameters and Solvatochromic *Parameters for Predicting the Solubility of Single and* Multiple Drugs in Individual Solvents, 635
Chemical Stability of Indomethacin in the Solid Amorphous and *Molten States*, 657
Rebuttal to "Practical Testing of Solid-State Stability of *Pharmaceuticals*", 674
A Rapid Method for the Measurement of Cholesterol Thermodynamic Activity in Bile Salt–Lecithin–Cholesterol Solutions, 714
Solvent Dependence of Optical Rotation of (*S*)-*N*-[1-(2-Fluorophenyl)-3,4,6,7-tetrahydro-4-oxo-pyrrolo-[3,2,1-jk][1,4]benzodiazepine-3-yl]-1*H*-indole-2-carboxamide, 734
Use of Hydroxypropyl Methylcellulose Acetate Succinate in an Enteric Polymer Matrix To Design Controlled-Release Tablets of Amoxicillin Trihydrate, 737
Multiple-Layer, Direct-Compression, Controlled-Release System: In Vitro and In Vivo Evaluation, 750
Phase Diagram of (*R*)- and (*S*)-4-Hydroxy-2-pyrrolidone Mixtures: A New Case of a Conglomerate-Forming System, 758
Determination of Accurate and Thermodynamically Significant pH in Alcohol/Water Solutions, 771
Degradation of Three Related Bis(Pyridinium)Aldoximes in Aqueous Solutions at High Concentrations: Examples of Unexpectedly Rapid Amide Group Hydrolysis, 782
Computational Prediction of the Stability of Lipid Emulsions in Total Nutrient Admixtures, 808
Stabilization of Aspartame by Polyethylene Glycol 400, 978
Submicron Emulsions as Colloidal Drug Carriers for Intravenous Administration: Comprehensive Physicochemical Characterization, 1069
Physicochemical Characterization of 9,10-Anthraquinone 2-Carboxylic Acid, 1250

Piperonyl Butoxide
Determination of Safrole, Dihydrosafrole, and Chloromethyldihydrosafrole in Piperonyl Butoxide by High-Performance Liquid Chromatography, 813

Piroxicam
Effects of Age on the Pharmacokinetics of Piroxicam in Rats, 254

Placental drug clearance
Transplacental and Nonplacental Clearances of Diphenhydramine in the Chronically Instrumented Pregnant Sheep, 145

Platelet aggregation inhibitors
Site of Action for the Inhibition by Gold Sodium Thiomalate of Rabbit Platelet Activation, 174
Synthesis and Study of the Anti-inflammatory Properties of Some Pyrazolo[1,5-*a*]pyrimidine Derivatives, 480

Polarized light microscopy
Optical Crystallographic Characteristics of Some USP Drugs, 1269

***Polyacrylamide* resins**
Polylysine-Coated Polyacrylamide Resins as Sorbents for Bile Acids, 855

Poly(D,L-lactide-*co*-glycolide) polymers
Degradation and Release Properties of Pellets Fabricated from Three Commercial Poly(D,L-lactide-*co*-glycolide) Biodegradable Polymers, 326

Polyethylene glycols
Molecular Weight Identification of Polyethylene Glycols in *Pharmaceutical Preparations by Gel Permeation* Chromatography, 938
Stabilization of Aspartame by Polyethylene Glycol 400, 978

Polylactide-polyglycolide copolymers
Polylactide-Polyglycolide Delivery System for Physostigmine, 553

Polymers
Microencapsulation of Drugs with Aqueous Colloidal Polymer Dispersions, 191
Polylactide-Polyglycolide Delivery System for Physostigmine, 553
Use of Hydroxypropyl Methylcellulose Acetate Succinate in an Enteric Polymer Matrix To Design Controlled-Release Tablets of Amoxicillin Trihydrate, 737
Constant-Rate Drug Release from Novel Anionic Gel Beads with Transient Composite Structure, 964
Calorimetric Studies of Dissolution of Hydroxypropyl Methylcellulose E5 (HPMC E5) in Water, 1033

Polyvinyl chloride
Evaluation of Various Solvent Systems for Modeling Solute Sorption with Plasticized Polyvinyl Chloride Materials, 617
Modeling of Solute Sorption by Polyvinyl Chloride Plastic Infusion Bags, 1134

Porphyrins
Pharmaceutics and Drug Delivery Aspects of Heme and Porphyrin Therapy, 435

Potassium channel activity
Histamine Release from Rat Mast Cells Induced by the Inhibition of Adenosinetriphosphatase for Na and K Channels, 25

Potentiometric studies
Potentiometric Determination of the Thermodynamic Ionization Constants of Deferoxamine, 110

Preservatives
Survival of *Staphylococcus aureus* in Oral Administration Liquid Medicaments and Influence of Count Medium on Survival, 170

Principal component regression
Spectrophotometric Analysis of a Pharmaceutical Preparation by Principal Component Regression, 834

Probenecid
Ketoprofen–Probenecid Interaction in the Rat: A Probenecid Concentration-Dependent Stereoselective Process, 296
Inhibitory Effects of Procainamide and Probenecid on Renal Excretion of Sultopride Enantiomers in Rats, 1259

Procainamide
Inhibitory Effects of Procainamide and Probenecid on Renal Excretion of Sultopride Enantiomers in Rats, 1259

Prodrugs
Effect of Food on the Pharmacokinetics of the Active Metabolite of the Prodrug Repirinast, 107
Testosteronyl-4-dimethylaminobutyrate·HCl: A Prodrug with Improved Skin Penetration Rate, 227
Gastrointestinal Parameters That Influence Oral Medications, 857

Prodrugs of 2′,3′-Didehydro-3′-deoxythymidine, 1232

Propafenone
Species Scaling of Propafenone Disposition and Concentration–Time Relationships among Eight Mammalian Species, 1126

Propargylic alcohols
Synthesis of Propargylic Alcohols and Biological Effects on *Echinococcus multilocularis* Metacestodes, 605

Propranolol
Simultaneous Determination of Propranolol or Metoprolol in the Presence of Butyrophenones in Human Plasma by Gas Chromatography with Mass Spectrometry, 87
pH-Metric log *P*. II: Refinement of Partition Coefficients and Ionization Constants of Multiprotic Substances, 183
Prediction of Skin Permeabilities of Diclofenac and Propranolol from Theoretical Partition Coefficients Determined from Cohesion Parameters, 416
Metabolism of Propranolol during Percutaneous Absorption in Human Skin, 767

Propylene glycol
Skin Penetration Enhancement of Triprolidine Base by Propylene Glycol, 551

***S*(−)-2-(*N*-Propyl-*N*-2-thienylethylamino)-5-hydroxytetralin**
Pharmacokinetics of the Dopamine D2 Agonist *S*(−)-2-(*N*-Propyl-*N*-2-thienylethylamino)-5-hydroxytetralin in Freely Moving Rats, 200

Protein kinase C inhibitor
Effect of a Potent Selective Protein Kinase C Inhibitor on Histamine Release from Rat Mast Cells, 209

Proteins
Peptide and Protein Drug Delivery, 112
Effects of Protein Binding on the Isomerization of Ceftibuten, 461
Binding of Fluvastatin to Blood Cells and Plasma Proteins, 942
Use of a Solute–Container Interaction to Determine Protein Binding: Application to Long-Chain Fatty Acids, 1067
Increased Erythrocyte and Protein Binding of Codeine in Patients with Sickle Cell Disease, 1112

Pseudoephedrine
Microencapsulation of Drugs with Aqueous Colloidal Polymer Dispersions, 191

Pseudomonas aeruginosa
Investigation of Cell Envelope Damage to *Pseudomonas aeruginosa* and *Enterobacter cloacae* by Dibromopropamidine Isethionate, 975

Pyrazolo[1,5-*a*]pyrimidine derivatives
Synthesis and Study of the Anti-inflammatory Properties of Some Pyrazolo[1,5-*a*]pyrimidine Derivatives, 480

Pyridazine derivatives
Pyridazine Derivatives. XI: Antihypertensive Activity of 3-Hydrazinocycloheptyl[1,2-*c*]pyridazine and Its Hydrazone Derivatives, 286

Pyridazino[4,5-*b*]indoles
A Novel Class of Cardiotonic Agents: Synthesis and Biological Evaluation of Pyridazino[4,5-*b*]indoles with Cyclic AMP Phosphodiesterases Inhibiting Properties, 526

Pyridines
Hydrophobicity Parameter of Diazines. III: Relationship of Partition Coefficients of Monosubstituted Diazines and Pyridines in Different Partitioning Systems, 155

Pyridoxal
Determination of Total Pyridoxal in Human Plasma following Oral Administration of Vitamin B_6 by High-Performance Liquid Chromatography with Post-Column Derivatization, 972

γ-Pyrones
γ-Pyrone Compounds. IV: Synthesis and Antiplatelet Effects of Mono- and Dioxygenated Xanthones and Xanthonoxypropanolamine, 11

Pyrylium salts
Reaction of Pyrylium Salts with Nucleophiles. 23: Triarylethene Derivatives Containing an Oxyalkyleneamino or Oxyalkylene-*N*-pyridinium Side Chain, 927

Quinidine
Intrahepatic Distribution of Hydrochlorothiazide and Quinidine in Rats: Implications in Pharmacokinetics, 992

Radioimmunoassays
A Specific Radioimmunoassay for the Measurement of Gadoteridol, a Contrast Agent for Magnetic Resonance Imaging in Biological Fluids, 475
Development of a Sensitive and Specific Radioimmunoassay for Benztropine, 1027
Determination of Serum Biotinidase Activity with Biotinyl Derivatives of Iodotyramines as Substrates, 1228

Ranitidine
Effects of Temperature and Relative Humidity on the Solid-State Chemical Stability of Ranitidine Hydrochloride, 601

Reaction-frequencymetric method
Reaction-Frequencymetric Method: A New Analytical Technique for Determination of Submicromolar Concentration Levels of Vitamin C, 457

Repirinast
Effect of Food on the Pharmacokinetics of the Active Metabolite of the Prodrug Repirinast, 107

Retinoids
Synthesis of Potential Metabolites of Ethyl (*E*)-4-[2-(3,4-Dihydro-4,4-dimethyl-2*H*-1-benzopyran-6-yl)-1-propenyl]benzoate, 543

Reviews
Current Perspectives on the Dissolution Stability of Solid Oral Dosage Forms, 113
Pharmaceutics and Drug Delivery Aspects of Heme and Porphyrin Therapy, 435
Pharmaceutical Characterization of *Mycobacterium bovis* Bacillus Calmette-Guérin (BCG) Vaccine Used for the Treatment of Superficial Bladder Cancer, 555
Gastrointestinal Parameters That Influence Oral Medications, 857
Novel Formulation Strategies for Improving Oral Bioavailability of Drugs with Poor Membrane Permeation or Presystemic Metabolism, 979
Submicron Emulsions as Colloidal Drug Carriers for Intravenous Administration: Comprehensive Physicochemical Characterization, 1069

Risperidone
Determination of Risperidone in Plasma by High-Performance Liquid Chromatography with Electrochemical Detection: Application to Therapeutic Drug Monitoring in Schizophrenic Patients, 447

Safrole
Determination of Safrole, Dihydrosafrole, and Chloromethyldihydrosafrole in Piperonyl Butoxide by High-Performance Liquid Chromatography, 813

Salbutamol
Induction of Functional Down-Regulation of β-Adrenoceptors in Rats by 2-Phenylethylamine, 22

Salicylamide
Preparation and Evaluation of Eudragit Gels. VI: In Vivo Evaluation of Eudispert Rectal Hydrogel and Xerogel Containing Salicylamide, 195

Salicylic acid
Iontophoretic Transdermal Delivery of Salicylic Acid and Lidocaine to Local Subcutaneous Structures, 127

Salmeterol
Determination of Salmeterol in Rat and Dog Plasma by High-Performance Liquid Chromatography with Fluorescence Detection, 323

Sickle cell disease
Increased Erythrocyte and Protein Binding of Codeine in Patients with Sickle Cell Disease, 1112

Skin permeation
Cutaneous Bioavailability in Hairless Rats of Tretinoin in Liposomes or Gel, 17
Iontophoretic Transdermal Delivery of Salicylic Acid and Lidocaine to Local Subcutaneous Structures, 127
Metabolism of 3-Indolylacetic Acid during Percutaneous Absorption in Human Skin, 150
Facilitated Transport of Two Model Steroids by Esters and Amides of Clofibric Acid, 214
Testosteronyl-4-dimethylaminobutyrate·HCl: A Prodrug with Improved Skin Penetration Rate, 227
Barrier Function of Human Skin and Human Reconstructed Epidermis, 404
Prediction of Skin Permeabilities of Diclofenac and Propranolol from Theoretical Partition Coefficients Determined from Cohesion Parameters, 416
Percutaneous Absorption: A Single-Layer Model, 450
Skin Penetration Enhancement of Triprolidine Base by Propylene Glycol, 551
Transdermal Iontophoretic Peptide Delivery: In Vitro and In Vivo Studies with Luteinizing Hormone Releasing Hormone, 240, corrected article following page, 554
Metabolism of Propranolol during Percutaneous Absorption in Human Skin, 767
Effect of Various Vehicles on Ketoprofen Permeation across Excised Hairless Mouse Skin, 959
In Vitro Percutaneous Permeation of Betamethasone and Betamethasone 17-Valerate, 1039
Model Describing Transdermal Iontophoretic Delivery of Lidocaine Incorporating Consideration of Cutaneous Microvascular State, 1080
Surface Recovery and Stripping Methods to Quantify Percutaneous Absorption of Caffeine in Humans, 1099
Noninvasive Assessment of Anesthetic Activity of Topical Lidocaine Formulations, 1118
Evaluation of Local Anesthesia Provided by Transdermal Patches Containing Different Formulations of Tetracaine, 1123
Iontophoresis of Hydrocortisone across Hairless Mouse Skin: Investigation of Skin Alteration, 1140
Skin Permeation Enhancement of Tegafur by Ethanol/Panasate 800 or Ethanol/Water Binary Vehicle and Combined Effect of Fatty Acids and Fatty Alcohols, 1155
Dual Sorption Model for the Nonlinear Percutaneous Permeation Kinetics of Timolol, 1205
Ionic Size and Behavior of Diclofenac Salts in Water and Ethanol/Water Mixtures by Conductivity at 25 °C, 1245
Permeabilities of Alkyl *p*-Aminobenzoates through Living Skin Equivalent and Cadaver Skin, 1266

(*S*)-*N*-[1-(2-Fluorophenyl)-3,4,6,7-tetrahydro-4-oxo-pyrrolo-[3,2,1-jk][1,4]benzodiazepine-3-yl]-1*H*-indole-2-carboxamide
Solvent Dependence of Optical Rotation of (*S*)-*N*-[1-(2-Fluorophenyl)-3,4,6,7-tetrahydro-4-oxo-pyrrolo-[3,2,1-jk][1,4]benzodiazepine-3-yl]-1*H*-indole-2-carboxamide, 734

Sodium caprate
Effect of Absorption Promoters on Subcutaneous Absorption of Human Epidermal Growth Factor in Rats, 236

Sodium channel activity
Histamine Release from Rat Mast Cells Induced by the Inhibition of Adenosinetriphosphatase for Na and K Channels, 25

Sodium dodecyl sulfate
Epithelial Transport of Drugs in Cell Culture. VIII: Effects of Sodium Dodecyl Sulfate on Cell Membrane and Tight Junction Permeability in Human Intestinal Epithelial (Caco-2) Cells, 392

Sodium glycocholate
Effect of Absorption Promoters on Subcutaneous Absorption of Human Epidermal Growth Factor in Rats, 236

Sodium starch glycolate
Effect of the Mode of Super Disintegrant Incorporation on Dissolution in Wet Granulated Tablets, 220

Solubility studies
Complexation of Moricizine with Nicotinamide and Evaluation of the Complexation Constants by Various Methods, 77
Comments concerning "Solvent Effects on Chemical Processes. I: Solubility of Aromatic and Heterocyclic Compounds in Binary Aqueous–Organic Solvents", 431
Effect of Electrolytes on Oxygen Solubility in Aqueous Systems, 550
Partial Solubility Parameters and Solvatochromic Parameters for Predicting the Solubility of Single and Multiple Drugs in Individual Solvents, 635
Separation of 21-(*R*)- and 21-(*S*)-Argatroban: Solubility and Activity of the Individual Diastereoisomers, 672
Solvent Effects on Chemical Processes. V: Hydrophobic and Solvation Effects on the Solubilities of Substituted Biphenyls in Methanol/Water Mixtures, 817
An Experimental Method for Determining the Hildebrand Solubility Parameter of Organic Nonelectrolytes, 1018
Physicochemical Characterization of 9,10-Anthraquinone 2-Carboxylic Acid, 1250

Solvent effects
Solvent Dependence of Optical Rotation of (*S*)-*N*-[1-(2-Fluorophenyl)-3,4,6,7-tetrahydro-4-oxo-pyrrolo-[3,2,1-jk][1,4]benzodiazepine-3-yl]-1*H*-indole-2-carboxamide, 734
Solvent Effects on Chemical Processes. V: Hydrophobic and Solvation Effects on the Solubilities of Substituted Biphenyls in Methanol/Water Mixtures, 817

Sorption
Modeling of Solute Sorption by Polyvinyl Chloride Plastic Infusion Bags, 1134

Soybean phosphatidylcholine
Hydrolysis of Saturated Soybean Phosphatidylcholine in Aqueous Liposome Dispersions, 362

Spectrometric studies
Determination of Ceftibuten in Sputum by Column-Switching High-Performance Liquid Chromatography On-Line with Thermospray Mass Spectrometry, 52
Simultaneous Determination of Propranolol or Metoprolol in the Presence of Butyrophenones in Human Plasma by Gas Chromatography with Mass Spectrometry, 87

Spectrophotometric studies
Automated Drug Dissolution Monitor That Uses a UV-Visible Diode Array Spectrophotometer, 350
Spectrophotometric Analysis of a Pharmaceutical Preparation by Principal Component Regression, 834
A Thermodynamic Approach to the Binding Mechanisms of Cefotaxime to Serum Albumins, 948

Spectroscopic studies
Comparison of the In Vivo and In Vitro Nuclear Magnetic Resonance Detection of Trifluoromethyl Penicillin V in Rats, 48
Rapid Simultaneous Determination of Tryptophan and Tyrosine in Synthetic Peptides by Derivative Spectroscopy, 179

Simultaneous Assessment of the Intravenous and Oral Disposition of the Enantiomers of Racemic Nimodipine by Chiral Stationary-Phase High-Performance Liquid Chromatography and Gas Chromatography/Mass Spectroscopy Combined with a Stable Isotope Technique, 244
Fragrance Compounds and Essential Oils with Sedative Effects upon Inhalation, 660
Synthesis and Structural, Biochemical, and Pharmacological Study of 3β-Acyloxy-3α-methoxycarbonyltropane Derivatives, 794
Investigation of the Particle Size Distribution of a Model Intravenous Emulsion, 1237
Physicochemical Characterization of 9,10-Anthraquinone 2-Carboxylic Acid, 1250
Necessary Conditions for the π-Electron Delocalization in Enamino-Type Muscle Relaxants, 1275

Spiradoline mesylate
New Degradation Product of Spiradoline Mesylate in Aqueous Solution: Formation of an Imidazolidine Ring, 91

Stability studies
Hygroscopic Stability and Dissolution Properties of Spray-Dried Solid Dispersions of Furosemide with Eudragit, 32
Degradation Kinetics of Metronidazole in Solution, 95
Current Perspectives on the Dissolution Stability of Solid Oral Dosage Forms, 113
Transmucosal Delivery of Methionine Enkephalin. I: Solution Stability and Kinetics of Degradation in Various Rabbit Mucosa Extracts, 373
Ditiocarb: Decomposition in Aqueous Solution and Effect of the Volatile Product on Its Pharmacological Use, 379
A Method for the Preparation of Submicron Particles of Sparingly Water-Soluble Drugs by Precipitation in Oil-in-Water Emulsions. I: Influence of Emulsification and Surfactant Concentration, 579
A Method for the Preparation of Submicron Particles of Sparingly Water-Soluble Drugs by Precipitation in Oil-in-Water Emulsions. II: Influence of the Emulsifier, the Solvent, and the Drug Substance, 584
Effects of Temperature and Relative Humidity on the Solid-State Chemical Stability of Ranitidine Hydrochloride, 601
Chemical Stability of Indomethacin in the Solid Amorphous and Molten States, 657
Rebuttal to "Practical Testing of Solid-State Stability of Pharmaceuticals", 674
Computational Prediction of the Stability of Lipid Emulsions in Total Nutrient Admixtures, 808
Stabilization of Aspartame by Polyethylene Glycol 400, 978
Stability Surveillance Testing: an Effective and Efficient Approach, 1130
Transmucosal Delivery of Leucine Enkephalin: Stabilization in Rabbit Enzyme Extracts and Enhancement of Permeation through Mucosae, 1179

Staphylococcus aureus
Survival of *Staphylococcus aureus* in Oral Administration Liquid Medicaments and Influence of Count Medium on Survival, 170

Statistics
A Novel Statistical Approach for the Comparison of Analytical Methods to Measure Angiotensin Converting Enzyme Activity, Enalaprilat, and Benazeprilat, 471
Estimation of Variance for AUC in Animal Studies, 761

Stereochemistry
Simultaneous Assessment of the Intravenous and Oral Disposition of the Enantiomers of Racemic Nimodipine by Chiral Stationary-Phase High-Performance Liquid Chromatography and Gas Chromatography/Mass Spectroscopy Combined with a Stable Isotope Technique, 244
Ketoprofen–Probenecid Interaction in the Rat: A Probenecid Concentration-Dependent Stereoselective Process, 296
Determination of the Enantiomers of a New 1,4-Dihydropyridine Calcium Antagonists in Dog Plasma by Achiral/Chiral Coupled High-Performance Liquid Chromatography with Electrochemical Detection, 319
Biomembrane Permeation and Stereochemistry, 342
Separation of 21-(*R*)- and 21-(*S*)-Argatroban: Solubility and Activity of the Individual Diastereoisomers, 672
Phase Diagram of (*R*)- and (*S*)-4-Hydroxy-2-pyrrolidone Mixtures: A New Case of a Conglomerate-Forming System, 758
Pharmacokinetics of Ibuprofen Enantiomers in Plasma and Suction Blister Fluid in Healthy Volunteers, 787
Determination of Absolute Configurations and Predominant Conformations of General Inhalation Anesthetics: Desflurane, 791
Solid-State Stereochemistry and Activity of 3-Methylnefopam Diastereomers: Manipulation of Eight-Membered Ring Conformations in Analogues of the Non-narcotic Analgesic Drug, 886

Steroids
Structure–Anticancer and Structure–Genetic Activity Relationships of Homo-*aza*-steroidal Esters of *N,N*-Bis(2-chloroethyl)aminocinnamic Acid Isomers, 204
Facilitated Transport of Two Model Steroids by Esters and Amides of Clofibric Acid, 214

Structure-activity studies
Pyridazine Derivatives. XI: Antihypertensive Activity of 3-Hydrazinocycloheptyl[1,2-*c*]pyridazine and Its Hydrazone Derivatives, 286
Synthesis and Antineoplastic Evaluation of α-Substituted Alkanesulfonates: Analogues of Clomesone, 1200
Anticonvulsant and Neurotoxic Activities of Twelve Analogues of Valproic Acid, 1255
Permeabilities of Alkyl *p*-Aminobenzoates through Living Skin Equivalent and Cadaver Skin, 1266
Necessary Conditions for the π-Electron Delocalization in Enamino-Type Muscle Relaxants, 1275

Structure analysis
Isolation and Structure Elucidation of a Novel Product of the Acidic Degradation of Cefaclor, 622
X-ray Molecular Structures and Theoretical Conformational Studies of Narcotic Analgesics α-(−)-*N*-*cis*-3-Chloroallylnormetazocine, Ethylketazocine, and Ketazocine, 821
Solid-State Stereochemistry and Activity of 3-Methylnefopam Diastereomers: Manipulation of Eight-Membered Ring Conformations in Analogues of the Non-narcotic Analgesic Drug, 886
Hydrogen-Bond Patterns of Dialkylpyridone Iron Chelators and Their 1:1 Formic Acid Solvates: Description, Prediction, and Role in Crystal Packing, 901
X-ray Structural Characterization of Anhydrous Metronidazole Benzoate and Metronidazole Benzoate Monohydrate, 1006
Comparative Study of the Two Polymorphic Forms of *p*-(1*R*,3*S*) 3-Thioanisoyl-1,2,2-Trimethylcyclopentane Carboxylic Acid, 1262

Structure–activity studies
In the Search for New Anticancer Drugs. XXIV: Synthesis and Anticancer Activity of Amino Acids and Dipeptides Containing the 2-Chloroethyl- and [*N'*-(2-Chloroethyl)-*N'*-Nitroso]-aminocarbonyl Groups, 1
γ-Pyrone Compounds. IV: Synthesis and Antiplatelet Effects of Mono- and Dioxygenated Xanthones and Xanthonoxypropanolamine, 11
Hydrolysis of Pharmaceutically Relevant Phosphate Monoester Monoanions: Correlation to an Established Structure–Reactivity Relationship, 69
Hydrophobicity Parameter of Diazines. III: Relationship of Partition Coefficients of Monosubstituted Diazines and Pyridines in Different Partitioning Systems, 155
Substituted Thiosemicarbazides and Corresponding Cyclized 1,3,4-Oxadiazoles and Their Anti-Inflammatory Activity, 167

Structure–Anticancer and Structure–Genetic Activity Relationships of Homo-*aza*-steroidal Esters of *N,N*-Bis(2-chloroethyl)aminocinnamic Acid Isomers, 204
Quaternary Salts of 3,3′-Bis-Pyridinium Monooximes: Synthesis and Biological Activity, 258
Synthesis and Antitumor Activity of Pyrido-Amsacrine Analogues and Related Compounds, 262
Synthesis of Galactose Derivatives That Render Lectin-Induced Agglutinating Ability to Liposomes, 273
cis-1,2,3a,4,5,9b-Hexahydro-3*H*-benz[e]indoles: Synthesis and In Vitro Binding Affinity at Dopamine D1 and D2 Receptors, 334
Quantitative Structure–Activity Relationships for Substituted Aminotetralin Analogues. I: Inhibition of Norepinephrine Uptake, 355
Reduction of Erythrocyte Membrane Permeability and Protein Binding of Low-Molecular-Weight Drugs following Glycoside Derivatization, 399
Synthesis and Hypolipidemic Activity of 4-Substituted 1-Acyl-1,2,4-Triazolidine-3,5-diones in Rodents, 408
Synthesis and Study of the Anti-inflammatory Properties of Some Pyrazolo[1,5-*a*]pyrimidine Derivatives, 480
Tannins as Potent Inhibitors of DNA Topoisomerase II In Vitro, 487
Antiserotoninergic Activity of 2-Aminoethylbenzocyclanones in Rat Aorta: Structure–Activity Relationships, 513
Quantitative Structure–Activity Relationships for Substituted Aminotetralin Analogues. II: Inhibition of Dopamine Uptake, 521
Synthesis of Potential Metabolites of Ethyl (*E*)-4-[2-(3,4-Dihydro-4,4-dimethyl-2*H*-1-benzopyran-6-yl)-1-propenyl]benzoate, 543
Structural Characterization and Biological Effects of Photocyclized Products of Tamoxifen Irradiation, 571
Antibacterial Organophosphorus Compounds: Phosphoranilidohydrazones of 5-Nitro-2-furaldehyde, 755
Octanol/Water Partition Coefficient of Ortho-Substituted Aromatic Solutes, 776
Synthesis and Structural, Biochemical, and Pharmacological Study of 3β-Acyloxy-3α-methoxycarbonyltropane Derivatives, 794
Solid-State Stereochemistry and Activity of 3-Methylnefopam Diastereomers: Manipulation of Eight-Membered Ring Conformations in Analogues of the Non-narcotic Analgesic Drug, 886
Characterization of the Oral Absorption of Some β-Lactams: Effect of the α-Amino Side Chain Group, 897
Reaction of Pyrylium Salts with Nucleophiles. 23: Triarylethene Derivatives Containing an Oxyalkyleneamino or Oxyalkylene-*N*-pyridinium Side Chain, 927
Effects of Two Substituted Hydrazine Monoamine Oxidase (MAO) Inhibitors on Neurotransmitter Amines, γ-Aminobutyric Acid, and Alanine in Rat Brain, 934
Cyproheptadine Analogues: Synthesis, Antiserotoninergic Activity, and Structure–Activity Relationships, 1090

Suicide enzyme system
Estimation of Partition Ratio When the Value Is Much Smaller Than the Initial Substrate/Enzyme Concentration Ratio in a Suicide Enzyme System, 1296

Sulfadiazine
Partial Solubility Parameters and Solvatochromic Parameters for Predicting the Solubility of Single and Multiple Drugs in Individual Solvents, 635

Sulfonamides
Elucidation of the Role of Hydrophobic Bonding in Influencing Intestinal Absorption of Model Sulfonamides and Revealing Possible Mechanism of Drug Absorption in Rat Model, 1221

Sulofenur
Pharmacokinetics of the Anticancer Agent Sulofenur in Mice, Rats, Monkeys, and Dogs, 683

Sultopride
Inhibitory Effects of Procainamide and Probenecid on Renal Excretion of Sultopride Enantiomers in Rats, 1259

Sumatriptan succinate
Determination of Sumatriptan Succinate in Plasma and Urine by High-Performance Liquid Chromatography with Electrochemical Detection, 73

Supercritical fluid chromatography
Determination of Free Bile Acids in Pharmaceutical Preparations by Packed Column Supercritical Fluid Chromatography, 44

Superoxide dismutase
Protection of the Rat Jejunal Mucosa against Oxidative Injury by Cationized Superoxide Dismutase, 1285

Suppositories
Bioavailability and Bioequivalence of Two Formulations of Etodolac (Tablets and Suppositories), 211
In Vitro Release of Testosterone from Suppository Bases and In Vivo Absorption Studies in Human Males, 389

Surfactants
A Method for the Preparation of Submicron Particles of Sparingly Water-Soluble Drugs by Precipitation in Oil-in-Water Emulsions. I: Influence of Emulsification and Surfactant Concentration, 579

Sustained release
High-Pressure Liquid Chromatographic Assay of Theophylline in Dog Feces following Oral Administration of Sustained-Release Products, 956

Synthesis studies
In the Search for New Anticancer Drugs. XXIV: Synthesis and Anticancer Activity of Amino Acids and Dipeptides Containing the 2-Chloroethyl- and [*N′*-(2-Chloroethyl)-*N′*-Nitroso]-aminocarbonyl Groups, 1
γ-Pyrone Compounds. IV: Synthesis and Antiplatelet Effects of Mono- and Dioxygenated Xanthones and Xanthonoxypropanolamine, 11
Substituted Thiosemicarbazides and Corresponding Cyclized 1,3,4-Oxadiazoles and Their Anti-Inflammatory Activity, 167
Structure–Anticancer and Structure–Genetic Activity Relationships of Homo-*aza*-steroidal Esters of *N,N*-Bis(2-chloroethyl)aminocinnamic Acid Isomers, 204
Facilitated Transport of Two Model Steroids by Esters and Amides of Clofibric Acid, 214
Quaternary Salts of 3,3′-Bis-Pyridinium Monooximes: Synthesis and Biological Activity, 258
Synthesis and Antitumor Activity of Pyrido-Amsacrine Analogues and Related Compounds, 262
Synthesis of Galactose Derivatives That Render Lectin-Induced Agglutinating Ability to Liposomes, 273
Pyridazine Derivatives. XI: Antihypertensive Activity of 3-Hydrazinocycloheptyl[1,2-c]pyridazine and Its Hydrazone Derivatives, 286
Synthesis of the *N*-Oxides of Phenothiazine Antipsychotic Agents, 330
cis-1,2,3a,4,5,9b-Hexahydro-3*H*-benz[e]indoles: Synthesis and In Vitro Binding Affinity at Dopamine D1 and D2 Receptors, 334
Synthesis and Hypolipidemic Activity of 4-Substituted 1-Acyl-1,2,4-Triazolidine-3,5-diones in Rodents, 408
Synthesis and Study of the Anti-inflammatory Properties of Some Pyrazolo[1,5-*a*]pyrimidine Derivatives, 480
Toxin-Targeted Design for Anticancer Therapy. I: Synthesis and Biological Evaluation of New Thioimidate Heterobifunctional Reagents, 506
A Novel Class of Cardiotonic Agents: Synthesis and Biological Evaluation of Pyridazino[4,5-*b*]indoles with Cyclic AMP Phosphodiesterases Inhibiting Properties, 526
Synthesis of Potential Metabolites of Ethyl (*E*)-4-[2-(3,4-Dihydro-4,4-dimethyl-2*H*-1-benzopyran-6-yl)-1-propenyl]benzoate, 543

Synthesis and Antimuscarinic Activity of 2-[*N*-(Ethyl)-(*N*-β-hydroxyethyl)]aminoethyl 2,2-Diphenylpropionate, a Metabolite of Aprophen, 563
Synthesis of Propargylic Alcohols and Biological Effects on *Echinococcus multilocularis* Metacestodes, 605
Preparation, Characterization, and Dissolution Kinetics of Two Novel Albuterol Salts, 613
In the Search for New Anticancer Drugs. XXV: Role of *N*-Nitrosated Amadori Compounds Derived from Glucose–Amino Acid Conjugates in Cancer Promotion or Inhibition, 649
Antibacterial Organophosphorus Compounds: Phosphoranilidohydrazones of 5-Nitro-2-furaldehyde, 755
Synthesis and Structural, Biochemical, and Pharmacological Study of 3β-Acyloxy-3α-methoxycarbonyltropane Derivatives, 794
Studies on Specific Inhibition of Benzodiazepine Receptor Binding by Some C-Benzoyl-1,2,3-triazole Derivatives, 893
Reaction of Pyrylium Salts with Nucleophiles. 23: Triarylethene Derivatives Containing an Oxyalkyleneamino or Oxyalkylene-*N*-pyridinium Side Chain, 927
Aqueous Acidic Degradation of the Carbacephalosporin Loracarbef, 1010
Cyproheptadine Analogues: Synthesis, Antiserotoninergic Activity, and Structure–Activity Relationships, 1090
Synthesis and Antineoplastic Evaluation of α-Substituted Alkanesulfonates: Analogues of Clomesone, 1200
Properties and Cost Effective Method for Production of the Antitumor Agent Duclauxin from Sporulating *Penicillium herquei*, 1214
Determination of Serum Biotinidase Activity with Biotinyl Derivatives of Iodotyramines as Substrates, 1228
Prodrugs of 2′,3′-Didehydro-3′-deoxythymidine, 1232

Tablets
Bioavailability and Bioequivalence of Two Formulations of Etodolac (Tablets and Suppositories), 211
Effect of the Mode of Super Disintegrant Incorporation on Dissolution in Wet Granulated Tablets, 220
High-Performance Liquid Chromatographic Method for Assay of Otilonium Bromide, Diazepam, and Related Compounds in Finished Pharmaceutical Forms, 367
Use of Hydroxypropyl Methylcellulose Acetate Succinate in an Enteric Polymer Matrix To Design Controlled-Release Tablets of Amoxicillin Trihydrate, 737
Multiple-Layer, Direct-Compression, Controlled-Release System: In Vitro and In Vivo Evaluation, 750

Tacrolimus
Plasma Protein Binding of Tacrolimus in Humans, 340

Tamoxifen
Structural Characterization and Biological Effects of Photocyclized Products of Tamoxifen Irradiation, 571

Tannins
Tannins as Potent Inhibitors of DNA Topoisomerase II In Vitro, 487

Tebufelone
Absorption, Bioavailability, and Pharmacokinetics of Tebufelone in the Rat, 610
Comparison of Tebufelone Distribution in Rat Blood Plasma and Inflamed and Noninflamed Tissues following Peroral and Intravenous Administration, 847

Tegafur
Skin Permeation Enhancement of Tegafur by Ethanol/Panasate 800 or Ethanol/Water Binary Vehicle and Combined Effect of Fatty Acids and Fatty Alcohols, 1155

Tenoxicam
Tenoxicam: Acute Dose-Dependent Disposition Studies in Rats, 851

Testosterone
In Vitro Release of Testosterone from Suppository Bases and In Vivo Absorption Studies in Human Males, 389

Testosteronyl-4-dimethylaminobutyrate
Testosteronyl-4-dimethylaminobutyrate·HCl: A Prodrug with Improved Skin Penetration Rate, 227

Tetracaine
Evaluation of Local Anesthesia Provided by Transdermal Patches Containing Different Formulations of Tetracaine, 1123

1-(Tetrahydro-2-furanyl)-5-fluorouracil
1-(Tetrahydro-2-furanyl)-5-fluorouracil (Ftorafur) Determined in Rat Hair as an Index of Drug Exposure, 1272

Tetraphenylphosphonium
Membrane Transport of Tetraphenylphosphonium and Its Homologues through the Planar Phospholipid Bilayer: Concentration Dependence and Mutually Competitive Inhibition in Membrane Passive Transport, 27

Theophylline
Microencapsulation of Drugs with Aqueous Colloidal Polymer Dispersions, 191
Kinetics of Absorption of a New Once-a-Day Formulation of Theophylline in the Presence and Absence of Food, 644
Chronopharmacodynamics of Theophylline Neurotoxicity in Rats, 668
High-Pressure Liquid Chromatographic Assay of Theophylline in Dog Feces following Oral Administration of Sustained-Release Products, 956
Diffusion and Concentration Profiles of Drugs in Gels, 1094

Thermodynamic studies
Comparative Study of the Two Polymorphic Forms of *p*-(1*R*,3*S*) 3-Thioanisoyl-1,2,2-Trimethylcyclopentane Carboxylic Acid, 1262

Thiamine
High-Performance Liquid Chromatographic Determination of Total Thiamine in Human Plasma for Oral Bioavailability Studies, 56

***p*-(1*R*,3*S*)-3-Thioanisoyl-1,2,2-Trimethylcyclopentane carboxylic acid**
Comparative Study of the Two Polymorphic Forms of *p*-(1*R*,3*S*) 3-Thioanisoyl-1,2,2-Trimethylcyclopentane Carboxylic Acid, 1262

Thioimidate heterobifunctional reagents
Toxin-Targeted Design for Anticancer Therapy. I: Synthesis and Biological Evaluation of New Thioimidate Heterobifunctional Reagents, 506

Thiopental
Displacement of Thiopental from Human Serum Albumin by Associated Drugs, 493

Thiosemicarbazides
Substituted Thiosemicarbazides and Corresponding Cyclized 1,3,4-Oxadiazoles and Their Anti-Inflammatory Activity, 167

Thymidine
Comparison of Uptake Characteristics of Thymidine and Zidovudine in a Human Intestinal Epithelial Model System, 829

Tiaprofenic acid
Nonlinear Pharmacokinetics and Protein Binding of Tiaprofenic Acid in Female Lewis Rats, 429

Timolol
Dual Sorption Model for the Nonlinear Percutaneous Permeation Kinetics of Timolol, 1205

Total nutrient admixtures
Computational Prediction of the Stability of Lipid Emulsions in Total Nutrient Admixtures, 808

Toxicity studies
Hypolipidemic Effects of 6-Amino-2-mercapto-5-methylpyrimidine-4-carboxylic Acid in Rats and Tissue Culture Cells, 60
Toxicity of the Mitochondrial Poison Dequalinium Chloride in a Murine Model System, 231

In the Search for New Anticancer Drugs. XXV: Role of *N*-Nitrosated Amadori Compounds Derived from Glucose–Amino Acid Conjugates in Cancer Promotion or Inhibition, 649
Chronopharmacodynamics of Theophylline Neurotoxicity in Rats, 668
Anticonvulsant and Neurotoxic Activities of Twelve Analogues of Valproic Acid, 1255
Protection of the Rat Jejunal Mucosa against Oxidative Injury by Cationized Superoxide Dismutase, 1285

Transdermal patches
Evaluation of Local Anesthesia Provided by Transdermal Patches Containing Different Formulations of Tetracaine, 1123

Tretinoin
Cutaneous Bioavailability in Hairless Rats of Tretinoin in Liposomes or Gel, 17

Triarylethene derivatives
Reaction of Pyrylium Salts with Nucleophiles. 23: Triarylethene Derivatives Containing an Oxyalkyleneamino or Oxyalkylene-*N*-pyridinium Side Chain, 927

6-Tridecylresorcylic acid
Histamine Release from Rat Mast Cells Induced by the Inhibition of Adenosinetriphosphatase for Na and K Channels, 25

Trifluoromethyl penicillin V
Comparison of the In Vivo and In Vitro Nuclear Magnetic Resonance Detection of Trifluoromethyl Penicillin V in Rats, 48

Triprolidine
Skin Penetration Enhancement of Triprolidine Base by Propylene Glycol, 551

Tryptophan
Rapid Simultaneous Determination of Tryptophan and Tyrosine in Synthetic Peptides by Derivative Spectroscopy, 179
Transport of L-Tryptophan across the Rat Nasal Mucosa, 433

Tyloxapol
Determination of Benzalkonium Chloride in Ophthalmic Solutions Containing Tyloxapol by Solid-Phase Extraction and Reversed-Phase High-Performance Liquid Chromatography, 1172

Tyrosine
Rapid Simultaneous Determination of Tryptophan and Tyrosine in Synthetic Peptides by Derivative Spectroscopy, 179

Undergraduate research reports
Transmucosal Delivery of Leucine Enkephalin: Stabilization in Rabbit Enzyme Extracts and Enhancement of Permeation through Mucosae, 1179

Valproic acid
Anticonvulsant and Neurotoxic Activities of Twelve Analogues of Valproic Acid, 1255

Vanoxerine
Nonlinear Multiple-Dose Pharmacokinetics of the Dopamine Reuptake Inhibitor Vanoxerine, 1164

Vasodilators
Pharmacokinetic Profile of Flosequinan in Patients with Compromised Renal Function, 282
Controlled-Release Isosorbide Dinitrate Pellets, Part I: Design and Evaluation of Controlled-Release Capsule Dosage Form, 1288
Controlled-Release Isosorbide Dinitrate Pellets, Part II: In Vivo Studies, 1292

Viscosigens
Use of Viscosigens to Stabilize Vitamin B_{12} Solutions against Photolysis, 641

Vitamins
Reaction-Frequencymetric Method: A New Analytical Technique for Determination of Submicromolar Concentration Levels of Vitamin C, 457
Use of Viscosigens to Stabilize Vitamin B_{12} Solutions against Photolysis, 641
Determination of Total Pyridoxal in Human Plasma following Oral Administration of Vitamin B_6 by High-Performance Liquid Chromatography with Post-Column Derivatization, 972

Voltammetric behavior
Voltammetric Behavior of Berenil, 251
Ditiocarb: Decomposition in Aqueous Solution and Effect of the Volatile Product on Its Pharmacological Use, 379

Weibull distribution model
A Weibull Distribution Model for Intradermal Administration of Ceftazidime, 1175

Wood's rotating disk dissolution apparatus
Validation of an Improved Wood's Rotating Disk Dissolution Apparatus, 670

Xanthones
γ-Pyrone Compounds. IV: Synthesis and Antiplatelet Effects of Mono- and Dioxygenated Xanthones and Xanthonoxypropanolamine, 11

Xanthonoxypropanolamine
γ-Pyrone Compounds. IV: Synthesis and Antiplatelet Effects of Mono- and Dioxygenated Xanthones and Xanthonoxypropanolamine, 11

X-ray studies
Solution- and Solid-State Structures of *N*-Desmethylnefopam Hydrochloride, a Metabolite of the Analgesic Drug, 276
Molecular Organization of Liquid *n*-Octanol: An X-ray Diffraction Analysis, 466
Synthesis and Structural, Biochemical, and Pharmacological Study of 3β-Acyloxy-3α-methoxycarbonyltropane Derivatives, 794
X-ray Molecular Structures and Theoretical Conformational Studies of Narcotic Analgesics α-(−)-*N*-*cis*-3-Chloroallylnormetazocine, Ethylketazocine, and Ketazocine, 821
Solid-State Stereochemistry and Activity of 3-Methylnefopam Diastereomers: Manipulation of Eight-Membered Ring Conformations in Analogues of the Non-narcotic Analgesic Drug, 886
Hydrogen-Bond Patterns of Dialkylpyridone Iron Chelators and Their 1:1 Formic Acid Solvates: Description, Prediction, and Role in Crystal Packing, 901
X-ray Structural Characterization of Anhydrous Metronidazole Benzoate and Metronidazole Benzoate Monohydrate, 1006

Zatebradine
Zatebradine: Pharmacokinetics of a Novel Heart-Rate-Lowering Agent after Intravenous Infusion and Oral Administration to Healthy Subjects, 99

Zidovudine
Comparison of Uptake Characteristics of Thymidine and Zidovudine in a Human Intestinal Epithelial Model System, 829